EXCELCHEM
Environmental Labs

1135 W Sunset Boulevard
Suite A
Rocklin, CA 95765
Phone# 916-543-4445
Fax# 916-543-4449

ELAP Certificate No. : 2119

29 July 2016

True Khang

RWQC Central Valley

11020 Sun Center Dr. #200

Rancho Cordova, CA 95670

RE: 2016 Sacramento River Synoptic

Workorder number:1606176

Enclosed are the results of analyses for samples received by the laboratory on 06/20/16 13:54. All Quality Control results are within acceptable limits except where noted as a case narrative. If you have any questions concerning this report, please feel free to contact the laboratory.

Sincerely,

John Somers, Lab Director

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TK160620-10	1606176-01	Water	06/20/16 06:45	06/20/16 13:54
TK160620-11	1606176-02	Water	06/20/16 06:45	06/20/16 13:54
TK160620-12	1606176-03	Water	06/20/16 06:45	06/20/16 13:54
TK160620-13	1606176-04	Water	06/20/16 06:45	06/20/16 13:54
TK160620-14	1606176-05	Water	06/20/16 06:45	06/20/16 13:54
TK160620-15	1606176-06	Water	06/20/16 06:45	06/20/16 13:54
TK160620-16	1606176-07	Water	06/20/16 06:45	06/20/16 13:54
TK160620-17	1606176-08	Water	06/20/16 06:45	06/20/16 13:54

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
Dichlorodifluoromethane	ND	0.5	0.07	ug/l	AZG0047	06/23/16	06/23/16	EPA 8260B	
Chloromethane	ND	0.5	0.06	"	"	"	"	"	
Bromomethane	ND	0.5	0.05	"	"	"	"	"	
Chloroethane	ND	0.5	0.08	"	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.05	"	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.05	"	"	"	"	"	
Acetone	ND	5.0	0.1	"	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	"	"	"	"	
Iodomethane	ND	0.5	0.03	"	"	"	"	"	
Methylene chloride	ND	5.0	0.08	"	"	"	"	"	
Carbon disulfide	ND	0.5	0.06	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.04	"	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
2-Butanone	ND	5.0	0.1	"	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.03	"	"	"	"	"	
Bromochloromethane	ND	0.5	0.07	"	"	"	"	"	
Chloroform	ND	0.5	0.05	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.05	"	"	"	"	"	
Carbon tetrachloride	ND	0.5	0.02	"	"	"	"	"	
1,1-Dichloropropene	ND	0.5	0.03	"	"	"	"	"	
Benzene	ND	0.5	0.03	"	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
Dibromomethane	ND	0.5	0.07	"	"	"	"	"	
Trichloroethene	ND	0.5	0.06	"	"	"	"	"	
Bromodichloromethane	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.05	"	"	"	"	"	
Toluene	ND	0.5	0.04	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.1	"	"	"	"	"	
Tetrachloroethene	ND	0.5	0.08	"	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
2-Hexanone	ND	5.0	0.1	ug/l	AZG0047	06/23/16	06/23/16	"	
Dibromochloromethane	ND	0.5	0.07	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.1	"	"	"	"	"	
Chlorobenzene	ND	0.5	0.03	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.08	"	"	"	"	"	
Ethylbenzene	ND	0.5	0.03	"	"	"	"	"	
m,p-Xylene	ND	1.0	0.09	"	"	"	"	"	
o-Xylene	ND	0.5	0.04	"	"	"	"	"	
Xylenes, total	ND	1.0	0.1	"	"	"	"	"	
Bromoform	ND	0.5	0.03	"	"	"	"	"	
Isopropylbenzene	ND	0.5	0.04	"	"	"	"	"	
Bromobenzene	ND	0.5	0.05	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.4	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.06	"	"	"	"	"	
n-Propylbenzene	ND	0.5	0.04	"	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.03	"	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.05	"	"	"	"	"	
tert-Butylbenzene	ND	0.5	0.02	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.5	0.04	"	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.03	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.03	"	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.04	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.06	"	"	"	"	"	
n-Butylbenzene	ND	0.5	0.04	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.07	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.02	"	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.07	"	"	"	"	"	
Naphthalene	ND	0.5	0.04	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
Surrogate: Dibromofluoromethane	*99.4 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: Toluene-d8	*103 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: 4-Bromofluorobenzene	*92.6 %*	% Recovery Limits		*70-130*				*"*	
Pesticides by GC/ECD									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Pesticides by GC/ECD									
alpha-BHC	ND	0.100	0.011	ug/l	AZF0252	06/23/16	06/24/16	EPA 8081A	
beta-BHC	ND	0.100	0.011	"	"	"	"	"	
gamma-BHC (Lindane)	ND	0.100	0.013	"	"	"	"	"	
delta-BHC	ND	0.100	0.021	"	"	"	"	"	
Heptachlor	ND	0.100	0.016	"	"	"	"	"	
Aldrin	ND	0.100	0.011	"	"	"	"	"	
Heptachlor epoxide	ND	0.100	0.020	"	"	"	"	"	
gamma-Chlordane	ND	0.100	0.005	"	"	"	"	"	
Endosulfan I	ND	0.100	0.007	"	"	"	"	"	
alpha-Chlordane	ND	0.100	0.006	"	"	"	"	"	
4,4'-DDE	ND	0.100	0.005	"	"	"	"	"	
Dieldrin	ND	0.100	0.006	"	"	"	"	"	
Endrin	ND	0.100	0.007	"	"	"	"	"	
Endosulfan II	ND	0.100	0.021	"	"	"	"	"	
4,4'-DDD	ND	0.100	0.006	"	"	"	"	"	
Endrin aldehyde	ND	0.100	0.006	"	"	"	"	"	
Endosulfan sulfate	ND	0.100	0.005	"	"	"	"	"	
4,4'-DDT	ND	0.100	0.004	"	"	"	"	"	
Endrin Ketone	ND	0.100	0.005	"	"	"	"	"	
Methoxychlor	ND	0.100	0.013	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*83.2 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*78.3 %*	% Recovery Limits		*50-150*				"	
PCBs by GC/ECD									
Aroclor 1016	ND	1.00	0.0600	ug/l	AZF0252	"	06/24/16	EPA 8082	
Aroclor 1221	ND	1.00	0.130	"	"	"	"	"	
Aroclor 1232	ND	1.00	0.100	"	"	"	"	"	
Aroclor 1242	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1248	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1254	ND	1.00	0.0900	"	"	"	"	"	
Aroclor 1260	ND	1.00	0.0800	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*47.6 %*	% Recovery Limits		*50-150*				"	*QR-07*
Surrogate: Tetrachloro-meta-xylene	*60.7 %*	% Recovery Limits		*50-150*				"	
SemiVolatile Organic Compounds by GC/MS									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
N-Nitrosodimethylamine	ND	2.0	0.4	ug/l	AZF0303	06/27/16	06/28/16	EPA 8270C	
Aniline	ND	2.0	0.3	"	"	"	"	"	
Bis(2-chloroethyl)ether	ND	2.0	0.6	"	"	"	"	"	
Phenol	ND	2.0	0.3	"	"	"	"	"	
2-Chlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	0.4	"	"	"	"	"	
Benzyl alcohol	ND	2.0	0.4	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	ND	2.0	0.4	"	"	"	"	"	
2-Methylphenol	**2.5**	2.0	0.4	"	"	"	"	"	
Hexachloroethane	ND	2.0	0.5	"	"	"	"	"	
N-Nitrosodi-n-propylamine	ND	2.0	0.3	"	"	"	"	"	
Nitrobenzene	ND	2.0	0.7	"	"	"	"	"	
Isophorone	ND	2.0	0.3	"	"	"	"	"	
2-Nitrophenol	ND	5.0	1.2	"	"	"	"	"	
2,4-Dimethylphenol	ND	2.0	0.8	"	"	"	"	"	
Bis(2-chloroethoxy)methane	ND	2.0	0.4	"	"	"	"	"	
Benzoic acid	ND	30.0	0.5	"	"	"	"	"	
2,4-Dichlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Naphthalene	ND	2.0	0.5	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	0.6	"	"	"	"	"	
4-Chloro-3-methylphenol	ND	2.0	0.6	"	"	"	"	"	
2-Methylnaphthalene	ND	2.0	0.6	"	"	"	"	"	
Hexachlorocyclopentadiene	ND	2.0	0.6	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2-Chloronaphthalene	ND	2.0	0.2	"	"	"	"	"	
2-Nitroaniline	ND	2.0	0.4	"	"	"	"	"	
Acenaphthylene	ND	2.0	0.3	"	"	"	"	"	
Dimethyl phthalate	ND	2.0	0.8	"	"	"	"	"	
2,6-Dinitrotoluene	ND	2.0	0.8	"	"	"	"	"	
Acenaphthene	ND	2.0	0.6	"	"	"	"	"	
2,4-Dinitrophenol	ND	10.0	0.3	"	"	"	"	"	
Dibenzofuran	ND	2.0	0.3	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
2,4-Dinitrotoluene	ND	2.0	0.8	ug/l	AZF0303	06/27/16	06/28/16	"	
4-Nitrophenol	ND	5.0	0.1	"	"	"	"	"	
Fluorene	ND	2.0	0.5	"	"	"	"	"	
4-Chlorophenyl phenyl ether	ND	2.0	0.5	"	"	"	"	"	
Diethyl phthalate	ND	2.0	0.6	"	"	"	"	"	
Azobenzene	ND	2.0	0.4	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	ND	10.0	2.2	"	"	"	"	"	
N-Nitrosodiphenylamine	ND	2.0	0.6	"	"	"	"	"	
4-Bromophenyl phenyl ether	ND	2.0	0.8	"	"	"	"	"	
Hexachlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Pentachlorophenol	ND	10.0	2.4	"	"	"	"	"	
Phenanthrene	ND	2.0	0.4	"	"	"	"	"	
Anthracene	ND	2.0	0.3	"	"	"	"	"	
Carbazole	ND	2.0	0.6	"	"	"	"	"	
Di-n-butyl phthalate	ND	2.0	0.4	"	"	"	"	"	
Fluoranthene	ND	2.0	0.6	"	"	"	"	"	
Benzidine	ND	5.0	0.2	"	"	"	"	"	
Pyrene	ND	2.0	1.0	"	"	"	"	"	
Butyl benzyl phthalate	ND	2.0	1.0	"	"	"	"	"	
3,3´-Dichlorobenzidine	ND	5.0	0.8	"	"	"	"	"	
Benzo (a) anthracene	ND	2.0	0.4	"	"	"	"	"	
Chrysene	ND	2.0	0.5	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	ND	5.0	0.7	"	"	"	"	"	
Di-n-octyl phthalate	ND	5.0	0.7	"	"	"	"	"	
Benzo (b) fluoranthene	ND	2.0	0.8	"	"	"	"	"	
Benzo (k) fluoranthene	ND	2.0	1.0	"	"	"	"	"	
Benzo (a) pyrene	ND	5.0	1.2	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	5.0	1.6	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	2.0	1.6	"	"	"	"	"	
Benzo (g,h,i) perylene	ND	2.0	1.3	"	"	"	"	"	
3-Methylphenol & 4-Methylphenol	ND	50.0	0.4	"	"	"	"	"	
Surrogate: 2-Fluorophenol	*20.7 %*	% Recovery Limits		*10-130*				*"*	
Surrogate: Phenol-d6	*21.6 %*	% Recovery Limits		*10-130*				*"*	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
Surrogate: Nitrobenzene-d5	*73.3 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2-Fluorobiphenyl	*68.4 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2,4,6-Tribromophenol	*38.2 %*	% Recovery Limits		*10-130*				"	
Surrogate: Terphenyl-dl4	*71.4 %*	% Recovery Limits		*10-130*				"	
Organophosphorus Pesticides									
Dichlorvos	ND	0.200	0.156	ug/l	AZF0309	06/27/16	07/06/16	EPA 8141A	
Mevinphos	ND	0.200	0.115	"	"	"	"	"	
TEPP	ND	0.200	0.151	"	"	"	"	"	
Demeton	ND	0.200	0.105	"	"	"	"	"	
Demeton-O	ND	0.200	0.101	"	"	"	"	"	
Ethoprop	ND	0.200	0.0770	"	"	"	"	"	
Naled	ND	0.200	0.169	"	"	"	"	"	
Sulfotep	ND	0.200	0.0950	"	"	"	"	"	
Monocrotophos	ND	0.400	0.0150	"	"	"	"	"	
Phorate	ND	0.200	0.0830	"	"	"	"	"	
Demeton-S	ND	0.200	0.105	"	"	"	"	"	
Dimethoate	ND	0.200	0.0710	"	"	"	"	"	
Diazinon	ND	0.200	0.0650	"	"	"	"	"	
Disulfoton	ND	0.200	0.0690	"	"	"	"	"	
Parathion-methyl	ND	0.200	0.0770	"	"	"	"	"	
Ronnel	ND	0.200	0.0660	"	"	"	"	"	
Malathion	ND	0.200	0.159	"	"	"	"	"	
Dursban (Chlorpyrifos)	ND	0.200	0.0710	"	"	"	"	"	
Fenthion	ND	0.200	0.0670	"	"	"	"	"	
Parathion	ND	0.200	0.0790	"	"	"	"	"	
Trichloronate	ND	0.200	0.0670	"	"	"	"	"	
Gardona (Stirophos)	ND	0.200	0.110	"	"	"	"	"	
Tokuthion (Prothiofos)	ND	0.200	0.0770	"	"	"	"	"	
Merphos	ND	0.200	0.0970	"	"	"	"	"	
Fensulfothion	ND	0.200	0.139	"	"	"	"	"	
Bolstar	ND	0.200	0.0860	"	"	"	"	"	
EPN	ND	0.200	0.124	"	"	"	"	"	
Azinphos-methyl	ND	0.200	0.0270	"	"	"	"	"	
Coumaphos	ND	0.200	0.168	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Organophosphorus Pesticides									
Molinate	ND	0.200	0.0440	ug/l	AZF0309	06/27/16	07/06/16	"	
Surrogate: Tributylphosphate	*75.9 %*	% Recovery Limits		*50-170*				*"*	
Surrogate: Triphenyl phosphate	*87.7 %*	% Recovery Limits		*50-170*				*"*	
Herbicides									
Dalapon	ND	0.600	0.115	ug/l	AZG0024	06/24/16	07/08/16	EPA 8151A	
3,5-Dichlorobenzoic acid	ND	0.800	0.170	"	"	"	"	"	
4-Nitrophenol	ND	0.600	0.117	"	"	"	"	"	
Dicamba	ND	0.400	0.0800	"	"	"	"	"	
MCPP	ND	10.0	0.891	"	"	"	"	"	
Dichloroprop	ND	0.800	0.196	"	"	"	"	"	
2,4-D	ND	0.400	0.0860	"	"	"	"	"	
Pentachlorophenol	ND	0.300	0.0530	"	"	"	"	"	
2,4,5-TP (Silvex)	ND	0.500	0.0950	"	"	"	"	"	
2,4,5-T	ND	0.500	0.0970	"	"	"	"	"	
Chloramben	ND	0.800	0.00800	"	"	"	"	"	
Dinoseb	ND	0.400	0.0830	"	"	"	"	"	
2,4-DB	ND	0.800	0.157	"	"	"	"	"	
Bentazon	ND	0.600	0.110	"	"	"	"	"	
DCPA	ND	0.400	0.0150	"	"	"	"	"	
Picloram	ND	0.800	0.0200	"	"	"	"	"	
Acifluorfen	ND	0.800	0.157	"	"	"	"	"	
Surrogate: 2,4-Dichlorophenylacetic acid	*57.8 %*	% Recovery Limits		*43-169*				*"*	
Ion Chromatography									
Chloride	**1.8**	0.5	0.05	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Fluoride	ND	0.1	0.08	"	"	"	"	"	
Nitrate as Nitrogen	ND	0.11	0.02	"	"	"	"	"	
Nitrite as Nitrogen	ND	0.15	0.04	"	"	"	"	"	
Perchlorate	ND	2.00	0.0940	ug/l	AZF0337	06/28/16	06/30/16	EPA 314.0	
Sulfate as SO4	**2.8**	0.5	0.1	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Wet Chemistry									
Total Alkalinity	**40.0**	5.00	2.37	mg/L	AZF0330	06/30/16	06/30/16	SM2320B	
Ammonia as N	**0.178**	0.100	0.0400	"	AZG0068	07/08/16	07/08/16	SM 4500-NH3 B/H	
Specific Conductance (EC)	**499**	5.00	1.09	uS/cm	AZF0266	06/22/16	06/22/16	EPA 120.1	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Wet Chemistry									
Cyanide	ND	0.00500	0.000900	mg/L	AZF0324	06/28/16	06/29/16	SM 4500CN E	
Hexavalent Chromium	ND	15.0	12.0	ug/l	AZG0023	07/05/16	07/05/16	EPA 7196	
MBAS	ND	0.100	0.0600	mg/L	AZF0277	06/22/16	06/23/16	SM5540C	
pH	**7.65**	0.100	0.100	pH Units	AZF0264	06/21/16	06/21/16	SM 4500-H+ B	Field
Total Dissolved Solids	**40.0**	15.0	7.68	mg/L	AZF0319	06/24/16	06/29/16	SM 2540C	
Total Hardness	**36.0**	5.00	2.86	"	AZF0314	06/29/16	06/29/16	SM2340B	
Total Recoverable Metals									
Aluminum	**2570**	50.0	24.5	ug/l	AZG0050	07/07/16	07/07/16	EPA 200.7	
Barium	**34.3**	5.0	1.2	"	"	"	"	"	
Boron	ND	50.0	0.8	"	"	"	"	"	
Calcium	**9140**	100	79.0	"	"	"	"	"	
Copper	**6.3**	5.0	0.8	"	"	"	"	"	
Iron	**2970**	20.0	11.5	"	"	"	"	"	
Magnesium	**3780**	50.0	15.6	"	"	"	"	"	
Manganese	**78.8**	10.0	0.6	"	"	"	"	"	
Sodium	**3800**	200	120	"	"	"	"	"	
Thallium	ND	20.0	2.2	"	"	"	"	"	
Zinc	ND	10.0	0.3	"	"	"	"	"	
Dissolved Metals									
Dissolved Aluminum	ND	50.0	24.5	ug/l	AZG0077	07/05/16	07/11/16	EPA 200.7	
Dissolved Arsenic	ND	10.0	1.0	"	"	"	"	"	
Dissolved Iron	**43.4**	20.0	11.5	"	"	"	"	"	
Dissolved Lead	ND	5.0	0.9	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8321A									
Carbaryl	ND	1		ug/L	A608160	07/04/16	07/04/16	EPA 8321A	
Aldicarb sulfoxide	ND	1		"	"	"	"	"	
3-Hydroxycarbofuran	ND	1		"	"	"	"	"	
Aldicarb sulfone	ND	1		"	"	"	"	"	
Aldicarb	ND	1		"	"	"	"	"	
Oxamyl	ND	1		"	"	"	"	"	
Methomyl	ND	1		"	"	"	"	"	
Methiocarb	ND	1		"	"	"	"	"	
Linuron	ND	1		"	"	"	"	"	
Diuron	ND	1		"	"	"	"	"	
Carbofuran	ND	1		"	"	"	"	"	
Propoxur	ND	1		"	"	"	"	"	
Surrogate: BDMC	*94 %*	% Recovery Limits		*50-150*				"	
E200.8									
Total Recoverable Titanium	**20.8**	2		ug/L	'[none]'	06/28/16	07/14/16	E200.8	
Total Recoverable Zinc	ND	10		"	"	"	06/28/16	"	
Total Recoverable Beryllium	ND	1		"	"	"	"	"	
Total Recoverable Selenium	ND	2		"	"	"	"	"	
Total Recoverable Thorium	ND	0.2		"	"	"	07/14/16	"	
Total Recoverable Silver	ND	1		"	"	"	06/28/16	"	
Total Recoverable Chromium	ND	3		"	"	"	"	"	
Total Recoverable Arsenic	ND	2		"	"	"	"	"	
Total Recoverable Cadmium	ND	1		"	"	"	"	"	
Total Recoverable Copper	**3.2**	2		"	"	"	"	"	
Total Recoverable Lead	ND	1		"	"	"	"	"	
Total Recoverable Nickel	**3.4**	2		"	"	"	"	"	
EPA 8290A									
1,2,3,6,7,8-HxCDD	ND		4.33	pg/L	1464	"	06/29/16	EPA 8290A	DL
1,2,3,7,8,9-HxCDD	ND		4.01	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDF	ND		2.35	"	"	"	"	"	DL
OCDF	ND		7.75	"	"	"	"	"	DL
OCDD	**15.9**			"	"	"	"	"	J
2,3,7,8-TCDF	ND		1.62	"	"	"	"	"	DL

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A									
2,3,4,7,8-PeCDF	ND		2.15	pg/L	1464	06/28/16	06/29/16	"	DL
1,2,3,7,8-PeCDF	ND		1.99	"	"	"	"	"	DL
Total HpCDD	ND		5.79	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDF	ND		2.02	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDF	ND		1.38	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDF	ND		1.38	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDD	ND		4.01	"	"	"	"	"	DL
1,2,3,4,7,8,9-HpCDF	ND		3.16	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDD	ND		5.79	"	"	"	"	"	DL
1,2,3,7,8-PeCDD	ND		4.48	"	"	"	"	"	DL
TEQ	**0.00477**			"	"	"	"	"	
Total TCDF	ND		1.62	"	"	"	"	"	DL
Total TCDD	ND		1.86	"	"	"	"	"	DL
Total PeCDF	ND		2.15	"	"	"	"	"	DL
Total PeCDD	ND		4.48	"	"	"	"	"	DL
Total HxCDF	ND		2.02	"	"	"	"	"	DL
Total HxCDD	ND		4.33	"	"	"	"	"	DL
Total HpCDF	ND		3.16	"	"	"	"	"	DL
2,3,4,6,7,8-HxCDF	ND		1.7	"	"	"	"	"	DL
2,3,7,8-TCDD	ND		1.86	"	"	"	"	"	DL
EPA 8290A									
Surrogate: 37Cl4-2,3,7,8-TCDD	*101 %*	% Recovery Limits		*40-135*				"	
EPA 8290A Internal Standards									
13C-1,2,3,4,7,8-HxCDD	**67.3**			%	1464	"	06/29/16	EPA 8290A Internal Standards	
13C-2,3,4,7,8-PeCDF	**52.7**			"	"	"	"	"	
13C-2,3,4,6,7,8-HxCDF	**57**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDF	**59.6**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDD	**61.4**			"	"	"	"	"	
13C-1,2,3,7,8,9-HxCDF	**56.9**			"	"	"	"	"	
13C-2,3,7,8-TCDD	**53.2**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDF	**63.4**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDD	**63.6**			"	"	"	"	"	
13C-1,2,3,4,7,8,9-HpCDF	**63.2**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-10

1606176-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A Internal Standards									
13C-1,2,3,4,6,7,8-HpCDD	**67.1**			%	1464	06/28/16	06/29/16	"	
13C-2,3,7,8-TCDF	**58.9**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDF	**61.2**			"	"	"	"	"	
13C-OCDD	**54.8**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDF	**62.2**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
Dichlorodifluoromethane	ND	0.5	0.07	ug/l	AZG0047	06/23/16	06/23/16	EPA 8260B	
Chloromethane	ND	0.5	0.06	"	"	"	"	"	
Bromomethane	ND	0.5	0.05	"	"	"	"	"	
Chloroethane	ND	0.5	0.08	"	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.05	"	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.05	"	"	"	"	"	
Acetone	ND	5.0	0.1	"	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	"	"	"	"	
Iodomethane	ND	0.5	0.03	"	"	"	"	"	
Methylene chloride	ND	5.0	0.08	"	"	"	"	"	
Carbon disulfide	ND	0.5	0.06	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.04	"	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
2-Butanone	ND	5.0	0.1	"	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.03	"	"	"	"	"	
Bromochloromethane	ND	0.5	0.07	"	"	"	"	"	
Chloroform	ND	0.5	0.05	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.05	"	"	"	"	"	
Carbon tetrachloride	ND	0.5	0.02	"	"	"	"	"	
1,1-Dichloropropene	ND	0.5	0.03	"	"	"	"	"	
Benzene	ND	0.5	0.03	"	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
Dibromomethane	ND	0.5	0.07	"	"	"	"	"	
Trichloroethene	ND	0.5	0.06	"	"	"	"	"	
Bromodichloromethane	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.05	"	"	"	"	"	
Toluene	ND	0.5	0.04	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.1	"	"	"	"	"	
Tetrachloroethene	ND	0.5	0.08	"	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
2-Hexanone	ND	5.0	0.1	ug/l	AZG0047	06/23/16	06/23/16	"	
Dibromochloromethane	ND	0.5	0.07	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.1	"	"	"	"	"	
Chlorobenzene	ND	0.5	0.03	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.08	"	"	"	"	"	
Ethylbenzene	ND	0.5	0.03	"	"	"	"	"	
m,p-Xylene	ND	1.0	0.09	"	"	"	"	"	
o-Xylene	ND	0.5	0.04	"	"	"	"	"	
Xylenes, total	ND	1.0	0.1	"	"	"	"	"	
Bromoform	ND	0.5	0.03	"	"	"	"	"	
Isopropylbenzene	ND	0.5	0.04	"	"	"	"	"	
Bromobenzene	ND	0.5	0.05	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.4	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.06	"	"	"	"	"	
n-Propylbenzene	ND	0.5	0.04	"	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.03	"	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.05	"	"	"	"	"	
tert-Butylbenzene	ND	0.5	0.02	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.5	0.04	"	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.03	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.03	"	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.04	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.06	"	"	"	"	"	
n-Butylbenzene	ND	0.5	0.04	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.07	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.02	"	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.07	"	"	"	"	"	
Naphthalene	ND	0.5	0.04	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
Surrogate: Dibromofluoromethane	*97.6 %*	% Recovery Limits		*70-130*				"	
Surrogate: Toluene-d8	*101 %*	% Recovery Limits		*70-130*				"	
Surrogate: 4-Bromofluorobenzene	*95.8 %*	% Recovery Limits		*70-130*				"	
Pesticides by GC/ECD									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Pesticides by GC/ECD									
alpha-BHC	ND	0.100	0.011	ug/l	AZF0252	06/23/16	06/24/16	EPA 8081A	
beta-BHC	ND	0.100	0.011	"	"	"	"	"	
gamma-BHC (Lindane)	ND	0.100	0.013	"	"	"	"	"	
delta-BHC	ND	0.100	0.021	"	"	"	"	"	
Heptachlor	ND	0.100	0.016	"	"	"	"	"	
Aldrin	ND	0.100	0.011	"	"	"	"	"	
Heptachlor epoxide	ND	0.100	0.020	"	"	"	"	"	
gamma-Chlordane	ND	0.100	0.005	"	"	"	"	"	
Endosulfan I	ND	0.100	0.007	"	"	"	"	"	
alpha-Chlordane	ND	0.100	0.006	"	"	"	"	"	
4,4'-DDE	ND	0.100	0.005	"	"	"	"	"	
Dieldrin	ND	0.100	0.006	"	"	"	"	"	
Endrin	ND	0.100	0.007	"	"	"	"	"	
Endosulfan II	ND	0.100	0.021	"	"	"	"	"	
4,4'-DDD	ND	0.100	0.006	"	"	"	"	"	
Endrin aldehyde	ND	0.100	0.006	"	"	"	"	"	
Endosulfan sulfate	ND	0.100	0.005	"	"	"	"	"	
4,4'-DDT	ND	0.100	0.004	"	"	"	"	"	
Endrin Ketone	ND	0.100	0.005	"	"	"	"	"	
Methoxychlor	ND	0.100	0.013	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*84.6 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*79.8 %*	% Recovery Limits		*50-150*				"	
PCBs by GC/ECD									
Aroclor 1016	ND	1.00	0.0600	ug/l	AZF0252	"	06/24/16	EPA 8082	
Aroclor 1221	ND	1.00	0.130	"	"	"	"	"	
Aroclor 1232	ND	1.00	0.100	"	"	"	"	"	
Aroclor 1242	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1248	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1254	ND	1.00	0.0900	"	"	"	"	"	
Aroclor 1260	ND	1.00	0.0800	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*47.3 %*	% Recovery Limits		*50-150*				"	*QR-07*
Surrogate: Tetrachloro-meta-xylene	*60.0 %*	% Recovery Limits		*50-150*				"	
SemiVolatile Organic Compounds by GC/MS									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
N-Nitrosodimethylamine	ND	2.0	0.4	ug/l	AZF0303	06/27/16	06/28/16	EPA 8270C	
Aniline	ND	2.0	0.3	"	"	"	"	"	
Bis(2-chloroethyl)ether	ND	2.0	0.6	"	"	"	"	"	
Phenol	ND	2.0	0.3	"	"	"	"	"	
2-Chlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	0.4	"	"	"	"	"	
Benzyl alcohol	ND	2.0	0.4	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	ND	2.0	0.4	"	"	"	"	"	
2-Methylphenol	ND	2.0	0.4	"	"	"	"	"	
Hexachloroethane	ND	2.0	0.5	"	"	"	"	"	
N-Nitrosodi-n-propylamine	ND	2.0	0.3	"	"	"	"	"	
Nitrobenzene	ND	2.0	0.7	"	"	"	"	"	
Isophorone	ND	2.0	0.3	"	"	"	"	"	
2-Nitrophenol	ND	5.0	1.2	"	"	"	"	"	
2,4-Dimethylphenol	ND	2.0	0.8	"	"	"	"	"	
Bis(2-chloroethoxy)methane	ND	2.0	0.4	"	"	"	"	"	
Benzoic acid	ND	30.0	0.5	"	"	"	"	"	
2,4-Dichlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Naphthalene	ND	2.0	0.5	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	0.6	"	"	"	"	"	
4-Chloro-3-methylphenol	ND	2.0	0.6	"	"	"	"	"	
2-Methylnaphthalene	ND	2.0	0.6	"	"	"	"	"	
Hexachlorocyclopentadiene	ND	2.0	0.6	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2-Chloronaphthalene	ND	2.0	0.2	"	"	"	"	"	
2-Nitroaniline	ND	2.0	0.4	"	"	"	"	"	
Acenaphthylene	ND	2.0	0.3	"	"	"	"	"	
Dimethyl phthalate	ND	2.0	0.8	"	"	"	"	"	
2,6-Dinitrotoluene	ND	2.0	0.8	"	"	"	"	"	
Acenaphthene	ND	2.0	0.6	"	"	"	"	"	
2,4-Dinitrophenol	ND	10.0	0.3	"	"	"	"	"	
Dibenzofuran	ND	2.0	0.3	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
2,4-Dinitrotoluene	ND	2.0	0.8	ug/l	AZF0303	06/27/16	06/28/16	"	
4-Nitrophenol	ND	5.0	0.1	"	"	"	"	"	
Fluorene	ND	2.0	0.5	"	"	"	"	"	
4-Chlorophenyl phenyl ether	ND	2.0	0.5	"	"	"	"	"	
Diethyl phthalate	ND	2.0	0.6	"	"	"	"	"	
Azobenzene	ND	2.0	0.4	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	ND	10.0	2.2	"	"	"	"	"	
N-Nitrosodiphenylamine	ND	2.0	0.6	"	"	"	"	"	
4-Bromophenyl phenyl ether	ND	2.0	0.8	"	"	"	"	"	
Hexachlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Pentachlorophenol	ND	10.0	2.4	"	"	"	"	"	
Phenanthrene	ND	2.0	0.4	"	"	"	"	"	
Anthracene	ND	2.0	0.3	"	"	"	"	"	
Carbazole	ND	2.0	0.6	"	"	"	"	"	
Di-n-butyl phthalate	ND	2.0	0.4	"	"	"	"	"	
Fluoranthene	ND	2.0	0.6	"	"	"	"	"	
Benzidine	ND	5.0	0.2	"	"	"	"	"	
Pyrene	ND	2.0	1.0	"	"	"	"	"	
Butyl benzyl phthalate	ND	2.0	1.0	"	"	"	"	"	
3,3´-Dichlorobenzidine	ND	5.0	0.8	"	"	"	"	"	
Benzo (a) anthracene	ND	2.0	0.4	"	"	"	"	"	
Chrysene	ND	2.0	0.5	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	ND	5.0	0.7	"	"	"	"	"	
Di-n-octyl phthalate	ND	5.0	0.7	"	"	"	"	"	
Benzo (b) fluoranthene	ND	2.0	0.8	"	"	"	"	"	
Benzo (k) fluoranthene	ND	2.0	1.0	"	"	"	"	"	
Benzo (a) pyrene	ND	5.0	1.2	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	5.0	1.6	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	2.0	1.6	"	"	"	"	"	
Benzo (g,h,i) perylene	ND	2.0	1.3	"	"	"	"	"	
3-Methylphenol & 4-Methylphenol	ND	50.0	0.4	"	"	"	"	"	
Surrogate: 2-Fluorophenol	*18.4 %*	% Recovery Limits		*10-130*				*"*	
Surrogate: Phenol-d6	*17.3 %*	% Recovery Limits		*10-130*				*"*	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
Surrogate: Nitrobenzene-d5	*56.9 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2-Fluorobiphenyl	*60.1 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2,4,6-Tribromophenol	*41.4 %*	% Recovery Limits		*10-130*				"	
Surrogate: Terphenyl-dl4	*64.2 %*	% Recovery Limits		*10-130*				"	
Organophosphorus Pesticides									
Dichlorvos	ND	0.200	0.156	ug/l	AZF0309	06/27/16	07/06/16	EPA 8141A	
Mevinphos	ND	0.200	0.115	"	"	"	"	"	
TEPP	ND	0.200	0.151	"	"	"	"	"	
Demeton	ND	0.200	0.105	"	"	"	"	"	
Demeton-O	ND	0.200	0.101	"	"	"	"	"	
Ethoprop	ND	0.200	0.0770	"	"	"	"	"	
Naled	ND	0.200	0.169	"	"	"	"	"	
Sulfotep	ND	0.200	0.0950	"	"	"	"	"	
Monocrotophos	ND	0.400	0.0150	"	"	"	"	"	
Phorate	ND	0.200	0.0830	"	"	"	"	"	
Demeton-S	ND	0.200	0.105	"	"	"	"	"	
Dimethoate	ND	0.200	0.0710	"	"	"	"	"	
Diazinon	ND	0.200	0.0650	"	"	"	"	"	
Disulfoton	ND	0.200	0.0690	"	"	"	"	"	
Parathion-methyl	ND	0.200	0.0770	"	"	"	"	"	
Ronnel	ND	0.200	0.0660	"	"	"	"	"	
Malathion	ND	0.200	0.159	"	"	"	"	"	
Dursban (Chlorpyrifos)	ND	0.200	0.0710	"	"	"	"	"	
Fenthion	ND	0.200	0.0670	"	"	"	"	"	
Parathion	ND	0.200	0.0790	"	"	"	"	"	
Trichloronate	ND	0.200	0.0670	"	"	"	"	"	
Gardona (Stirophos)	ND	0.200	0.110	"	"	"	"	"	
Tokuthion (Prothiofos)	ND	0.200	0.0770	"	"	"	"	"	
Merphos	ND	0.200	0.0970	"	"	"	"	"	
Fensulfothion	ND	0.200	0.139	"	"	"	"	"	
Bolstar	ND	0.200	0.0860	"	"	"	"	"	
EPN	ND	0.200	0.124	"	"	"	"	"	
Azinphos-methyl	ND	0.200	0.0270	"	"	"	"	"	
Coumaphos	ND	0.200	0.168	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Organophosphorus Pesticides									
Molinate	ND	0.200	0.0440	ug/l	AZF0309	06/27/16	07/06/16	"	
Surrogate: Tributylphosphate	*76.1 %*	% Recovery Limits		*50-170*				*"*	
Surrogate: Triphenyl phosphate	*87.1 %*	% Recovery Limits		*50-170*				*"*	
Herbicides									
Dalapon	ND	0.600	0.115	ug/l	AZG0024	06/24/16	07/08/16	EPA 8151A	
3,5-Dichlorobenzoic acid	ND	0.800	0.170	"	"	"	"	"	
4-Nitrophenol	ND	0.600	0.117	"	"	"	"	"	
Dicamba	ND	0.400	0.0800	"	"	"	"	"	
MCPP	ND	10.0	0.891	"	"	"	"	"	
Dichloroprop	ND	0.800	0.196	"	"	"	"	"	
2,4-D	ND	0.400	0.0860	"	"	"	"	"	
Pentachlorophenol	ND	0.300	0.0530	"	"	"	"	"	
2,4,5-TP (Silvex)	ND	0.500	0.0950	"	"	"	"	"	
2,4,5-T	ND	0.500	0.0970	"	"	"	"	"	
Chloramben	ND	0.800	0.00800	"	"	"	"	"	
Dinoseb	ND	0.400	0.0830	"	"	"	"	"	
2,4-DB	ND	0.800	0.157	"	"	"	"	"	
Bentazon	ND	0.600	0.110	"	"	"	"	"	
DCPA	ND	0.400	0.0150	"	"	"	"	"	
Picloram	ND	0.800	0.0200	"	"	"	"	"	
Acifluorfen	ND	0.800	0.157	"	"	"	"	"	
Surrogate: 2,4-Dichlorophenylacetic acid	*66.0 %*	% Recovery Limits		*43-169*				*"*	
Ion Chromatography									
Chloride	**1.4**	0.5	0.05	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Fluoride	ND	0.1	0.08	"	"	"	"	"	
Nitrate (NO3)	ND	0.50	0.08	"	"	"	"	"	
Nitrate as Nitrogen	ND	0.11	0.02	"	"	"	"	"	
Nitrite (NO2)	ND	0.50	0.15	"	"	"	"	"	
Nitrite as Nitrogen	ND	0.15	0.04	"	"	"	"	"	
Perchlorate	ND	2.00	0.0940	ug/l	AZF0337	06/28/16	06/30/16	EPA 314.0	
Sulfate as SO4	**2.5**	0.5	0.1	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Wet Chemistry									
Total Alkalinity	**42.0**	5.00	2.37	mg/L	AZF0330	06/30/16	06/30/16	SM2320B	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Wet Chemistry									
Ammonia as N	**0.117**	0.100	0.0400	mg/L	AZG0068	07/08/16	07/08/16	SM 4500-NH3 B/H	
Specific Conductance (EC)	**97.0**	5.00	1.09	uS/cm	AZF0266	06/22/16	06/22/16	EPA 120.1	
Cyanide	ND	0.00500	0.000900	mg/L	AZF0324	06/28/16	06/29/16	SM 4500CN E	
Hexavalent Chromium	ND	15.0	12.0	ug/l	AZG0023	07/05/16	07/05/16	EPA 7196	
MBAS	ND	0.100	0.0600	mg/L	AZF0277	06/22/16	06/23/16	SM5540C	
pH	**7.73**	0.100	0.100	pH Units	AZF0264	06/21/16	06/21/16	SM 4500-H+ B	Field
Total Dissolved Solids	**37.0**	15.0	7.68	mg/L	AZF0319	06/24/16	06/29/16	SM 2540C	
Total Hardness	**38.0**	5.00	2.86	"	AZF0314	06/29/16	06/29/16	SM2340B	
Total Recoverable Metals									
Aluminum	**731**	50.0	24.5	ug/l	AZG0050	07/07/16	07/07/16	EPA 200.7	
Barium	**19.0**	5.0	1.2	"	"	"	"	"	
Boron	ND	50.0	0.8	"	"	"	"	"	
Calcium	**8700**	100	79.0	"	"	"	"	"	
Copper	ND	5.0	0.8	"	"	"	"	"	
Iron	**888**	20.0	11.5	"	"	"	"	"	
Magnesium	**3240**	50.0	15.6	"	"	"	"	"	
Manganese	**34.6**	10.0	0.6	"	"	"	"	"	
Sodium	**3340**	200	120	"	"	"	"	"	
Thallium	ND	20.0	2.2	"	"	"	"	"	
Zinc	ND	10.0	0.3	"	"	"	"	"	
Dissolved Metals									
Dissolved Aluminum	ND	50.0	24.5	ug/l	AZG0077	07/05/16	07/11/16	EPA 200.7	
Dissolved Arsenic	ND	10.0	1.0	"	"	"	"	"	
Dissolved Iron	**40.8**	20.0	11.5	"	"	"	"	"	
Dissolved Lead	ND	5.0	0.9	"	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8321A									
Carbaryl	ND	1		ug/L	A608160	07/04/16	07/04/16	EPA 8321A	
Carbofuran	ND	1		"	"	"	"	"	
Diuron	ND	1		"	"	"	"	"	
Linuron	ND	1		"	"	"	"	"	
Methiocarb	ND	1		"	"	"	"	"	
Methomyl	ND	1		"	"	"	"	"	
Aldicarb	ND	1		"	"	"	"	"	
Oxamyl	ND	1		"	"	"	"	"	
3-Hydroxycarbofuran	ND	1		"	"	"	"	"	
Aldicarb sulfone	ND	1		"	"	"	"	"	
Aldicarb sulfoxide	ND	1		"	"	"	"	"	
Propoxur	ND	1		"	"	"	"	"	
Surrogate: BDMC	*96 %*	% Recovery Limits		*50-150*				"	
E200.8									
Total Recoverable Arsenic	ND	2		ug/L	'[none]'	06/28/16	06/28/16	E200.8	
Total Recoverable Beryllium	ND	1		"	"	"	"	"	
Total Recoverable Zinc	ND	10		"	"	"	"	"	
Total Recoverable Copper	ND	2		"	"	"	"	"	
Total Recoverable Nickel	ND	2		"	"	"	"	"	
Total Recoverable Thorium	ND	0.2		"	"	"	07/14/16	"	
Total Recoverable Silver	ND	1		"	"	"	06/28/16	"	
Total Recoverable Selenium	ND	2		"	"	"	"	"	
Total Recoverable Lead	ND	1		"	"	"	"	"	
Total Recoverable Chromium	ND	3		"	"	"	"	"	
Total Recoverable Titanium	**9.26**	2		"	"	"	07/14/16	"	
Total Recoverable Cadmium	ND	1		"	"	"	06/28/16	"	
EPA 8290A									
TEQ	**0.00618**			pg/L	1464	"	06/29/16	EPA 8290A	
Total TCDD	ND		2.32	"	"	"	"	"	DL
OCDF	ND		9.45	"	"	"	"	"	J
Total PeCDF	ND		2.39	"	"	"	"	"	DL
Total HxCDF	ND		3.3	"	"	"	"	"	DL
Totals HpCDF	ND		3.38	"	"	"	"	"	DL

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A									
Total HpCDD	ND		6.44	pg/L	1464	06/28/16	06/29/16	"	DL
Total TCDF	ND		1.7	"	"	"	"	"	DL
Total PeCDD	ND		5.39	"	"	"	"	"	DL
2,3,7,8-TCDD	ND		2.32	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDF	ND		2.12	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDD	ND		6.44	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDF	ND		2.98	"	"	"	"	"	DL
OCDD	**20.6**			"	"	"	"	"	DL
1,2,3,4,7,8-HxCDD	ND		4.42	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDD	ND		4.71	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDF	ND		2.11	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDF	ND		3.3	"	"	"	"	"	DL
1,2,3,7,8-PeCDF	ND		2.26	"	"	"	"	"	DL
2,3,4,7,8-PeCDF	ND		2.39	"	"	"	"	"	DL
2,3,7,8-TCDF	ND		1.7	"	"	"	"	"	DL
1,2,3,4,7,8,9-HpCDF	ND		3.38	"	"	"	"	"	DL
1,2,3,7,8-PeCDD	ND		5.39	"	"	"	"	"	DL
2,3,4,6,7,8-HxCDF	ND		2.56	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDD	ND		4.39	"	"	"	"	"	DL
Total HxCDD	ND		4.71	"	"	"	"	"	DL
EPA 8290A									
Surrogate: 37Cl4-2,3,7,8-TCDD	*104 %*	% Recovery Limits		*40-135*				"	
EPA 8290A Internal Standards									
13C-1,2,3,7,8-PeCDF	**58.7**			%	1464	"	06/29/16	EPA 8290A Internal Standards	
13C-2,3,4,6,7,8-HxCDF	**53.6**			"	"	"	"	"	
13C-2,3,4,7,8-PeCDF	**52.2**			"	"	"	"	"	
13C-2,3,7,8-TCDD	**56.7**			"	"	"	"	"	
13C-2,3,7,8-TCDF	**60.5**			"	"	"	"	"	
13C-OCDD	**50.5**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDF	**59.2**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDD	**60.5**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDD	**61.2**			"	"	"	"	"	
13C-1,2,3,4,7,8,9-HpCDF	**60.8**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-11

1606176-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A Internal Standards									
13C-1,2,3,4,6,7,8-HpCDF	**54.5**			%	1464	06/28/16	06/29/16	"	
13C-1,2,3,4,6,7,8-HpCDD	**63.4**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDD	**61.8**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDF	**59.2**			"	"	"	"	"	
13C-1,2,3,7,8,9-HxCDF	**53.4**			"	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
Dichlorodifluoromethane	ND	0.5	0.07	ug/l	AZG0047	06/23/16	06/24/16	EPA 8260B	
Chloromethane	ND	0.5	0.06	"	"	"	"	"	
Bromomethane	ND	0.5	0.05	"	"	"	"	"	
Chloroethane	ND	0.5	0.08	"	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.05	"	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.05	"	"	"	"	"	
Acetone	ND	5.0	0.1	"	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	"	"	"	"	
Iodomethane	ND	0.5	0.03	"	"	"	"	"	
Methylene chloride	ND	5.0	0.08	"	"	"	"	"	
Carbon disulfide	ND	0.5	0.06	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.04	"	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
2-Butanone	ND	5.0	0.1	"	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.03	"	"	"	"	"	
Bromochloromethane	ND	0.5	0.07	"	"	"	"	"	
Chloroform	ND	0.5	0.05	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.05	"	"	"	"	"	
Carbon tetrachloride	ND	0.5	0.02	"	"	"	"	"	
1,1-Dichloropropene	ND	0.5	0.03	"	"	"	"	"	
Benzene	ND	0.5	0.03	"	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
Dibromomethane	ND	0.5	0.07	"	"	"	"	"	
Trichloroethene	ND	0.5	0.06	"	"	"	"	"	
Bromodichloromethane	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.05	"	"	"	"	"	
Toluene	ND	0.5	0.04	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.1	"	"	"	"	"	
Tetrachloroethene	ND	0.5	0.08	"	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
2-Hexanone	ND	5.0	0.1	ug/l	AZG0047	06/23/16	06/24/16	"	
Dibromochloromethane	ND	0.5	0.07	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.1	"	"	"	"	"	
Chlorobenzene	ND	0.5	0.03	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.08	"	"	"	"	"	
Ethylbenzene	ND	0.5	0.03	"	"	"	"	"	
m,p-Xylene	ND	1.0	0.09	"	"	"	"	"	
o-Xylene	ND	0.5	0.04	"	"	"	"	"	
Xylenes, total	ND	1.0	0.1	"	"	"	"	"	
Bromoform	ND	0.5	0.03	"	"	"	"	"	
Isopropylbenzene	ND	0.5	0.04	"	"	"	"	"	
Bromobenzene	ND	0.5	0.05	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.4	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.06	"	"	"	"	"	
n-Propylbenzene	ND	0.5	0.04	"	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.03	"	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.05	"	"	"	"	"	
tert-Butylbenzene	ND	0.5	0.02	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.5	0.04	"	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.03	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.03	"	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.04	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.06	"	"	"	"	"	
n-Butylbenzene	ND	0.5	0.04	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.07	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.02	"	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.07	"	"	"	"	"	
Naphthalene	ND	0.5	0.04	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
Surrogate: Dibromofluoromethane	*98.1 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: Toluene-d8	*102 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: 4-Bromofluorobenzene	*93.6 %*	% Recovery Limits		*70-130*				*"*	
Pesticides by GC/ECD									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Pesticides by GC/ECD									
alpha-BHC	ND	0.100	0.011	ug/l	AZF0252	06/23/16	06/24/16	EPA 8081A	
beta-BHC	ND	0.100	0.011	"	"	"	"	"	
gamma-BHC (Lindane)	ND	0.100	0.013	"	"	"	"	"	
delta-BHC	ND	0.100	0.021	"	"	"	"	"	
Heptachlor	ND	0.100	0.016	"	"	"	"	"	
Aldrin	ND	0.100	0.011	"	"	"	"	"	
Heptachlor epoxide	ND	0.100	0.020	"	"	"	"	"	
gamma-Chlordane	ND	0.100	0.005	"	"	"	"	"	
Endosulfan I	ND	0.100	0.007	"	"	"	"	"	
alpha-Chlordane	ND	0.100	0.006	"	"	"	"	"	
4,4'-DDE	ND	0.100	0.005	"	"	"	"	"	
Dieldrin	ND	0.100	0.006	"	"	"	"	"	
Endrin	ND	0.100	0.007	"	"	"	"	"	
Endosulfan II	ND	0.100	0.021	"	"	"	"	"	
4,4'-DDD	ND	0.100	0.006	"	"	"	"	"	
Endrin aldehyde	ND	0.100	0.006	"	"	"	"	"	
Endosulfan sulfate	ND	0.100	0.005	"	"	"	"	"	
4,4'-DDT	ND	0.100	0.004	"	"	"	"	"	
Endrin Ketone	ND	0.100	0.005	"	"	"	"	"	
Methoxychlor	ND	0.100	0.013	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*85.1 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*80.9 %*	% Recovery Limits		*50-150*				"	
PCBs by GC/ECD									
Aroclor 1016	ND	1.00	0.0600	ug/l	AZF0252	"	06/24/16	EPA 8082	
Aroclor 1221	ND	1.00	0.130	"	"	"	"	"	
Aroclor 1232	ND	1.00	0.100	"	"	"	"	"	
Aroclor 1242	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1248	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1254	ND	1.00	0.0900	"	"	"	"	"	
Aroclor 1260	ND	1.00	0.0800	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*58.0 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*64.5 %*	% Recovery Limits		*50-150*				"	
SemiVolatile Organic Compounds by GC/MS									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
N-Nitrosodimethylamine	ND	2.0	0.4	ug/l	AZF0303	06/27/16	06/28/16	EPA 8270C	
Aniline	ND	2.0	0.3	"	"	"	"	"	
Bis(2-chloroethyl)ether	ND	2.0	0.6	"	"	"	"	"	
Phenol	ND	2.0	0.3	"	"	"	"	"	
2-Chlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	0.4	"	"	"	"	"	
Benzyl alcohol	ND	2.0	0.4	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	ND	2.0	0.4	"	"	"	"	"	
2-Methylphenol	ND	2.0	0.4	"	"	"	"	"	
Hexachloroethane	ND	2.0	0.5	"	"	"	"	"	
N-Nitrosodi-n-propylamine	ND	2.0	0.3	"	"	"	"	"	
Nitrobenzene	ND	2.0	0.7	"	"	"	"	"	
Isophorone	ND	2.0	0.3	"	"	"	"	"	
2-Nitrophenol	ND	5.0	1.2	"	"	"	"	"	
2,4-Dimethylphenol	ND	2.0	0.8	"	"	"	"	"	
Bis(2-chloroethoxy)methane	ND	2.0	0.4	"	"	"	"	"	
Benzoic acid	ND	30.0	0.5	"	"	"	"	"	
2,4-Dichlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Naphthalene	ND	2.0	0.5	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	0.6	"	"	"	"	"	
4-Chloro-3-methylphenol	ND	2.0	0.6	"	"	"	"	"	
2-Methylnaphthalene	ND	2.0	0.6	"	"	"	"	"	
Hexachlorocyclopentadiene	ND	2.0	0.6	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2-Chloronaphthalene	ND	2.0	0.2	"	"	"	"	"	
2-Nitroaniline	ND	2.0	0.4	"	"	"	"	"	
Acenaphthylene	ND	2.0	0.3	"	"	"	"	"	
Dimethyl phthalate	ND	2.0	0.8	"	"	"	"	"	
2,6-Dinitrotoluene	ND	2.0	0.8	"	"	"	"	"	
Acenaphthene	ND	2.0	0.6	"	"	"	"	"	
2,4-Dinitrophenol	ND	10.0	0.3	"	"	"	"	"	
Dibenzofuran	ND	2.0	0.3	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
2,4-Dinitrotoluene	ND	2.0	0.8	ug/l	AZF0303	06/27/16	06/28/16	"	
4-Nitrophenol	ND	5.0	0.1	"	"	"	"	"	
Fluorene	ND	2.0	0.5	"	"	"	"	"	
4-Chlorophenyl phenyl ether	ND	2.0	0.5	"	"	"	"	"	
Diethyl phthalate	ND	2.0	0.6	"	"	"	"	"	
Azobenzene	ND	2.0	0.4	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	ND	10.0	2.2	"	"	"	"	"	
N-Nitrosodiphenylamine	ND	2.0	0.6	"	"	"	"	"	
4-Bromophenyl phenyl ether	ND	2.0	0.8	"	"	"	"	"	
Hexachlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Pentachlorophenol	ND	10.0	2.4	"	"	"	"	"	
Phenanthrene	ND	2.0	0.4	"	"	"	"	"	
Anthracene	ND	2.0	0.3	"	"	"	"	"	
Carbazole	ND	2.0	0.6	"	"	"	"	"	
Di-n-butyl phthalate	ND	2.0	0.4	"	"	"	"	"	
Fluoranthene	ND	2.0	0.6	"	"	"	"	"	
Benzidine	ND	5.0	0.2	"	"	"	"	"	
Pyrene	ND	2.0	1.0	"	"	"	"	"	
Butyl benzyl phthalate	ND	2.0	1.0	"	"	"	"	"	
3,3´-Dichlorobenzidine	ND	5.0	0.8	"	"	"	"	"	
Benzo (a) anthracene	ND	2.0	0.4	"	"	"	"	"	
Chrysene	ND	2.0	0.5	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	ND	5.0	0.7	"	"	"	"	"	
Di-n-octyl phthalate	ND	5.0	0.7	"	"	"	"	"	
Benzo (b) fluoranthene	ND	2.0	0.8	"	"	"	"	"	
Benzo (k) fluoranthene	ND	2.0	1.0	"	"	"	"	"	
Benzo (a) pyrene	ND	5.0	1.2	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	5.0	1.6	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	2.0	1.6	"	"	"	"	"	
Benzo (g,h,i) perylene	ND	2.0	1.3	"	"	"	"	"	
3-Methylphenol & 4-Methylphenol	ND	50.0	0.4	"	"	"	"	"	
Surrogate: 2-Fluorophenol	*%*	% Recovery Limits		*10-130*				*"*	*QR-07*
Surrogate: Phenol-d6	*%*	% Recovery Limits		*10-130*				*"*	*QR-07*

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
Surrogate: Nitrobenzene-d5	*%*	% Recovery Limits	*10-130*					*"*	*QR-07*
Surrogate: 2-Fluorobiphenyl	*%*	% Recovery Limits	*10-130*					*"*	*QR-07*
Surrogate: 2,4,6-Tribromophenol	*%*	% Recovery Limits	*10-130*					*"*	*QR-07*
Surrogate: Terphenyl-dl4	*0.200 %*	% Recovery Limits	*10-130*					*"*	*QR-07*
Organophosphorus Pesticides									
Dichlorvos	ND	0.200	0.156	ug/l	AZF0309	06/27/16	07/06/16	EPA 8141A	
Mevinphos	ND	0.200	0.115	"	"	"	"	"	
TEPP	ND	0.200	0.151	"	"	"	"	"	
Demeton	ND	0.200	0.105	"	"	"	"	"	
Demeton-O	ND	0.200	0.101	"	"	"	"	"	
Ethoprop	ND	0.200	0.0770	"	"	"	"	"	
Naled	ND	0.200	0.169	"	"	"	"	"	
Sulfotep	ND	0.200	0.0950	"	"	"	"	"	
Monocrotophos	ND	0.400	0.0150	"	"	"	"	"	
Phorate	ND	0.200	0.0830	"	"	"	"	"	
Demeton-S	ND	0.200	0.105	"	"	"	"	"	
Dimethoate	ND	0.200	0.0710	"	"	"	"	"	
Diazinon	ND	0.200	0.0650	"	"	"	"	"	
Disulfoton	ND	0.200	0.0690	"	"	"	"	"	
Parathion-methyl	ND	0.200	0.0770	"	"	"	"	"	
Ronnel	ND	0.200	0.0660	"	"	"	"	"	
Malathion	ND	0.200	0.159	"	"	"	"	"	
Dursban (Chlorpyrifos)	ND	0.200	0.0710	"	"	"	"	"	
Fenthion	ND	0.200	0.0670	"	"	"	"	"	
Parathion	ND	0.200	0.0790	"	"	"	"	"	
Trichloronate	ND	0.200	0.0670	"	"	"	"	"	
Gardona (Stirophos)	ND	0.200	0.110	"	"	"	"	"	
Tokuthion (Prothiofos)	ND	0.200	0.0770	"	"	"	"	"	
Merphos	ND	0.200	0.0970	"	"	"	"	"	
Fensulfothion	ND	0.200	0.139	"	"	"	"	"	
Bolstar	ND	0.200	0.0860	"	"	"	"	"	
EPN	ND	0.200	0.124	"	"	"	"	"	
Azinphos-methyl	ND	0.200	0.0270	"	"	"	"	"	
Coumaphos	ND	0.200	0.168	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Organophosphorus Pesticides									
Molinate	ND	0.200	0.0440	ug/l	AZF0309	06/27/16	07/06/16	"	
Surrogate: Tributylphosphate	*3.22 %*	% Recovery Limits		*50-170*				*"*	*QR-07*
Surrogate: Triphenyl phosphate	*%*	% Recovery Limits		*50-170*				*"*	*QR-07*
Herbicides									
Dalapon	ND	0.600	0.115	ug/l	AZG0024	06/24/16	07/08/16	EPA 8151A	
3,5-Dichlorobenzoic acid	ND	0.800	0.170	"	"	"	"	"	
4-Nitrophenol	ND	0.600	0.117	"	"	"	"	"	
Dicamba	ND	0.400	0.0800	"	"	"	"	"	
MCPP	ND	10.0	0.891	"	"	"	"	"	
Dichloroprop	ND	0.800	0.196	"	"	"	"	"	
2,4-D	ND	0.400	0.0860	"	"	"	"	"	
Pentachlorophenol	ND	0.300	0.0530	"	"	"	"	"	
2,4,5-TP (Silvex)	ND	0.500	0.0950	"	"	"	"	"	
2,4,5-T	ND	0.500	0.0970	"	"	"	"	"	
Chloramben	ND	0.800	0.00800	"	"	"	"	"	
Dinoseb	ND	0.400	0.0830	"	"	"	"	"	
2,4-DB	ND	0.800	0.157	"	"	"	"	"	
Bentazon	ND	0.600	0.110	"	"	"	"	"	
DCPA	ND	0.400	0.0150	"	"	"	"	"	
Picloram	ND	0.800	0.0200	"	"	"	"	"	
Acifluorfen	ND	0.800	0.157	"	"	"	"	"	
Surrogate: 2,4-Dichlorophenylacetic acid	*61.2 %*	% Recovery Limits		*43-169*				*"*	
Ion Chromatography									
Chloride	**4.0**	0.5	0.05	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Fluoride	ND	0.1	0.08	"	"	"	"	"	
Nitrate (NO3)	ND	0.50	0.08	"	"	"	"	"	
Nitrate as Nitrogen	ND	0.11	0.02	"	"	"	"	"	
Nitrite (NO2)	ND	0.50	0.15	"	"	"	"	"	
Nitrite as Nitrogen	ND	0.15	0.04	"	"	"	"	"	
Perchlorate	ND	2.00	0.0940	ug/l	AZF0337	06/28/16	06/30/16	EPA 314.0	
Sulfate as SO4	**6.5**	0.5	0.1	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Wet Chemistry									
Total Alkalinity	**66.0**	5.00	2.37	mg/L	AZF0330	06/30/16	06/30/16	SM2320B	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Wet Chemistry									
Ammonia as N	ND	0.100	0.0400	mg/L	AZG0068	07/08/16	07/08/16	SM 4500-NH3 B/H	
Specific Conductance (EC)	**166**	5.00	1.09	uS/cm	AZF0266	06/22/16	06/22/16	EPA 120.1	
Cyanide	ND	0.00500	0.000900	mg/L	AZF0324	06/28/16	06/29/16	SM 4500CN E	
Hexavalent Chromium	ND	15.0	12.0	ug/l	AZG0023	07/05/16	07/05/16	EPA 7196	
MBAS	ND	0.100	0.0600	mg/L	AZF0277	06/22/16	06/23/16	SM5540C	
pH	**7.95**	0.100	0.100	pH Units	AZF0264	06/21/16	06/21/16	SM 4500-H+ B	Field
Total Dissolved Solids	**89.0**	15.0	7.68	mg/L	AZF0319	06/24/16	06/29/16	SM 2540C	
Total Hardness	**62.0**	5.00	2.86	"	AZF0314	06/29/16	06/29/16	SM2340B	
Total Recoverable Metals									
Aluminum	**591**	50.0	24.5	ug/l	AZG0050	07/07/16	07/07/16	EPA 200.7	
Barium	**25.3**	5.0	1.2	"	"	"	"	"	
Boron	ND	50.0	0.8	"	"	"	"	"	
Calcium	**12100**	100	79.0	"	"	"	"	"	
Copper	ND	5.0	0.8	"	"	"	"	"	
Iron	**556**	20.0	11.5	"	"	"	"	"	
Magnesium	**5040**	50.0	15.6	"	"	"	"	"	
Manganese	**18.1**	10.0	0.6	"	"	"	"	"	
Sodium	**8370**	200	120	"	"	"	"	"	
Thallium	ND	20.0	2.2	"	"	"	"	"	
Zinc	ND	10.0	0.3	"	"	"	"	"	
Dissolved Metals									
Dissolved Aluminum	ND	50.0	24.5	ug/l	AZG0077	07/05/16	07/11/16	EPA 200.7	
Dissolved Arsenic	ND	10.0	1.0	"	"	"	"	"	
Dissolved Iron	**51.8**	20.0	11.5	"	"	"	"	"	
Dissolved Lead	ND	5.0	0.9	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8321A									
Diuron	ND	1		ug/L	A608160	07/04/16	07/04/16	EPA 8321A	
3-Hydroxycarbofuran	ND	1		"	"	"	"	"	
Aldicarb	ND	1		"	"	"	"	"	
Aldicarb sulfone	ND	1		"	"	"	"	"	
Carbofuran	ND	1		"	"	"	"	"	
Linuron	ND	1		"	"	"	"	"	
Methiocarb	ND	1		"	"	"	"	"	
Methomyl	ND	1		"	"	"	"	"	
Oxamyl	ND	1		"	"	"	"	"	
Propoxur	ND	1		"	"	"	"	"	
Carbaryl	ND	1		"	"	"	"	"	
Aldicarb sulfoxide	ND	1		"	"	"	"	"	
Surrogate: BDMC	*102 %*	% Recovery Limits		*50-150*				"	
E200.8									
Total Recoverable Nickel	ND	2		ug/L	'[none]'	06/28/16	06/28/16	E200.8	
Total Recoverable Lead	ND	1		"	"	"	"	"	
Total Recoverable Chromium	ND	3		"	"	"	"	"	
Total Recoverable Cadmium	ND	1		"	"	"	"	"	
Total Recoverable Zinc	ND	10		"	"	"	"	"	
Total Recoverable Beryllium	ND	1		"	"	"	"	"	
Total Recoverable Arsenic	ND	2		"	"	"	"	"	
Total Recoverable Copper	**2.5**	2		"	"	"	"	"	
Total Recoverable Titanium	**4.44**	2		"	"	"	07/14/16	"	
Total Recoverable Selenium	ND	2		"	"	"	06/28/16	"	
Total Recoverable Thorium	ND	0.2		"	"	"	07/14/16	"	
Total Recoverable Silver	ND	1		"	"	"	06/28/16	"	
EPA 8290A									
OCDD	**20**			pg/L	1464	"	06/29/16	EPA 8290A	J
Total PeCDD	ND		6.09	"	"	"	"	"	DL
1,2,3,7,8-PeCDF	ND		3.58	"	"	"	"	"	DL
2,3,4,6,7,8-HxCDF	ND		2.09	"	"	"	"	"	DL
2,3,4,7,8-PeCDF	ND		4.08	"	"	"	"	"	DL
2,3,7,8-TCDF	ND		1.98	"	"	"	"	"	DL

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A									
TEQ	**0.006**			pg/L	1464	06/28/16	06/29/16	"	
1,2,3,7,8-PeCDD	ND		6.09	"	"	"	"	"	DL
Total HxCDF	ND		2.68	"	"	"	"	"	DL
OCDF	ND		10	"	"	"	"	"	DL
Total PeCDF	ND		4.08	"	"	"	"	"	DL
Total TCDF	ND		1.98	"	"	"	"	"	DL
2,3,7,8-TCDD	ND		2.14	"	"	"	"	"	DL
Totals HpCDF	ND		3.7	"	"	"	"	"	DL
1,2,3,4,7,8,9-HpCDF	ND		3.7	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDF	ND		3.04	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDF	ND		1.83	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDD	ND		6.96	"	"	"	"	"	DL
Total TCDD	ND		2.14	"	"	"	"	"	DL
Total HpCDD	ND		6.16	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDD	ND		6.2	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDD	ND		6.16	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDF	ND		1.83	"	"	"	"	"	DL
Total HxCDD	ND		6.96	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDD	ND		5.97	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDF	ND		2.68	"	"	"	"	"	DL
EPA 8290A									
Surrogate: 37Cl4-2,3,7,8-TCDD	*97.3 %*	% Recovery Limits		*40-135*				"	
EPA 8290A Internal Standards									
13C-2,3,4,7,8-PeCDF	**43.6**			%	1464	"	06/29/16	EPA 8290A Internal Standards	
13C-2,3,7,8-TCDD	**47.4**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDF	**47.5**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDD	**49.3**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDD	**48.6**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDD	**51.7**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDF	**48.2**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDD	**54.9**			"	"	"	"	"	
13C-1,2,3,4,7,8,9-HpCDF	**52.3**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDF	**48.9**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-12

1606176-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A Internal Standards									
13C-2,3,4,6,7,8-HxCDF	**45.2**			%	1464	06/28/16	06/29/16	"	
13C-1,2,3,6,7,8-HxCDF	**48.7**			"	"	"	"	"	
13C-2,3,7,8-TCDF	**52.7**			"	"	"	"	"	
13C-OCDD	**41.6**			"	"	"	"	"	
13C-1,2,3,7,8,9-HxCDF	**45.4**			"	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
Dichlorodifluoromethane	ND	0.5	0.07	ug/l	AZG0047	06/23/16	06/24/16	EPA 8260B	
Chloromethane	ND	0.5	0.06	"	"	"	"	"	
Bromomethane	ND	0.5	0.05	"	"	"	"	"	
Chloroethane	ND	0.5	0.08	"	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.05	"	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.05	"	"	"	"	"	
Acetone	ND	5.0	0.1	"	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	"	"	"	"	
Iodomethane	ND	0.5	0.03	"	"	"	"	"	
Methylene chloride	ND	5.0	0.08	"	"	"	"	"	
Carbon disulfide	ND	0.5	0.06	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.04	"	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
2-Butanone	ND	5.0	0.1	"	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.03	"	"	"	"	"	
Bromochloromethane	ND	0.5	0.07	"	"	"	"	"	
Chloroform	ND	0.5	0.05	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.05	"	"	"	"	"	
Carbon tetrachloride	ND	0.5	0.02	"	"	"	"	"	
1,1-Dichloropropene	ND	0.5	0.03	"	"	"	"	"	
Benzene	ND	0.5	0.03	"	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
Dibromomethane	ND	0.5	0.07	"	"	"	"	"	
Trichloroethene	ND	0.5	0.06	"	"	"	"	"	
Bromodichloromethane	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.05	"	"	"	"	"	
Toluene	ND	0.5	0.04	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.1	"	"	"	"	"	
Tetrachloroethene	ND	0.5	0.08	"	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
2-Hexanone	ND	5.0	0.1	ug/l	AZG0047	06/23/16	06/24/16	"	
Dibromochloromethane	ND	0.5	0.07	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.1	"	"	"	"	"	
Chlorobenzene	ND	0.5	0.03	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.08	"	"	"	"	"	
Ethylbenzene	ND	0.5	0.03	"	"	"	"	"	
m,p-Xylene	ND	1.0	0.09	"	"	"	"	"	
o-Xylene	ND	0.5	0.04	"	"	"	"	"	
Xylenes, total	ND	1.0	0.1	"	"	"	"	"	
Bromoform	ND	0.5	0.03	"	"	"	"	"	
Isopropylbenzene	ND	0.5	0.04	"	"	"	"	"	
Bromobenzene	ND	0.5	0.05	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.4	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.06	"	"	"	"	"	
n-Propylbenzene	ND	0.5	0.04	"	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.03	"	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.05	"	"	"	"	"	
tert-Butylbenzene	ND	0.5	0.02	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.5	0.04	"	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.03	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.03	"	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.04	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.06	"	"	"	"	"	
n-Butylbenzene	ND	0.5	0.04	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.07	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.02	"	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.07	"	"	"	"	"	
Naphthalene	ND	0.5	0.04	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
Surrogate: Dibromofluoromethane	*97.2 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: Toluene-d8	*98.6 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: 4-Bromofluorobenzene	*95.0 %*	% Recovery Limits		*70-130*				*"*	
Pesticides by GC/ECD									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Pesticides by GC/ECD									
alpha-BHC	ND	0.100	0.011	ug/l	AZF0252	06/23/16	06/24/16	EPA 8081A	
beta-BHC	ND	0.100	0.011	"	"	"	"	"	
gamma-BHC (Lindane)	ND	0.100	0.013	"	"	"	"	"	
delta-BHC	ND	0.100	0.021	"	"	"	"	"	
Heptachlor	ND	0.100	0.016	"	"	"	"	"	
Aldrin	ND	0.100	0.011	"	"	"	"	"	
Heptachlor epoxide	ND	0.100	0.020	"	"	"	"	"	
gamma-Chlordane	ND	0.100	0.005	"	"	"	"	"	
Endosulfan I	ND	0.100	0.007	"	"	"	"	"	
alpha-Chlordane	ND	0.100	0.006	"	"	"	"	"	
4,4'-DDE	ND	0.100	0.005	"	"	"	"	"	
Dieldrin	ND	0.100	0.006	"	"	"	"	"	
Endrin	ND	0.100	0.007	"	"	"	"	"	
Endosulfan II	ND	0.100	0.021	"	"	"	"	"	
4,4'-DDD	ND	0.100	0.006	"	"	"	"	"	
Endrin aldehyde	ND	0.100	0.006	"	"	"	"	"	
Endosulfan sulfate	ND	0.100	0.005	"	"	"	"	"	
4,4'-DDT	ND	0.100	0.004	"	"	"	"	"	
Endrin Ketone	ND	0.100	0.005	"	"	"	"	"	
Methoxychlor	ND	0.100	0.013	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*82.7 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*74.6 %*	% Recovery Limits		*50-150*				"	
PCBs by GC/ECD									
Aroclor 1016	ND	1.00	0.0600	ug/l	AZF0252	"	06/24/16	EPA 8082	
Aroclor 1221	ND	1.00	0.130	"	"	"	"	"	
Aroclor 1232	ND	1.00	0.100	"	"	"	"	"	
Aroclor 1242	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1248	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1254	ND	1.00	0.0900	"	"	"	"	"	
Aroclor 1260	ND	1.00	0.0800	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*42.4 %*	% Recovery Limits		*50-150*				"	*QR-07*
Surrogate: Tetrachloro-meta-xylene	*59.5 %*	% Recovery Limits		*50-150*				"	
SemiVolatile Organic Compounds by GC/MS									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
N-Nitrosodimethylamine	ND	2.0	0.4	ug/l	AZF0303	06/27/16	06/28/16	EPA 8270C	
Aniline	ND	2.0	0.3	"	"	"	"	"	
Bis(2-chloroethyl)ether	ND	2.0	0.6	"	"	"	"	"	
Phenol	ND	2.0	0.3	"	"	"	"	"	
2-Chlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	0.4	"	"	"	"	"	
Benzyl alcohol	ND	2.0	0.4	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	ND	2.0	0.4	"	"	"	"	"	
2-Methylphenol	ND	2.0	0.4	"	"	"	"	"	
Hexachloroethane	ND	2.0	0.5	"	"	"	"	"	
N-Nitrosodi-n-propylamine	ND	2.0	0.3	"	"	"	"	"	
Nitrobenzene	ND	2.0	0.7	"	"	"	"	"	
Isophorone	ND	2.0	0.3	"	"	"	"	"	
2-Nitrophenol	ND	5.0	1.2	"	"	"	"	"	
2,4-Dimethylphenol	ND	2.0	0.8	"	"	"	"	"	
Bis(2-chloroethoxy)methane	ND	2.0	0.4	"	"	"	"	"	
Benzoic acid	ND	30.0	0.5	"	"	"	"	"	
2,4-Dichlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Naphthalene	ND	2.0	0.5	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	0.6	"	"	"	"	"	
4-Chloro-3-methylphenol	ND	2.0	0.6	"	"	"	"	"	
2-Methylnaphthalene	ND	2.0	0.6	"	"	"	"	"	
Hexachlorocyclopentadiene	ND	2.0	0.6	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2-Chloronaphthalene	ND	2.0	0.2	"	"	"	"	"	
2-Nitroaniline	ND	2.0	0.4	"	"	"	"	"	
Acenaphthylene	ND	2.0	0.3	"	"	"	"	"	
Dimethyl phthalate	ND	2.0	0.8	"	"	"	"	"	
2,6-Dinitrotoluene	ND	2.0	0.8	"	"	"	"	"	
Acenaphthene	ND	2.0	0.6	"	"	"	"	"	
2,4-Dinitrophenol	ND	10.0	0.3	"	"	"	"	"	
Dibenzofuran	ND	2.0	0.3	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
2,4-Dinitrotoluene	ND	2.0	0.8	ug/l	AZF0303	06/27/16	06/28/16	"	
4-Nitrophenol	ND	5.0	0.1	"	"	"	"	"	
Fluorene	ND	2.0	0.5	"	"	"	"	"	
4-Chlorophenyl phenyl ether	ND	2.0	0.5	"	"	"	"	"	
Diethyl phthalate	ND	2.0	0.6	"	"	"	"	"	
Azobenzene	ND	2.0	0.4	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	ND	10.0	2.2	"	"	"	"	"	
N-Nitrosodiphenylamine	ND	2.0	0.6	"	"	"	"	"	
4-Bromophenyl phenyl ether	ND	2.0	0.8	"	"	"	"	"	
Hexachlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Pentachlorophenol	ND	10.0	2.4	"	"	"	"	"	
Phenanthrene	ND	2.0	0.4	"	"	"	"	"	
Anthracene	ND	2.0	0.3	"	"	"	"	"	
Carbazole	ND	2.0	0.6	"	"	"	"	"	
Di-n-butyl phthalate	ND	2.0	0.4	"	"	"	"	"	
Fluoranthene	ND	2.0	0.6	"	"	"	"	"	
Benzidine	ND	5.0	0.2	"	"	"	"	"	
Pyrene	ND	2.0	1.0	"	"	"	"	"	
Butyl benzyl phthalate	ND	2.0	1.0	"	"	"	"	"	
3,3´-Dichlorobenzidine	ND	5.0	0.8	"	"	"	"	"	
Benzo (a) anthracene	ND	2.0	0.4	"	"	"	"	"	
Chrysene	ND	2.0	0.5	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	ND	5.0	0.7	"	"	"	"	"	
Di-n-octyl phthalate	ND	5.0	0.7	"	"	"	"	"	
Benzo (b) fluoranthene	ND	2.0	0.8	"	"	"	"	"	
Benzo (k) fluoranthene	ND	2.0	1.0	"	"	"	"	"	
Benzo (a) pyrene	ND	5.0	1.2	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	5.0	1.6	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	2.0	1.6	"	"	"	"	"	
Benzo (g,h,i) perylene	ND	2.0	1.3	"	"	"	"	"	
3-Methylphenol & 4-Methylphenol	ND	50.0	0.4	"	"	"	"	"	
Surrogate: 2-Fluorophenol	*16.5 %*	% Recovery Limits		*10-130*				*"*	
Surrogate: Phenol-d6	*16.1 %*	% Recovery Limits		*10-130*				*"*	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
Surrogate: Nitrobenzene-d5	*65.8 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2-Fluorobiphenyl	*70.5 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2,4,6-Tribromophenol	*24.4 %*	% Recovery Limits		*10-130*				"	
Surrogate: Terphenyl-dl4	*71.5 %*	% Recovery Limits		*10-130*				"	
Organophosphorus Pesticides									
Dichlorvos	ND	0.200	0.156	ug/l	AZF0309	06/27/16	07/06/16	EPA 8141A	
Mevinphos	ND	0.200	0.115	"	"	"	"	"	
TEPP	ND	0.200	0.151	"	"	"	"	"	
Demeton	ND	0.200	0.105	"	"	"	"	"	
Demeton-O	ND	0.200	0.101	"	"	"	"	"	
Ethoprop	ND	0.200	0.0770	"	"	"	"	"	
Naled	ND	0.200	0.169	"	"	"	"	"	
Sulfotep	ND	0.200	0.0950	"	"	"	"	"	
Monocrotophos	ND	0.400	0.0150	"	"	"	"	"	
Phorate	ND	0.200	0.0830	"	"	"	"	"	
Demeton-S	ND	0.200	0.105	"	"	"	"	"	
Dimethoate	ND	0.200	0.0710	"	"	"	"	"	
Diazinon	ND	0.200	0.0650	"	"	"	"	"	
Disulfoton	ND	0.200	0.0690	"	"	"	"	"	
Parathion-methyl	ND	0.200	0.0770	"	"	"	"	"	
Ronnel	ND	0.200	0.0660	"	"	"	"	"	
Malathion	ND	0.200	0.159	"	"	"	"	"	
Dursban (Chlorpyrifos)	ND	0.200	0.0710	"	"	"	"	"	
Fenthion	ND	0.200	0.0670	"	"	"	"	"	
Parathion	ND	0.200	0.0790	"	"	"	"	"	
Trichloronate	ND	0.200	0.0670	"	"	"	"	"	
Gardona (Stirophos)	ND	0.200	0.110	"	"	"	"	"	
Tokuthion (Prothiofos)	ND	0.200	0.0770	"	"	"	"	"	
Merphos	ND	0.200	0.0970	"	"	"	"	"	
Fensulfothion	ND	0.200	0.139	"	"	"	"	"	
Bolstar	ND	0.200	0.0860	"	"	"	"	"	
EPN	ND	0.200	0.124	"	"	"	"	"	
Azinphos-methyl	ND	0.200	0.0270	"	"	"	"	"	
Coumaphos	ND	0.200	0.168	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Organophosphorus Pesticides									
Molinate	ND	0.200	0.0440	ug/l	AZF0309	06/27/16	07/06/16	"	
Surrogate: Tributylphosphate	*3.10 %*	% Recovery Limits		*50-170*				*"*	*QR-07*
Surrogate: Triphenyl phosphate	*%*	% Recovery Limits		*50-170*				*"*	*QR-07*
Herbicides									
Dalapon	ND	0.600	0.115	ug/l	AZG0024	06/24/16	07/08/16	EPA 8151A	
3,5-Dichlorobenzoic acid	ND	0.800	0.170	"	"	"	"	"	
4-Nitrophenol	ND	0.600	0.117	"	"	"	"	"	
Dicamba	ND	0.400	0.0800	"	"	"	"	"	
MCPP	ND	10.0	0.891	"	"	"	"	"	
Dichloroprop	ND	0.800	0.196	"	"	"	"	"	
2,4-D	ND	0.400	0.0860	"	"	"	"	"	
Pentachlorophenol	ND	0.300	0.0530	"	"	"	"	"	
2,4,5-TP (Silvex)	ND	0.500	0.0950	"	"	"	"	"	
2,4,5-T	ND	0.500	0.0970	"	"	"	"	"	
Chloramben	ND	0.800	0.00800	"	"	"	"	"	
Dinoseb	ND	0.400	0.0830	"	"	"	"	"	
2,4-DB	ND	0.800	0.157	"	"	"	"	"	
Bentazon	ND	0.600	0.110	"	"	"	"	"	
DCPA	ND	0.400	0.0150	"	"	"	"	"	
Picloram	ND	0.800	0.0200	"	"	"	"	"	
Acifluorfen	ND	0.800	0.157	"	"	"	"	"	
Surrogate: 2,4-Dichlorophenylacetic acid	*57.7 %*	% Recovery Limits		*43-169*				*"*	
Ion Chromatography									
Chloride	**3.3**	0.5	0.05	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Fluoride	ND	0.1	0.08	"	"	"	"	"	
Nitrate (NO3)	ND	0.50	0.08	"	"	"	"	"	
Nitrate as Nitrogen	ND	0.11	0.02	"	"	"	"	"	
Nitrite (NO2)	ND	0.50	0.15	"	"	"	"	"	
Nitrite as Nitrogen	ND	0.15	0.04	"	"	"	"	"	
Perchlorate	ND	2.00	0.0940	ug/l	AZF0337	06/28/16	06/30/16	EPA 314.0	
Sulfate as SO4	**5.0**	0.5	0.1	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Wet Chemistry									
Total Alkalinity	**62.0**	5.00	2.37	mg/L	AZF0330	06/30/16	06/30/16	SM2320B	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Wet Chemistry									
Ammonia as N	ND	0.100	0.0400	mg/L	AZG0068	07/08/16	07/08/16	SM 4500-NH3 B/H	
Specific Conductance (EC)	**142**	5.00	1.09	uS/cm	AZF0266	06/22/16	06/22/16	EPA 120.1	
Cyanide	ND	0.00500	0.000900	mg/L	AZF0324	06/28/16	06/29/16	SM 4500CN E	
Hexavalent Chromium	ND	15.0	12.0	ug/l	AZG0023	07/05/16	07/05/16	EPA 7196	
MBAS	ND	0.100	0.0600	mg/L	AZF0277	06/22/16	06/23/16	SM5540C	
pH	**8.02**	0.100	0.100	pH Units	AZF0264	06/21/16	06/21/16	SM 4500-H+ B	Field
Total Dissolved Solids	**61.0**	15.0	7.68	mg/L	AZF0319	06/24/16	06/29/16	SM 2540C	
Total Hardness	**52.0**	5.00	2.86	"	AZF0314	06/29/16	06/29/16	SM2340B	
Total Recoverable Metals									
Aluminum	**635**	50.0	24.5	ug/l	AZG0050	07/07/16	07/07/16	EPA 200.7	
Barium	**25.1**	5.0	1.2	"	"	"	"	"	
Boron	ND	50.0	0.8	"	"	"	"	"	
Calcium	**11700**	100	79.0	"	"	"	"	"	
Copper	ND	5.0	0.8	"	"	"	"	"	
Iron	**836**	20.0	11.5	"	"	"	"	"	
Magnesium	**4660**	50.0	15.6	"	"	"	"	"	
Manganese	**19.7**	10.0	0.6	"	"	"	"	"	
Sodium	**7040**	200	120	"	"	"	"	"	
Thallium	ND	20.0	2.2	"	"	"	"	"	
Zinc	ND	10.0	0.3	"	"	"	"	"	
Dissolved Metals									
Dissolved Aluminum	ND	50.0	24.5	ug/l	AZG0077	07/05/16	07/11/16	EPA 200.7	
Dissolved Arsenic	ND	10.0	1.0	"	"	"	"	"	
Dissolved Iron	**34.7**	20.0	11.5	"	"	"	"	"	
Dissolved Lead	ND	5.0	0.9	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8321A									
Methiocarb	ND	1		ug/L	A608160	07/04/16	07/04/16	EPA 8321A	
3-Hydroxycarbofuran	ND	1		"	"	"	"	"	
Carbofuran	ND	1		"	"	"	"	"	
Carbaryl	ND	1		"	"	"	"	"	
Aldicarb sulfone	ND	1		"	"	"	"	"	
Linuron	ND	1		"	"	"	"	"	
Propoxur	ND	1		"	"	"	"	"	
Aldicarb sulfoxide	ND	1		"	"	"	"	"	
Aldicarb	ND	1		"	"	"	"	"	
Oxamyl	ND	1		"	"	"	"	"	
Methomyl	ND	1		"	"	"	"	"	
Diuron	ND	1		"	"	"	"	"	
Surrogate: BDMC	*94 %*	% Recovery Limits		*50-150*				"	
E200.8									
Total Recoverable Zinc	ND	10		ug/L	'[none]'	06/28/16	06/28/16	E200.8	
Total Recoverable Beryllium	ND	1		"	"	"	"	"	
Total Recoverable Copper	**2.8**	2		"	"	"	"	"	
Total Recoverable Arsenic	ND	2		"	"	"	"	"	
Total Recoverable Chromium	ND	3		"	"	"	"	"	
Total Recoverable Selenium	ND	2		"	"	"	"	"	
Total Recoverable Cadmium	ND	1		"	"	"	"	"	
Total Recoverable Silver	ND	1		"	"	"	"	"	
Total Recoverable Titanium	**4.65**	2		"	"	"	07/14/16	"	
Total Recoverable Nickel	ND	2		"	"	"	06/28/16	"	
Total Recoverable Lead	ND	1		"	"	"	"	"	
Total Recoverable Thorium	ND	0.2		"	"	"	07/14/16	"	
EPA 8290A									
1,2,3,6,7,8-HxCDD	ND		6.7	pg/L	1464	"	06/29/16	EPA 8290A	DL
1,2,3,4,7,8-HxCDD	ND		5.48	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDF	ND		2.59	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDD	ND		6.78	"	"	"	"	"	DL
1,2,3,4,7,8,9-HpCDF	ND		3.7	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDF	ND		2.06	"	"	"	"	"	DL

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A									
Total HpCDD	ND		6.78	pg/L	1464	06/28/16	06/29/16	"	DL
1,2,3,7,8-PeCDD	ND		7.15	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDD	ND		5.83	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDF	ND		3.05	"	"	"	"	"	DL
2,3,4,7,8-PeCDF	ND		3.48	"	"	"	"	"	DL
Total TCDD	ND		2.12	"	"	"	"	"	DL
Total TCDF	ND		1.75	"	"	"	"	"	DL
Totals HpCDF	ND		3.7	"	"	"	"	"	DL
Total HxCDD	ND		6.7	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDF	ND		2.07	"	"	"	"	"	DL
OCDF	ND		8.67	"	"	"	"	"	DL
1,2,3,7,8-PeCDF	ND		3.35	"	"	"	"	"	DL
Total HxCDF	ND		3.05	"	"	"	"	"	DL
TEQ	**0.00705**			"	"	"	"	"	
OCDD	**23.5**			"	"	"	"	"	J
2,3,4,6,7,8-HxCDF	ND		2.41	"	"	"	"	"	DL
Total PeCDD	ND		7.15	"	"	"	"	"	DL
2,3,7,8-TCDD	ND		2.12	"	"	"	"	"	DL
2,3,7,8-TCDF	ND		1.75	"	"	"	"	"	DL
Total PeCDF	ND		3.48	"	"	"	"	"	DL
EPA 8290A									
Surrogate: 37Cl4-2,3,7,8-TCDD	*103 %*	% Recovery Limits		*40-135*				"	
EPA 8290A Internal Standards									
13C-2,3,4,7,8-PeCDF	**45.7**			%	1464	"	06/29/16	EPA 8290A Internal Standards	
13C-2,3,4,6,7,8-HxCDF	**45.5**			"	"	"	"	"	
13C-1,2,3,4,7,8,9-HpCDF	**49.5**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDF	**48.6**			"	"	"	"	"	
13C-OCDD	**43.2**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDD	**50.7**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDD	**55.2**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDF	**48.6**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDD	**48.9**			"	"	"	"	"	
13C-2,3,7,8-TCDD	**52.1**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-13

1606176-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A Internal Standards									
13C-1,2,3,7,8,9-HxCDF	**45.8**			%	1464	06/28/16	06/29/16	"	
13C-1,2,3,7,8-PeCDF	**50.2**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDF	**49.4**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDD	**53.4**			"	"	"	"	"	
13C-2,3,7,8-TCDF	**55.6**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
Dichlorodifluoromethane	ND	0.5	0.07	ug/l	AZG0047	06/23/16	06/24/16	EPA 8260B	
Chloromethane	ND	0.5	0.06	"	"	"	"	"	
Bromomethane	ND	0.5	0.05	"	"	"	"	"	
Chloroethane	ND	0.5	0.08	"	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.05	"	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.05	"	"	"	"	"	
Acetone	ND	5.0	0.1	"	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	"	"	"	"	
Iodomethane	ND	0.5	0.03	"	"	"	"	"	
Methylene chloride	ND	5.0	0.08	"	"	"	"	"	
Carbon disulfide	ND	0.5	0.06	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.04	"	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
2-Butanone	ND	5.0	0.1	"	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.03	"	"	"	"	"	
Bromochloromethane	ND	0.5	0.07	"	"	"	"	"	
Chloroform	ND	0.5	0.05	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.05	"	"	"	"	"	
Carbon tetrachloride	ND	0.5	0.02	"	"	"	"	"	
1,1-Dichloropropene	ND	0.5	0.03	"	"	"	"	"	
Benzene	ND	0.5	0.03	"	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
Dibromomethane	ND	0.5	0.07	"	"	"	"	"	
Trichloroethene	ND	0.5	0.06	"	"	"	"	"	
Bromodichloromethane	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.05	"	"	"	"	"	
Toluene	ND	0.5	0.04	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.1	"	"	"	"	"	
Tetrachloroethene	ND	0.5	0.08	"	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
2-Hexanone	ND	5.0	0.1	ug/l	AZG0047	06/23/16	06/24/16	"	
Dibromochloromethane	ND	0.5	0.07	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.1	"	"	"	"	"	
Chlorobenzene	ND	0.5	0.03	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.08	"	"	"	"	"	
Ethylbenzene	ND	0.5	0.03	"	"	"	"	"	
m,p-Xylene	ND	1.0	0.09	"	"	"	"	"	
o-Xylene	ND	0.5	0.04	"	"	"	"	"	
Xylenes, total	ND	1.0	0.1	"	"	"	"	"	
Bromoform	ND	0.5	0.03	"	"	"	"	"	
Isopropylbenzene	ND	0.5	0.04	"	"	"	"	"	
Bromobenzene	ND	0.5	0.05	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.4	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.06	"	"	"	"	"	
n-Propylbenzene	ND	0.5	0.04	"	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.03	"	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.05	"	"	"	"	"	
tert-Butylbenzene	ND	0.5	0.02	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.5	0.04	"	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.03	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.03	"	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.04	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.06	"	"	"	"	"	
n-Butylbenzene	ND	0.5	0.04	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.07	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.02	"	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.07	"	"	"	"	"	
Naphthalene	ND	0.5	0.04	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
Surrogate: Dibromofluoromethane	*94.2 %*	% Recovery Limits		*70-130*				"	
Surrogate: Toluene-d8	*101 %*	% Recovery Limits		*70-130*				"	
Surrogate: 4-Bromofluorobenzene	*96.2 %*	% Recovery Limits		*70-130*				"	
Pesticides by GC/ECD									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Pesticides by GC/ECD									
alpha-BHC	ND	0.100	0.011	ug/l	AZF0252	06/23/16	06/24/16	EPA 8081A	
beta-BHC	ND	0.100	0.011	"	"	"	"	"	
gamma-BHC (Lindane)	ND	0.100	0.013	"	"	"	"	"	
delta-BHC	ND	0.100	0.021	"	"	"	"	"	
Heptachlor	ND	0.100	0.016	"	"	"	"	"	
Aldrin	ND	0.100	0.011	"	"	"	"	"	
Heptachlor epoxide	ND	0.100	0.020	"	"	"	"	"	
gamma-Chlordane	ND	0.100	0.005	"	"	"	"	"	
Endosulfan I	ND	0.100	0.007	"	"	"	"	"	
alpha-Chlordane	ND	0.100	0.006	"	"	"	"	"	
4,4'-DDE	ND	0.100	0.005	"	"	"	"	"	
Dieldrin	ND	0.100	0.006	"	"	"	"	"	
Endrin	ND	0.100	0.007	"	"	"	"	"	
Endosulfan II	ND	0.100	0.021	"	"	"	"	"	
4,4'-DDD	ND	0.100	0.006	"	"	"	"	"	
Endrin aldehyde	ND	0.100	0.006	"	"	"	"	"	
Endosulfan sulfate	ND	0.100	0.005	"	"	"	"	"	
4,4'-DDT	ND	0.100	0.004	"	"	"	"	"	
Endrin Ketone	ND	0.100	0.005	"	"	"	"	"	
Methoxychlor	ND	0.100	0.013	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*82.4 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*81.8 %*	% Recovery Limits		*50-150*				"	
PCBs by GC/ECD									
Aroclor 1016	ND	1.00	0.0600	ug/l	AZF0252	"	06/24/16	EPA 8082	
Aroclor 1221	ND	1.00	0.130	"	"	"	"	"	
Aroclor 1232	ND	1.00	0.100	"	"	"	"	"	
Aroclor 1242	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1248	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1254	ND	1.00	0.0900	"	"	"	"	"	
Aroclor 1260	ND	1.00	0.0800	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*58.8 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*60.2 %*	% Recovery Limits		*50-150*				"	
SemiVolatile Organic Compounds by GC/MS									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
N-Nitrosodimethylamine	ND	2.0	0.4	ug/l	AZF0303	06/27/16	06/28/16	EPA 8270C	
Aniline	ND	2.0	0.3	"	"	"	"	"	
Bis(2-chloroethyl)ether	ND	2.0	0.6	"	"	"	"	"	
Phenol	ND	2.0	0.3	"	"	"	"	"	
2-Chlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	0.4	"	"	"	"	"	
Benzyl alcohol	ND	2.0	0.4	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	ND	2.0	0.4	"	"	"	"	"	
2-Methylphenol	ND	2.0	0.4	"	"	"	"	"	
Hexachloroethane	ND	2.0	0.5	"	"	"	"	"	
N-Nitrosodi-n-propylamine	ND	2.0	0.3	"	"	"	"	"	
Nitrobenzene	ND	2.0	0.7	"	"	"	"	"	
Isophorone	ND	2.0	0.3	"	"	"	"	"	
2-Nitrophenol	ND	5.0	1.2	"	"	"	"	"	
2,4-Dimethylphenol	ND	2.0	0.8	"	"	"	"	"	
Bis(2-chloroethoxy)methane	ND	2.0	0.4	"	"	"	"	"	
Benzoic acid	ND	30.0	0.5	"	"	"	"	"	
2,4-Dichlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Naphthalene	ND	2.0	0.5	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	0.6	"	"	"	"	"	
4-Chloro-3-methylphenol	ND	2.0	0.6	"	"	"	"	"	
2-Methylnaphthalene	ND	2.0	0.6	"	"	"	"	"	
Hexachlorocyclopentadiene	ND	2.0	0.6	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2-Chloronaphthalene	ND	2.0	0.2	"	"	"	"	"	
2-Nitroaniline	ND	2.0	0.4	"	"	"	"	"	
Acenaphthylene	ND	2.0	0.3	"	"	"	"	"	
Dimethyl phthalate	ND	2.0	0.8	"	"	"	"	"	
2,6-Dinitrotoluene	ND	2.0	0.8	"	"	"	"	"	
Acenaphthene	ND	2.0	0.6	"	"	"	"	"	
2,4-Dinitrophenol	ND	10.0	0.3	"	"	"	"	"	
Dibenzofuran	ND	2.0	0.3	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
2,4-Dinitrotoluene	ND	2.0	0.8	ug/l	AZF0303	06/27/16	06/28/16	"	
4-Nitrophenol	ND	5.0	0.1	"	"	"	"	"	
Fluorene	ND	2.0	0.5	"	"	"	"	"	
4-Chlorophenyl phenyl ether	ND	2.0	0.5	"	"	"	"	"	
Diethyl phthalate	ND	2.0	0.6	"	"	"	"	"	
Azobenzene	ND	2.0	0.4	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	ND	10.0	2.2	"	"	"	"	"	
N-Nitrosodiphenylamine	ND	2.0	0.6	"	"	"	"	"	
4-Bromophenyl phenyl ether	ND	2.0	0.8	"	"	"	"	"	
Hexachlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Pentachlorophenol	ND	10.0	2.4	"	"	"	"	"	
Phenanthrene	ND	2.0	0.4	"	"	"	"	"	
Anthracene	ND	2.0	0.3	"	"	"	"	"	
Carbazole	ND	2.0	0.6	"	"	"	"	"	
Di-n-butyl phthalate	ND	2.0	0.4	"	"	"	"	"	
Fluoranthene	ND	2.0	0.6	"	"	"	"	"	
Benzidine	ND	5.0	0.2	"	"	"	"	"	
Pyrene	ND	2.0	1.0	"	"	"	"	"	
Butyl benzyl phthalate	ND	2.0	1.0	"	"	"	"	"	
3,3´-Dichlorobenzidine	ND	5.0	0.8	"	"	"	"	"	
Benzo (a) anthracene	ND	2.0	0.4	"	"	"	"	"	
Chrysene	ND	2.0	0.5	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	ND	5.0	0.7	"	"	"	"	"	
Di-n-octyl phthalate	ND	5.0	0.7	"	"	"	"	"	
Benzo (b) fluoranthene	ND	2.0	0.8	"	"	"	"	"	
Benzo (k) fluoranthene	ND	2.0	1.0	"	"	"	"	"	
Benzo (a) pyrene	ND	5.0	1.2	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	5.0	1.6	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	2.0	1.6	"	"	"	"	"	
Benzo (g,h,i) perylene	ND	2.0	1.3	"	"	"	"	"	
3-Methylphenol & 4-Methylphenol	ND	50.0	0.4	"	"	"	"	"	
Surrogate: 2-Fluorophenol	*34.8 %*	% Recovery Limits		*10-130*				*"*	
Surrogate: Phenol-d6	*22.8 %*	% Recovery Limits		*10-130*				*"*	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
Surrogate: Nitrobenzene-d5	*59.7 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2-Fluorobiphenyl	*65.3 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2,4,6-Tribromophenol	*75.8 %*	% Recovery Limits		*10-130*				"	
Surrogate: Terphenyl-dl4	*61.0 %*	% Recovery Limits		*10-130*				"	
Organophosphorus Pesticides									
Dichlorvos	ND	0.200	0.156	ug/l	AZF0309	06/27/16	07/06/16	EPA 8141A	
Mevinphos	ND	0.200	0.115	"	"	"	"	"	
TEPP	ND	0.200	0.151	"	"	"	"	"	
Demeton	ND	0.200	0.105	"	"	"	"	"	
Demeton-O	ND	0.200	0.101	"	"	"	"	"	
Ethoprop	ND	0.200	0.0770	"	"	"	"	"	
Naled	ND	0.200	0.169	"	"	"	"	"	
Sulfotep	ND	0.200	0.0950	"	"	"	"	"	
Monocrotophos	ND	0.400	0.0150	"	"	"	"	"	
Phorate	ND	0.200	0.0830	"	"	"	"	"	
Demeton-S	ND	0.200	0.105	"	"	"	"	"	
Dimethoate	ND	0.200	0.0710	"	"	"	"	"	
Diazinon	ND	0.200	0.0650	"	"	"	"	"	
Disulfoton	ND	0.200	0.0690	"	"	"	"	"	
Parathion-methyl	ND	0.200	0.0770	"	"	"	"	"	
Ronnel	ND	0.200	0.0660	"	"	"	"	"	
Malathion	ND	0.200	0.159	"	"	"	"	"	
Dursban (Chlorpyrifos)	ND	0.200	0.0710	"	"	"	"	"	
Fenthion	ND	0.200	0.0670	"	"	"	"	"	
Parathion	ND	0.200	0.0790	"	"	"	"	"	
Trichloronate	ND	0.200	0.0670	"	"	"	"	"	
Gardona (Stirophos)	ND	0.200	0.110	"	"	"	"	"	
Tokuthion (Prothiofos)	ND	0.200	0.0770	"	"	"	"	"	
Merphos	ND	0.200	0.0970	"	"	"	"	"	
Fensulfothion	ND	0.200	0.139	"	"	"	"	"	
Bolstar	ND	0.200	0.0860	"	"	"	"	"	
EPN	ND	0.200	0.124	"	"	"	"	"	
Azinphos-methyl	ND	0.200	0.0270	"	"	"	"	"	
Coumaphos	ND	0.200	0.168	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Organophosphorus Pesticides									
Molinate	ND	0.200	0.0440	ug/l	AZF0309	06/27/16	07/06/16	"	
Surrogate: Tributylphosphate	*91.1 %*	% Recovery Limits		*50-170*				*"*	
Surrogate: Triphenyl phosphate	*110 %*	% Recovery Limits		*50-170*				*"*	
Herbicides									
Dalapon	ND	0.600	0.115	ug/l	AZG0024	06/24/16	07/08/16	EPA 8151A	
3,5-Dichlorobenzoic acid	ND	0.800	0.170	"	"	"	"	"	
4-Nitrophenol	ND	0.600	0.117	"	"	"	"	"	
Dicamba	ND	0.400	0.0800	"	"	"	"	"	
MCPP	ND	10.0	0.891	"	"	"	"	"	
Dichloroprop	ND	0.800	0.196	"	"	"	"	"	
2,4-D	ND	0.400	0.0860	"	"	"	"	"	
Pentachlorophenol	ND	0.300	0.0530	"	"	"	"	"	
2,4,5-TP (Silvex)	ND	0.500	0.0950	"	"	"	"	"	
2,4,5-T	ND	0.500	0.0970	"	"	"	"	"	
Chloramben	ND	0.800	0.00800	"	"	"	"	"	
Dinoseb	ND	0.400	0.0830	"	"	"	"	"	
2,4-DB	ND	0.800	0.157	"	"	"	"	"	
Bentazon	ND	0.600	0.110	"	"	"	"	"	
DCPA	ND	0.400	0.0150	"	"	"	"	"	
Picloram	ND	0.800	0.0200	"	"	"	"	"	
Acifluorfen	ND	0.800	0.157	"	"	"	"	"	
Surrogate: 2,4-Dichlorophenylacetic acid	*69.4 %*	% Recovery Limits		*43-169*				*"*	
Ion Chromatography									
Chloride	**8.4**	0.5	0.05	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Fluoride	ND	0.1	0.08	"	"	"	"	"	
Nitrate (NO3)	ND	0.50	0.08	"	"	"	"	"	
Nitrate as Nitrogen	ND	0.11	0.02	"	"	"	"	"	
Nitrite (NO2)	ND	0.50	0.15	"	"	"	"	"	
Nitrite as Nitrogen	ND	0.15	0.04	"	"	"	"	"	
Perchlorate	ND	2.00	0.0940	ug/l	AZF0337	06/28/16	06/30/16	EPA 314.0	
Sulfate as SO4	**18.8**	0.5	0.1	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Wet Chemistry									
Total Alkalinity	**94.0**	5.00	2.37	mg/L	AZF0330	06/30/16	06/30/16	SM2320B	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Wet Chemistry									
Ammonia as N	**0.447**	0.100	0.0400	mg/L	AZG0068	07/08/16	07/08/16	SM 4500-NH3 B/H	
Specific Conductance (EC)	**253**	5.00	1.09	uS/cm	AZF0266	06/22/16	06/22/16	EPA 120.1	
Cyanide	ND	0.00500	0.000900	mg/L	AZF0324	06/28/16	06/29/16	SM 4500CN E	
Hexavalent Chromium	ND	15.0	12.0	ug/l	AZG0023	07/05/16	07/05/16	EPA 7196	
MBAS	ND	0.100	0.0600	mg/L	AZF0277	06/22/16	06/23/16	SM5540C	
pH	**8.03**	0.100	0.100	pH Units	AZF0264	06/21/16	06/21/16	SM 4500-H+ B	Field
Total Dissolved Solids	**145**	15.0	7.68	mg/L	AZF0319	06/24/16	06/29/16	SM 2540C	
Total Hardness	**82.0**	5.00	2.86	"	AZF0314	06/29/16	06/29/16	SM2340B	
Total Recoverable Metals									
Aluminum	**729**	50.0	24.5	ug/l	AZG0050	07/07/16	07/07/16	EPA 200.7	
Barium	**36.9**	5.0	1.2	"	"	"	"	"	
Boron	**88.0**	50.0	0.8	"	"	"	"	"	
Calcium	**15500**	100	79.0	"	"	"	"	"	
Copper	ND	5.0	0.8	"	"	"	"	"	
Iron	**748**	20.0	11.5	"	"	"	"	"	
Magnesium	**10000**	50.0	15.6	"	"	"	"	"	
Manganese	**39.1**	10.0	0.6	"	"	"	"	"	
Sodium	**18800**	200	120	"	"	"	"	"	
Thallium	ND	20.0	2.2	"	"	"	"	"	
Zinc	ND	10.0	0.3	"	"	"	"	"	
Dissolved Metals									
Dissolved Aluminum	ND	50.0	24.5	ug/l	AZG0077	07/05/16	07/11/16	EPA 200.7	
Dissolved Arsenic	ND	10.0	1.0	"	"	"	"	"	
Dissolved Iron	**33.2**	20.0	11.5	"	"	"	"	"	
Dissolved Lead	ND	5.0	0.9	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
E200.8									
Total Recoverable Zinc	ND	10		ug/L	'[none]'	06/28/16	06/28/16	E200.8	
Total Recoverable Titanium	**4.37**	2		"	"	"	07/14/16	"	
Total Recoverable Copper	**3**	2		"	"	"	06/28/16	"	
Total Recoverable Cadmium	ND	1		"	"	"	"	"	
Total Recoverable Chromium	ND	3		"	"	"	"	"	
Total Recoverable Lead	ND	1		"	"	"	"	"	
Total Recoverable Nickel	**2**	2		"	"	"	"	"	
Total Recoverable Thorium	ND	0.2		"	"	"	07/14/16	"	
Total Recoverable Beryllium	ND	1		"	"	"	06/28/16	"	
Total Recoverable Silver	ND	1		"	"	"	"	"	
Total Recoverable Arsenic	**2.7**	2		"	"	"	"	"	
Total Recoverable Selenium	ND	2		"	"	"	"	"	
EPA 8290A									
1,2,3,4,6,7,8-HpCDF	ND		5.65	pg/L	1464	"	06/29/16	EPA 8290A	DL
1,2,3,4,6,7,8-HpCDD	ND		9.2	"	"	"	"	"	DL
1,2,3,4,7,8,9-HpCDF	ND		7.02	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDD	ND		5.62	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDF	ND		2.92	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDD	ND		6.39	"	"	"	"	"	DL
1,2,3,7,8-PeCDF	ND		3.28	"	"	"	"	"	DL
2,3,4,6,7,8-HxCDF	ND		3.41	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDF	ND		2.9	"	"	"	"	"	DL
OCDD	**27.4**			"	"	"	"	"	J
2,3,4,7,8-PeCDF	ND		3.5	"	"	"	"	"	DL
Total PeCDF	ND		3.5	"	"	"	"	"	DL
Total PeCDD	ND		6.28	"	"	"	"	"	DL
Total HxCDF	ND		4.36	"	"	"	"	"	DL
2,3,7,8-TCDD	ND		2.21	"	"	"	"	"	DL
OCDF	ND		12.2	"	"	"	"	"	DL
Total HpCDD	ND		9.2	"	"	"	"	"	DL
TEQ	**0.00822**			"	"	"	"	"	
Total TCDF	ND		2.02	"	"	"	"	"	DL
Totals HpCDF	ND		7.02	"	"	"	"	"	DL
Total TCDD	ND		2.21	"	"	"	"	"	DL

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-14

1606176-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A									
2,3,7,8-TCDF	ND		2.02	pg/L	1464	06/28/16	06/29/16	"	DL
1,2,3,7,8,9-HxCDD	ND		5.77	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDF	ND		4.36	"	"	"	"	"	DL
1,2,3,7,8-PeCDD	ND		6.28	"	"	"	"	"	DL
Total HxCDD	ND		6.39	"	"	"	"	"	DL
EPA 8290A									
Surrogate: 37Cl4-2,3,7,8-TCDD	*89 %*	% Recovery Limits		*40-135*				*"*	
EPA 8290A Internal Standards									
13C-2,3,7,8-TCDF	**46.5**			%	1464	"	06/29/16	EPA 8290A Internal Standards	
13C-2,3,4,6,7,8-HxCDF	**35.1**			"	"	"	"	"	H, Ha
13C-1,2,3,4,6,7,8-HpCDF	**35.4**			"	"	"	"	"	H, Ha
13C-2,3,7,8-TCDD	**41.9**			"	"	"	"	"	
13C-2,3,4,7,8-PeCDF	**37.5**			"	"	"	"	"	H, Ha
13C-OCDD	**30.8**			"	"	"	"	"	H, Ha
13C-1,2,3,7,8-PeCDD	**41.7**			"	"	"	"	"	
13C-1,2,3,7,8,9-HxCDF	**35.5**			"	"	"	"	"	H, Ha
13C-1,2,3,6,7,8-HxCDF	**38**			"	"	"	"	"	H, Ha
13C-1,2,3,6,7,8-HxCDD	**39.7**			"	"	"	"	"	H, Ha
13C-1,2,3,4,7,8-HxCDF	**38.2**			"	"	"	"	"	H, Ha
13C-1,2,3,4,7,8-HxCDD	**38.3**			"	"	"	"	"	H, Ha
13C-1,2,3,4,7,8,9-HpCDF	**40.1**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDF	**40.4**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDD	**41.8**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
Dichlorodifluoromethane	ND	0.5	0.07	ug/l	AZG0047	06/23/16	06/24/16	EPA 8260B	
Chloromethane	ND	0.5	0.06	"	"	"	"	"	
Bromomethane	ND	0.5	0.05	"	"	"	"	"	
Chloroethane	ND	0.5	0.08	"	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.05	"	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.05	"	"	"	"	"	
Acetone	ND	5.0	0.1	"	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	"	"	"	"	
Iodomethane	ND	0.5	0.03	"	"	"	"	"	
Methylene chloride	ND	5.0	0.08	"	"	"	"	"	
Carbon disulfide	ND	0.5	0.06	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.04	"	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
2-Butanone	ND	5.0	0.1	"	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.03	"	"	"	"	"	
Bromochloromethane	ND	0.5	0.07	"	"	"	"	"	
Chloroform	ND	0.5	0.05	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.05	"	"	"	"	"	
Carbon tetrachloride	ND	0.5	0.02	"	"	"	"	"	
1,1-Dichloropropene	ND	0.5	0.03	"	"	"	"	"	
Benzene	ND	0.5	0.03	"	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
Dibromomethane	ND	0.5	0.07	"	"	"	"	"	
Trichloroethene	ND	0.5	0.06	"	"	"	"	"	
Bromodichloromethane	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.05	"	"	"	"	"	
Toluene	ND	0.5	0.04	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.1	"	"	"	"	"	
Tetrachloroethene	ND	0.5	0.08	"	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
2-Hexanone	ND	5.0	0.1	ug/l	AZG0047	06/23/16	06/24/16	"	
Dibromochloromethane	ND	0.5	0.07	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.1	"	"	"	"	"	
Chlorobenzene	ND	0.5	0.03	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.08	"	"	"	"	"	
Ethylbenzene	ND	0.5	0.03	"	"	"	"	"	
m,p-Xylene	ND	1.0	0.09	"	"	"	"	"	
o-Xylene	ND	0.5	0.04	"	"	"	"	"	
Xylenes, total	ND	1.0	0.1	"	"	"	"	"	
Bromoform	ND	0.5	0.03	"	"	"	"	"	
Isopropylbenzene	ND	0.5	0.04	"	"	"	"	"	
Bromobenzene	ND	0.5	0.05	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.4	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.06	"	"	"	"	"	
n-Propylbenzene	ND	0.5	0.04	"	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.03	"	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.05	"	"	"	"	"	
tert-Butylbenzene	ND	0.5	0.02	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.5	0.04	"	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.03	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.03	"	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.04	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.06	"	"	"	"	"	
n-Butylbenzene	ND	0.5	0.04	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.07	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.02	"	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.07	"	"	"	"	"	
Naphthalene	ND	0.5	0.04	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
Surrogate: Dibromofluoromethane	*95.2 %*	% Recovery Limits		*70-130*				"	
Surrogate: Toluene-d8	*99.3 %*	% Recovery Limits		*70-130*				"	
Surrogate: 4-Bromofluorobenzene	*98.7 %*	% Recovery Limits		*70-130*				"	
Pesticides by GC/ECD									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Pesticides by GC/ECD									
alpha-BHC	ND	0.100	0.011	ug/l	AZF0252	06/23/16	06/24/16	EPA 8081A	
beta-BHC	ND	0.100	0.011	"	"	"	"	"	
gamma-BHC (Lindane)	ND	0.100	0.013	"	"	"	"	"	
delta-BHC	ND	0.100	0.021	"	"	"	"	"	
Heptachlor	ND	0.100	0.016	"	"	"	"	"	
Aldrin	ND	0.100	0.011	"	"	"	"	"	
Heptachlor epoxide	ND	0.100	0.020	"	"	"	"	"	
gamma-Chlordane	ND	0.100	0.005	"	"	"	"	"	
Endosulfan I	ND	0.100	0.007	"	"	"	"	"	
alpha-Chlordane	ND	0.100	0.006	"	"	"	"	"	
4,4'-DDE	ND	0.100	0.005	"	"	"	"	"	
Dieldrin	ND	0.100	0.006	"	"	"	"	"	
Endrin	ND	0.100	0.007	"	"	"	"	"	
Endosulfan II	ND	0.100	0.021	"	"	"	"	"	
4,4'-DDD	ND	0.100	0.006	"	"	"	"	"	
Endrin aldehyde	ND	0.100	0.006	"	"	"	"	"	
Endosulfan sulfate	ND	0.100	0.005	"	"	"	"	"	
4,4'-DDT	ND	0.100	0.004	"	"	"	"	"	
Endrin Ketone	ND	0.100	0.005	"	"	"	"	"	
Methoxychlor	ND	0.100	0.013	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*86.1 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*84.0 %*	% Recovery Limits		*50-150*				"	
PCBs by GC/ECD									
Aroclor 1016	ND	1.00	0.0600	ug/l	AZF0252	"	06/24/16	EPA 8082	
Aroclor 1221	ND	1.00	0.130	"	"	"	"	"	
Aroclor 1232	ND	1.00	0.100	"	"	"	"	"	
Aroclor 1242	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1248	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1254	ND	1.00	0.0900	"	"	"	"	"	
Aroclor 1260	ND	1.00	0.0800	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*54.6 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*64.5 %*	% Recovery Limits		*50-150*				"	
SemiVolatile Organic Compounds by GC/MS									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
N-Nitrosodimethylamine	ND	2.0	0.4	ug/l	AZF0303	06/27/16	06/28/16	EPA 8270C	
Aniline	ND	2.0	0.3	"	"	"	"	"	
Bis(2-chloroethyl)ether	ND	2.0	0.6	"	"	"	"	"	
Phenol	ND	2.0	0.3	"	"	"	"	"	
2-Chlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	0.4	"	"	"	"	"	
Benzyl alcohol	ND	2.0	0.4	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	ND	2.0	0.4	"	"	"	"	"	
2-Methylphenol	ND	2.0	0.4	"	"	"	"	"	
Hexachloroethane	ND	2.0	0.5	"	"	"	"	"	
N-Nitrosodi-n-propylamine	ND	2.0	0.3	"	"	"	"	"	
Nitrobenzene	ND	2.0	0.7	"	"	"	"	"	
Isophorone	ND	2.0	0.3	"	"	"	"	"	
2-Nitrophenol	ND	5.0	1.2	"	"	"	"	"	
2,4-Dimethylphenol	ND	2.0	0.8	"	"	"	"	"	
Bis(2-chloroethoxy)methane	ND	2.0	0.4	"	"	"	"	"	
Benzoic acid	ND	30.0	0.5	"	"	"	"	"	
2,4-Dichlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Naphthalene	ND	2.0	0.5	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	0.6	"	"	"	"	"	
4-Chloro-3-methylphenol	ND	2.0	0.6	"	"	"	"	"	
2-Methylnaphthalene	ND	2.0	0.6	"	"	"	"	"	
Hexachlorocyclopentadiene	ND	2.0	0.6	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2-Chloronaphthalene	ND	2.0	0.2	"	"	"	"	"	
2-Nitroaniline	ND	2.0	0.4	"	"	"	"	"	
Acenaphthylene	ND	2.0	0.3	"	"	"	"	"	
Dimethyl phthalate	ND	2.0	0.8	"	"	"	"	"	
2,6-Dinitrotoluene	ND	2.0	0.8	"	"	"	"	"	
Acenaphthene	ND	2.0	0.6	"	"	"	"	"	
2,4-Dinitrophenol	ND	10.0	0.3	"	"	"	"	"	
Dibenzofuran	ND	2.0	0.3	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
2,4-Dinitrotoluene	ND	2.0	0.8	ug/l	AZF0303	06/27/16	06/28/16	"	
4-Nitrophenol	ND	5.0	0.1	"	"	"	"	"	
Fluorene	ND	2.0	0.5	"	"	"	"	"	
4-Chlorophenyl phenyl ether	ND	2.0	0.5	"	"	"	"	"	
Diethyl phthalate	ND	2.0	0.6	"	"	"	"	"	
Azobenzene	ND	2.0	0.4	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	ND	10.0	2.2	"	"	"	"	"	
N-Nitrosodiphenylamine	ND	2.0	0.6	"	"	"	"	"	
4-Bromophenyl phenyl ether	ND	2.0	0.8	"	"	"	"	"	
Hexachlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Pentachlorophenol	ND	10.0	2.4	"	"	"	"	"	
Phenanthrene	ND	2.0	0.4	"	"	"	"	"	
Anthracene	ND	2.0	0.3	"	"	"	"	"	
Carbazole	ND	2.0	0.6	"	"	"	"	"	
Di-n-butyl phthalate	ND	2.0	0.4	"	"	"	"	"	
Fluoranthene	ND	2.0	0.6	"	"	"	"	"	
Benzidine	ND	5.0	0.2	"	"	"	"	"	
Pyrene	ND	2.0	1.0	"	"	"	"	"	
Butyl benzyl phthalate	ND	2.0	1.0	"	"	"	"	"	
3,3´-Dichlorobenzidine	ND	5.0	0.8	"	"	"	"	"	
Benzo (a) anthracene	ND	2.0	0.4	"	"	"	"	"	
Chrysene	ND	2.0	0.5	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	ND	5.0	0.7	"	"	"	"	"	
Di-n-octyl phthalate	ND	5.0	0.7	"	"	"	"	"	
Benzo (b) fluoranthene	ND	2.0	0.8	"	"	"	"	"	
Benzo (k) fluoranthene	ND	2.0	1.0	"	"	"	"	"	
Benzo (a) pyrene	ND	5.0	1.2	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	5.0	1.6	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	2.0	1.6	"	"	"	"	"	
Benzo (g,h,i) perylene	ND	2.0	1.3	"	"	"	"	"	
3-Methylphenol & 4-Methylphenol	ND	50.0	0.4	"	"	"	"	"	
Surrogate: 2-Fluorophenol	*37.0 %*	% Recovery Limits		*10-130*				*"*	
Surrogate: Phenol-d6	*23.4 %*	% Recovery Limits		*10-130*				*"*	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
Surrogate: Nitrobenzene-d5	*65.0 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2-Fluorobiphenyl	*62.7 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2,4,6-Tribromophenol	*70.6 %*	% Recovery Limits		*10-130*				"	
Surrogate: Terphenyl-dl4	*60.2 %*	% Recovery Limits		*10-130*				"	
Organophosphorus Pesticides									
Dichlorvos	ND	0.200	0.156	ug/l	AZF0309	06/27/16	07/06/16	EPA 8141A	
Mevinphos	ND	0.200	0.115	"	"	"	"	"	
TEPP	ND	0.200	0.151	"	"	"	"	"	
Demeton	ND	0.200	0.105	"	"	"	"	"	
Demeton-O	ND	0.200	0.101	"	"	"	"	"	
Ethoprop	ND	0.200	0.0770	"	"	"	"	"	
Naled	ND	0.200	0.169	"	"	"	"	"	
Sulfotep	ND	0.200	0.0950	"	"	"	"	"	
Monocrotophos	ND	0.400	0.0150	"	"	"	"	"	
Phorate	ND	0.200	0.0830	"	"	"	"	"	
Demeton-S	ND	0.200	0.105	"	"	"	"	"	
Dimethoate	ND	0.200	0.0710	"	"	"	"	"	
Diazinon	ND	0.200	0.0650	"	"	"	"	"	
Disulfoton	ND	0.200	0.0690	"	"	"	"	"	
Parathion-methyl	ND	0.200	0.0770	"	"	"	"	"	
Ronnel	ND	0.200	0.0660	"	"	"	"	"	
Malathion	ND	0.200	0.159	"	"	"	"	"	
Dursban (Chlorpyrifos)	ND	0.200	0.0710	"	"	"	"	"	
Fenthion	ND	0.200	0.0670	"	"	"	"	"	
Parathion	ND	0.200	0.0790	"	"	"	"	"	
Trichloronate	ND	0.200	0.0670	"	"	"	"	"	
Gardona (Stirophos)	ND	0.200	0.110	"	"	"	"	"	
Tokuthion (Prothiofos)	ND	0.200	0.0770	"	"	"	"	"	
Merphos	ND	0.200	0.0970	"	"	"	"	"	
Fensulfothion	ND	0.200	0.139	"	"	"	"	"	
Bolstar	ND	0.200	0.0860	"	"	"	"	"	
EPN	ND	0.200	0.124	"	"	"	"	"	
Azinphos-methyl	ND	0.200	0.0270	"	"	"	"	"	
Coumaphos	ND	0.200	0.168	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Organophosphorus Pesticides									
Molinate	ND	0.200	0.0440	ug/l	AZF0309	06/27/16	07/06/16	"	
Surrogate: Tributylphosphate	*88.5 %*	% Recovery Limits		*50-170*				*"*	
Surrogate: Triphenyl phosphate	*101 %*	% Recovery Limits		*50-170*				*"*	
Herbicides									
Dalapon	ND	0.600	0.115	ug/l	AZG0024	06/24/16	07/08/16	EPA 8151A	
3,5-Dichlorobenzoic acid	ND	0.800	0.170	"	"	"	"	"	
4-Nitrophenol	ND	0.600	0.117	"	"	"	"	"	
Dicamba	ND	0.400	0.0800	"	"	"	"	"	
MCPP	ND	10.0	0.891	"	"	"	"	"	
Dichloroprop	ND	0.800	0.196	"	"	"	"	"	
2,4-D	ND	0.400	0.0860	"	"	"	"	"	
Pentachlorophenol	ND	0.300	0.0530	"	"	"	"	"	
2,4,5-TP (Silvex)	ND	0.500	0.0950	"	"	"	"	"	
2,4,5-T	ND	0.500	0.0970	"	"	"	"	"	
Chloramben	ND	0.800	0.00800	"	"	"	"	"	
Dinoseb	ND	0.400	0.0830	"	"	"	"	"	
2,4-DB	ND	0.800	0.157	"	"	"	"	"	
Bentazon	ND	0.600	0.110	"	"	"	"	"	
DCPA	ND	0.400	0.0150	"	"	"	"	"	
Picloram	ND	0.800	0.0200	"	"	"	"	"	
Acifluorfen	ND	0.800	0.157	"	"	"	"	"	
Surrogate: 2,4-Dichlorophenylacetic acid	*65.8 %*	% Recovery Limits		*43-169*				*"*	
Ion Chromatography									
Chloride	**2.9**	0.5	0.05	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Fluoride	ND	0.1	0.08	"	"	"	"	"	
Nitrate (NO3)	ND	0.50	0.08	"	"	"	"	"	
Nitrate as Nitrogen	ND	0.11	0.02	"	"	"	"	"	
Nitrite (NO2)	ND	0.50	0.15	"	"	"	"	"	
Nitrite as Nitrogen	ND	0.15	0.04	"	"	"	"	"	
Perchlorate	ND	2.00	0.0940	ug/l	AZF0337	06/28/16	06/30/16	EPA 314.0	
Sulfate as SO4	**3.6**	0.5	0.1	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Wet Chemistry									
Total Alkalinity	**50.0**	5.00	2.37	mg/L	AZF0330	06/30/16	06/30/16	SM2320B	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Wet Chemistry									
Ammonia as N	**0.271**	0.100	0.0400	mg/L	AZG0068	07/08/16	07/08/16	SM 4500-NH3 B/H	
Specific Conductance (EC)	**126**	5.00	1.09	uS/cm	AZF0266	06/22/16	06/22/16	EPA 120.1	
Cyanide	ND	0.00500	0.000900	mg/L	AZF0324	06/28/16	06/29/16	SM 4500CN E	
Hexavalent Chromium	ND	15.0	12.0	ug/l	AZG0023	07/05/16	07/05/16	EPA 7196	
MBAS	ND	0.100	0.0600	mg/L	AZF0277	06/22/16	06/23/16	SM5540C	
pH	**7.83**	0.100	0.100	pH Units	AZF0264	06/21/16	06/21/16	SM 4500-H+ B	Field
Total Dissolved Solids	**59.0**	15.0	7.68	mg/L	AZF0319	06/24/16	06/29/16	SM 2540C	
Total Hardness	**44.0**	5.00	2.86	"	AZF0314	06/29/16	06/29/16	SM2340B	
Total Recoverable Metals									
Aluminum	**828**	50.0	24.5	ug/l	AZG0050	07/07/16	07/07/16	EPA 200.7	
Barium	**22.2**	5.0	1.2	"	"	"	"	"	
Boron	ND	50.0	0.8	"	"	"	"	"	
Calcium	**9900**	100	79.0	"	"	"	"	"	
Copper	ND	5.0	0.8	"	"	"	"	"	
Iron	**846**	20.0	11.5	"	"	"	"	"	
Magnesium	**3890**	50.0	15.6	"	"	"	"	"	
Manganese	**40.8**	10.0	0.6	"	"	"	"	"	
Sodium	**5370**	200	120	"	"	"	"	"	
Thallium	ND	20.0	2.2	"	"	"	"	"	
Zinc	ND	10.0	0.3	"	"	"	"	"	
Dissolved Metals									
Dissolved Aluminum	ND	50.0	24.5	ug/l	AZG0077	07/05/16	07/11/16	EPA 200.7	
Dissolved Arsenic	ND	10.0	1.0	"	"	"	"	"	
Dissolved Iron	**92.9**	20.0	11.5	"	"	"	"	"	
Dissolved Lead	ND	5.0	0.9	"	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
E200.8									
Total Recoverable Copper	ND	2		ug/L	'[none]'	06/28/16	06/28/16	E200.8	
Total Recoverable Titanium	**4.62**	2		"	"	"	07/14/16	"	
Total Recoverable Zinc	ND	10		"	"	"	06/28/16	"	
Total Recoverable Lead	ND	1		"	"	"	"	"	
Total Recoverable Thorium	ND	0.2		"	"	"	07/14/16	"	
Total Recoverable Beryllium	ND	1		"	"	"	06/28/16	"	
Total Recoverable Silver	ND	1		"	"	"	"	"	
Total Recoverable Selenium	ND	2		"	"	"	"	"	
Total Recoverable Cadmium	ND	1		"	"	"	"	"	
Total Recoverable Chromium	ND	3		"	"	"	"	"	
Total Recoverable Nickel	ND	2		"	"	"	"	"	
Total Recoverable Arsenic	ND	2		"	"	"	"	"	
EPA 8290A									
2,3,4,7,8-PeCDF	ND		3.11	pg/L	1464	"	06/29/16	EPA 8290A	DL
Totals HpCDF	ND		3.86	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDD	ND		4.54	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDF	ND		4.53	"	"	"	"	"	DL
2,3,7,8-TCDF	ND		1.91	"	"	"	"	"	DL
2,3,4,6,7,8-HxCDF	ND		3.65	"	"	"	"	"	DL
Total PeCDF	ND		3.11	"	"	"	"	"	DL
Total TCDD	ND		2.78	"	"	"	"	"	DL
Total PeCDD	ND		7.33	"	"	"	"	"	DL
Total HxCDF	ND		4.53	"	"	"	"	"	DL
Total HxCDD	ND		4.96	"	"	"	"	"	DL
Total HpCDD	ND		8.74	"	"	"	"	"	DL
TEQ	**0.00945**			"	"	"	"	"	
Total TCDF	ND		1.91	"	"	"	"	"	DL
OCDF	ND		8.95	"	"	"	"	"	DL
2,3,7,8-TCDD	ND		2.78	"	"	"	"	"	DL
OCDD	**31.5**			"	"	"	"	"	J
1,2,3,7,8-PeCDF	ND		2.92	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDD	ND		4.48	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDF	ND		3.45	"	"	"	"	"	DL
1,2,3,4,7,8,9-HpCDF	ND		3.86	"	"	"	"	"	DL

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-15

1606176-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A									
1,2,3,4,6,7,8-HpCDD	ND		8.74	pg/L	1464	06/28/16	06/29/16	"	DL
1,2,3,7,8-PeCDD	ND		7.33	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDF	ND		3.06	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDD	ND		4.96	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDF	ND		3.16	"	"	"	"	"	DL
EPA 8290A									
Surrogate: 37Cl4-2,3,7,8-TCDD	*103 %*	% Recovery Limits		*40-135*				"	
EPA 8290A Internal Standards									
13C-2,3,7,8-TCDD	**46.9**			%	1464	"	06/29/16	EPA 8290A Internal Standards	
13C-2,3,4,7,8-PeCDF	**42.9**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDF	**46.4**			"	"	"	"	"	
13C-OCDD	**37.6**			"	"	"	"	"	H, Ha
13C-1,2,3,7,8,9-HxCDF	**41.7**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDF	**44.6**			"	"	"	"	"	
13C-2,3,7,8-TCDF	**54**			"	"	"	"	"	
13C-2,3,4,6,7,8-HxCDF	**41.9**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDF	**44.1**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDD	**49.2**			"	"	"	"	"	
13C-1,2,3,4,7,8,9-HpCDF	**48.7**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDD	**49.4**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDD	**46.6**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDD	**46.6**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDF	**42.9**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
Dichlorodifluoromethane	ND	0.5	0.07	ug/l	AZG0047	06/23/16	06/24/16	EPA 8260B	
Chloromethane	ND	0.5	0.06	"	"	"	"	"	
Bromomethane	ND	0.5	0.05	"	"	"	"	"	
Chloroethane	ND	0.5	0.08	"	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.05	"	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.05	"	"	"	"	"	
Acetone	ND	5.0	0.1	"	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	"	"	"	"	
Iodomethane	ND	0.5	0.03	"	"	"	"	"	
Methylene chloride	ND	5.0	0.08	"	"	"	"	"	
Carbon disulfide	ND	0.5	0.06	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.04	"	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
2-Butanone	ND	5.0	0.1	"	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.03	"	"	"	"	"	
Bromochloromethane	ND	0.5	0.07	"	"	"	"	"	
Chloroform	ND	0.5	0.05	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.05	"	"	"	"	"	
Carbon tetrachloride	ND	0.5	0.02	"	"	"	"	"	
1,1-Dichloropropene	ND	0.5	0.03	"	"	"	"	"	
Benzene	ND	0.5	0.03	"	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
Dibromomethane	ND	0.5	0.07	"	"	"	"	"	
Trichloroethene	ND	0.5	0.06	"	"	"	"	"	
Bromodichloromethane	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.05	"	"	"	"	"	
Toluene	ND	0.5	0.04	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.1	"	"	"	"	"	
Tetrachloroethene	ND	0.5	0.08	"	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
2-Hexanone	ND	5.0	0.1	ug/l	AZG0047	06/23/16	06/24/16	"	
Dibromochloromethane	ND	0.5	0.07	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.1	"	"	"	"	"	
Chlorobenzene	ND	0.5	0.03	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.08	"	"	"	"	"	
Ethylbenzene	ND	0.5	0.03	"	"	"	"	"	
m,p-Xylene	ND	1.0	0.09	"	"	"	"	"	
o-Xylene	ND	0.5	0.04	"	"	"	"	"	
Xylenes, total	ND	1.0	0.1	"	"	"	"	"	
Bromoform	ND	0.5	0.03	"	"	"	"	"	
Isopropylbenzene	ND	0.5	0.04	"	"	"	"	"	
Bromobenzene	ND	0.5	0.05	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.4	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.06	"	"	"	"	"	
n-Propylbenzene	ND	0.5	0.04	"	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.03	"	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.05	"	"	"	"	"	
tert-Butylbenzene	ND	0.5	0.02	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.5	0.04	"	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.03	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.03	"	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.04	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.06	"	"	"	"	"	
n-Butylbenzene	ND	0.5	0.04	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.07	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.02	"	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.07	"	"	"	"	"	
Naphthalene	ND	0.5	0.04	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
Surrogate: Dibromofluoromethane	*97.4 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: Toluene-d8	*99.8 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: 4-Bromofluorobenzene	*95.8 %*	% Recovery Limits		*70-130*				*"*	
Pesticides by GC/ECD									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Pesticides by GC/ECD									
alpha-BHC	ND	0.100	0.011	ug/l	AZF0252	06/23/16	06/24/16	EPA 8081A	
beta-BHC	ND	0.100	0.011	"	"	"	"	"	
gamma-BHC (Lindane)	ND	0.100	0.013	"	"	"	"	"	
delta-BHC	ND	0.100	0.021	"	"	"	"	"	
Heptachlor	ND	0.100	0.016	"	"	"	"	"	
Aldrin	ND	0.100	0.011	"	"	"	"	"	
Heptachlor epoxide	ND	0.100	0.020	"	"	"	"	"	
gamma-Chlordane	ND	0.100	0.005	"	"	"	"	"	
Endosulfan I	ND	0.100	0.007	"	"	"	"	"	
alpha-Chlordane	ND	0.100	0.006	"	"	"	"	"	
4,4'-DDE	ND	0.100	0.005	"	"	"	"	"	
Dieldrin	ND	0.100	0.006	"	"	"	"	"	
Endrin	ND	0.100	0.007	"	"	"	"	"	
Endosulfan II	ND	0.100	0.021	"	"	"	"	"	
4,4'-DDD	ND	0.100	0.006	"	"	"	"	"	
Endrin aldehyde	ND	0.100	0.006	"	"	"	"	"	
Endosulfan sulfate	ND	0.100	0.005	"	"	"	"	"	
4,4'-DDT	ND	0.100	0.004	"	"	"	"	"	
Endrin Ketone	ND	0.100	0.005	"	"	"	"	"	
Methoxychlor	ND	0.100	0.013	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*84.2 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*79.9 %*	% Recovery Limits		*50-150*				"	
PCBs by GC/ECD									
Aroclor 1016	ND	1.00	0.0600	ug/l	AZF0252	"	06/24/16	EPA 8082	
Aroclor 1221	ND	1.00	0.130	"	"	"	"	"	
Aroclor 1232	ND	1.00	0.100	"	"	"	"	"	
Aroclor 1242	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1248	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1254	ND	1.00	0.0900	"	"	"	"	"	
Aroclor 1260	ND	1.00	0.0800	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*57.4 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*63.5 %*	% Recovery Limits		*50-150*				"	
SemiVolatile Organic Compounds by GC/MS									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
N-Nitrosodimethylamine	ND	2.0	0.4	ug/l	AZF0303	06/27/16	06/28/16	EPA 8270C	
Aniline	ND	2.0	0.3	"	"	"	"	"	
Bis(2-chloroethyl)ether	ND	2.0	0.6	"	"	"	"	"	
Phenol	ND	2.0	0.3	"	"	"	"	"	
2-Chlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	0.4	"	"	"	"	"	
Benzyl alcohol	ND	2.0	0.4	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	ND	2.0	0.4	"	"	"	"	"	
2-Methylphenol	ND	2.0	0.4	"	"	"	"	"	
Hexachloroethane	ND	2.0	0.5	"	"	"	"	"	
N-Nitrosodi-n-propylamine	ND	2.0	0.3	"	"	"	"	"	
Nitrobenzene	ND	2.0	0.7	"	"	"	"	"	
Isophorone	ND	2.0	0.3	"	"	"	"	"	
2-Nitrophenol	ND	5.0	1.2	"	"	"	"	"	
2,4-Dimethylphenol	ND	2.0	0.8	"	"	"	"	"	
Bis(2-chloroethoxy)methane	ND	2.0	0.4	"	"	"	"	"	
Benzoic acid	ND	30.0	0.5	"	"	"	"	"	
2,4-Dichlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Naphthalene	ND	2.0	0.5	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	0.6	"	"	"	"	"	
4-Chloro-3-methylphenol	ND	2.0	0.6	"	"	"	"	"	
2-Methylnaphthalene	ND	2.0	0.6	"	"	"	"	"	
Hexachlorocyclopentadiene	ND	2.0	0.6	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2-Chloronaphthalene	ND	2.0	0.2	"	"	"	"	"	
2-Nitroaniline	ND	2.0	0.4	"	"	"	"	"	
Acenaphthylene	ND	2.0	0.3	"	"	"	"	"	
Dimethyl phthalate	ND	2.0	0.8	"	"	"	"	"	
2,6-Dinitrotoluene	ND	2.0	0.8	"	"	"	"	"	
Acenaphthene	ND	2.0	0.6	"	"	"	"	"	
2,4-Dinitrophenol	ND	10.0	0.3	"	"	"	"	"	
Dibenzofuran	ND	2.0	0.3	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
2,4-Dinitrotoluene	ND	2.0	0.8	ug/l	AZF0303	06/27/16	06/28/16	"	
4-Nitrophenol	ND	5.0	0.1	"	"	"	"	"	
Fluorene	ND	2.0	0.5	"	"	"	"	"	
4-Chlorophenyl phenyl ether	ND	2.0	0.5	"	"	"	"	"	
Diethyl phthalate	ND	2.0	0.6	"	"	"	"	"	
Azobenzene	ND	2.0	0.4	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	ND	10.0	2.2	"	"	"	"	"	
N-Nitrosodiphenylamine	ND	2.0	0.6	"	"	"	"	"	
4-Bromophenyl phenyl ether	ND	2.0	0.8	"	"	"	"	"	
Hexachlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Pentachlorophenol	ND	10.0	2.4	"	"	"	"	"	
Phenanthrene	ND	2.0	0.4	"	"	"	"	"	
Anthracene	ND	2.0	0.3	"	"	"	"	"	
Carbazole	ND	2.0	0.6	"	"	"	"	"	
Di-n-butyl phthalate	**2.0**	2.0	0.4	"	"	"	"	"	
Fluoranthene	ND	2.0	0.6	"	"	"	"	"	
Benzidine	ND	5.0	0.2	"	"	"	"	"	
Pyrene	ND	2.0	1.0	"	"	"	"	"	
Butyl benzyl phthalate	ND	2.0	1.0	"	"	"	"	"	
3,3´-Dichlorobenzidine	ND	5.0	0.8	"	"	"	"	"	
Benzo (a) anthracene	ND	2.0	0.4	"	"	"	"	"	
Chrysene	ND	2.0	0.5	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	ND	5.0	0.7	"	"	"	"	"	
Di-n-octyl phthalate	ND	5.0	0.7	"	"	"	"	"	
Benzo (b) fluoranthene	ND	2.0	0.8	"	"	"	"	"	
Benzo (k) fluoranthene	ND	2.0	1.0	"	"	"	"	"	
Benzo (a) pyrene	ND	5.0	1.2	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	5.0	1.6	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	2.0	1.6	"	"	"	"	"	
Benzo (g,h,i) perylene	ND	2.0	1.3	"	"	"	"	"	
3-Methylphenol & 4-Methylphenol	ND	50.0	0.4	"	"	"	"	"	
Surrogate: 2-Fluorophenol	*40.5 %*	% Recovery Limits		*10-130*				*"*	
Surrogate: Phenol-d6	*28.1 %*	% Recovery Limits		*10-130*				*"*	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
Surrogate: Nitrobenzene-d5	*72.8 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2-Fluorobiphenyl	*71.3 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2,4,6-Tribromophenol	*88.6 %*	% Recovery Limits		*10-130*				"	
Surrogate: Terphenyl-dl4	*71.8 %*	% Recovery Limits		*10-130*				"	
Organophosphorus Pesticides									
Dichlorvos	ND	0.200	0.156	ug/l	AZF0309	06/27/16	07/06/16	EPA 8141A	
Mevinphos	ND	0.200	0.115	"	"	"	"	"	
TEPP	ND	0.200	0.151	"	"	"	"	"	
Demeton	ND	0.200	0.105	"	"	"	"	"	
Demeton-O	ND	0.200	0.101	"	"	"	"	"	
Ethoprop	ND	0.200	0.0770	"	"	"	"	"	
Naled	ND	0.200	0.169	"	"	"	"	"	
Sulfotep	ND	0.200	0.0950	"	"	"	"	"	
Monocrotophos	ND	0.400	0.0150	"	"	"	"	"	
Phorate	ND	0.200	0.0830	"	"	"	"	"	
Demeton-S	ND	0.200	0.105	"	"	"	"	"	
Dimethoate	ND	0.200	0.0710	"	"	"	"	"	
Diazinon	ND	0.200	0.0650	"	"	"	"	"	
Disulfoton	ND	0.200	0.0690	"	"	"	"	"	
Parathion-methyl	ND	0.200	0.0770	"	"	"	"	"	
Ronnel	ND	0.200	0.0660	"	"	"	"	"	
Malathion	ND	0.200	0.159	"	"	"	"	"	
Dursban (Chlorpyrifos)	ND	0.200	0.0710	"	"	"	"	"	
Fenthion	ND	0.200	0.0670	"	"	"	"	"	
Parathion	ND	0.200	0.0790	"	"	"	"	"	
Trichloronate	ND	0.200	0.0670	"	"	"	"	"	
Gardona (Stirophos)	ND	0.200	0.110	"	"	"	"	"	
Tokuthion (Prothiofos)	ND	0.200	0.0770	"	"	"	"	"	
Merphos	ND	0.200	0.0970	"	"	"	"	"	
Fensulfothion	ND	0.200	0.139	"	"	"	"	"	
Bolstar	ND	0.200	0.0860	"	"	"	"	"	
EPN	ND	0.200	0.124	"	"	"	"	"	
Azinphos-methyl	ND	0.200	0.0270	"	"	"	"	"	
Coumaphos	ND	0.200	0.168	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Organophosphorus Pesticides									
Molinate	ND	0.200	0.0440	ug/l	AZF0309	06/27/16	07/06/16	"	
Surrogate: Tributylphosphate	*89.0 %*	% Recovery Limits		*50-170*				*"*	
Surrogate: Triphenyl phosphate	*104 %*	% Recovery Limits		*50-170*				*"*	
Herbicides									
Dalapon	ND	0.600	0.115	ug/l	AZG0024	06/24/16	07/08/16	EPA 8151A	
3,5-Dichlorobenzoic acid	ND	0.800	0.170	"	"	"	"	"	
4-Nitrophenol	ND	0.600	0.117	"	"	"	"	"	
Dicamba	ND	0.400	0.0800	"	"	"	"	"	
MCPP	ND	10.0	0.891	"	"	"	"	"	
Dichloroprop	ND	0.800	0.196	"	"	"	"	"	
2,4-D	ND	0.400	0.0860	"	"	"	"	"	
Pentachlorophenol	ND	0.300	0.0530	"	"	"	"	"	
2,4,5-TP (Silvex)	ND	0.500	0.0950	"	"	"	"	"	
2,4,5-T	ND	0.500	0.0970	"	"	"	"	"	
Chloramben	ND	0.800	0.00800	"	"	"	"	"	
Dinoseb	ND	0.400	0.0830	"	"	"	"	"	
2,4-DB	ND	0.800	0.157	"	"	"	"	"	
Bentazon	ND	0.600	0.110	"	"	"	"	"	
DCPA	ND	0.400	0.0150	"	"	"	"	"	
Picloram	ND	0.800	0.0200	"	"	"	"	"	
Acifluorfen	ND	0.800	0.157	"	"	"	"	"	
Surrogate: 2,4-Dichlorophenylacetic acid	*66.0 %*	% Recovery Limits		*43-169*				*"*	
Ion Chromatography									
Chloride	**1.8**	0.5	0.05	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Fluoride	ND	0.1	0.08	"	"	"	"	"	
Nitrate (NO3)	ND	0.50	0.08	"	"	"	"	"	
Nitrate as Nitrogen	ND	0.11	0.02	"	"	"	"	"	
Nitrite (NO2)	ND	0.50	0.15	"	"	"	"	"	
Nitrite as Nitrogen	ND	0.15	0.04	"	"	"	"	"	
Perchlorate	ND	2.00	0.0940	ug/l	AZF0337	06/28/16	06/30/16	EPA 314.0	
Sulfate as SO4	**2.8**	0.5	0.1	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Wet Chemistry									
Total Alkalinity	**42.0**	5.00	2.37	mg/L	AZF0330	06/30/16	06/30/16	SM2320B	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Wet Chemistry									
Ammonia as N	ND	0.100	0.0400	mg/L	AZG0068	07/08/16	07/08/16	SM 4500-NH3 B/H	
Specific Conductance (EC)	**698**	5.00	1.09	uS/cm	AZF0266	06/22/16	06/22/16	EPA 120.1	
Cyanide	ND	0.00500	0.000900	mg/L	AZF0324	06/28/16	06/29/16	SM 4500CN E	
Hexavalent Chromium	ND	15.0	12.0	ug/l	AZG0023	07/05/16	07/05/16	EPA 7196	
MBAS	ND	0.100	0.0600	mg/L	AZF0277	06/22/16	06/23/16	SM5540C	
pH	**7.72**	0.100	0.100	pH Units	AZF0264	06/21/16	06/21/16	SM 4500-H+ B	Field
Total Dissolved Solids	**28.0**	15.0	7.68	mg/L	AZF0319	06/24/16	06/29/16	SM 2540C	
Total Hardness	**38.0**	5.00	2.86	"	AZF0314	06/29/16	06/29/16	SM2340B	
Total Recoverable Metals									
Aluminum	**1390**	50.0	24.5	ug/l	AZG0050	07/07/16	07/07/16	EPA 200.7	
Barium	**23.1**	5.0	1.2	"	"	"	"	"	
Boron	ND	50.0	0.8	"	"	"	"	"	
Calcium	**8870**	100	79.0	"	"	"	"	"	
Copper	ND	5.0	0.8	"	"	"	"	"	
Iron	**1540**	20.0	11.5	"	"	"	"	"	
Magnesium	**3530**	50.0	15.6	"	"	"	"	"	
Manganese	**42.9**	10.0	0.6	"	"	"	"	"	
Sodium	**3680**	200	120	"	"	"	"	"	
Thallium	ND	20.0	2.2	"	"	"	"	"	
Zinc	ND	10.0	0.3	"	"	"	"	"	
Dissolved Metals									
Dissolved Aluminum	ND	50.0	24.5	ug/l	AZG0077	07/05/16	07/11/16	EPA 200.7	
Dissolved Arsenic	ND	10.0	1.0	"	"	"	"	"	
Dissolved Iron	**46.5**	20.0	11.5	"	"	"	"	"	
Dissolved Lead	ND	5.0	0.9	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8321A									
Methiocarb	ND	1		ug/L	A608160	07/04/16	07/04/16	EPA 8321A	
Methomyl	ND	1		"	"	"	"	"	
Oxamyl	ND	1		"	"	"	"	"	
Aldicarb sulfoxide	ND	1		"	"	"	"	"	
Propoxur	ND	1		"	"	"	"	"	
Linuron	ND	1		"	"	"	"	"	
Diuron	ND	1		"	"	"	"	"	
Aldicarb	ND	1		"	"	"	"	"	
Carbofuran	ND	1		"	"	"	"	"	
Carbaryl	ND	1		"	"	"	"	"	
Aldicarb sulfone	ND	1		"	"	"	"	"	
3-Hydroxycarbofuran	ND	1		"	"	"	"	"	
Surrogate: BDMC	*101 %*	% Recovery Limits		*50-150*				"	
E200.8									
Total Recoverable Lead	ND	1		ug/L	'[none]'	06/28/16	06/28/16	E200.8	
Total Recoverable Zinc	ND	10		"	"	"	"	"	
Total Recoverable Thorium	ND	0.2		"	"	"	07/14/16	"	
Total Recoverable Beryllium	ND	1		"	"	"	06/28/16	"	
Total Recoverable Silver	ND	1		"	"	"	"	"	
Total Recoverable Selenium	ND	2		"	"	"	"	"	
Total Recoverable Nickel	ND	2		"	"	"	"	"	
Total Recoverable Titanium	**2.43**	2		"	"	"	07/14/16	"	
Total Recoverable Arsenic	ND	2		"	"	"	06/28/16	"	
Total Recoverable Copper	ND	2		"	"	"	"	"	
Total Recoverable Chromium	ND	3		"	"	"	"	"	
Total Recoverable Cadmium	ND	1		"	"	"	"	"	
EPA 8290A									
1,2,3,4,7,8,9-HpCDF	ND		5.36	pg/L	1464	"	06/29/16	EPA 8290A	DL
1,2,3,4,7,8-HxCDD	ND		4.49	"	"	"	"	"	DL
Total PeCDF	ND		2.37	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDF	ND		3.84	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDD	ND		5.52	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDD	ND		5.16	"	"	"	"	"	DL

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A									
1,2,3,6,7,8-HxCDF	ND		2.24	pg/L	1464	06/28/16	06/29/16	"	DL
1,2,3,7,8,9-HxCDD	ND		4.63	"	"	"	"	"	DL
1,2,3,7,8,9-HxCDF	ND		3.18	"	"	"	"	"	DL
Totals HpCDF	ND		5.36	"	"	"	"	"	DL
Total TCDF	ND		1.97	"	"	"	"	"	DL
Total TCDD	ND		2.35	"	"	"	"	"	DL
Total PeCDD	ND		5.87	"	"	"	"	"	DL
1,2,3,7,8-PeCDD	ND		5.87	"	"	"	"	"	DL
Total HxCDF	ND		3.18	"	"	"	"	"	DL
Total HxCDD	ND		5.16	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDF	ND		2.23	"	"	"	"	"	DL
Total HpCDD	ND		5.52	"	"	"	"	"	DL
1,2,3,7,8-PeCDF	ND		2.25	"	"	"	"	"	DL
TEQ	**0.00735**			"	"	"	"	"	
2,3,4,6,7,8-HxCDF	ND		2.43	"	"	"	"	"	DL
2,3,7,8-TCDD	ND		2.35	"	"	"	"	"	DL
2,3,7,8-TCDF	ND		1.97	"	"	"	"	"	DL
2,3,4,7,8-PeCDF	ND		2.37	"	"	"	"	"	DL
OCDF	ND		7.84	"	"	"	"	"	DL
OCDD	**24.5**			"	"	"	"	"	J
EPA 8290A									
Surrogate: 37Cl4-2,3,7,8-TCDD	*105 %*	% Recovery Limits		*40-135*				"	
EPA 8290A Internal Standards									
13C-2,3,7,8-TCDD	**61.2**			%	1464	"	06/29/16	EPA 8290A Internal Standards	
13C-1,2,3,4,7,8,9-HpCDF	**64.3**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDD	**69.2**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDD	**67.4**			"	"	"	"	"	
13C-2,3,4,6,7,8-HxCDF	**61.1**			"	"	"	"	"	
13C-1,2,3,7,8,9-HxCDF	**61.2**			"	"	"	"	"	
13C-2,3,4,7,8-PeCDF	**58.4**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDD	**64.2**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDF	**64.5**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDF	**62.7**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-16

1606176-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A Internal Standards									
13C-1,2,3,4,6,7,8-HpCDF	**62.7**			%	1464	06/28/16	06/29/16	"	
13C-1,2,3,6,7,8-HxCDF	**63.8**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDD	**65.4**			"	"	"	"	"	
13C-OCDD	**53.5**			"	"	"	"	"	
13C-2,3,7,8-TCDF	**69**			"	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
Dichlorodifluoromethane	ND	0.5	0.07	ug/l	AZG0047	06/23/16	06/24/16	EPA 8260B	
Chloromethane	ND	0.5	0.06	"	"	"	"	"	
Bromomethane	ND	0.5	0.05	"	"	"	"	"	
Chloroethane	ND	0.5	0.08	"	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.05	"	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.05	"	"	"	"	"	
Acetone	**5.8**	5.0	0.1	"	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	"	"	"	"	
Iodomethane	ND	0.5	0.03	"	"	"	"	"	
Methylene chloride	ND	5.0	0.08	"	"	"	"	"	
Carbon disulfide	ND	0.5	0.06	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.04	"	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
2-Butanone	ND	5.0	0.1	"	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.03	"	"	"	"	"	
Bromochloromethane	ND	0.5	0.07	"	"	"	"	"	
Chloroform	**6.9**	0.5	0.05	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.05	"	"	"	"	"	
Carbon tetrachloride	ND	0.5	0.02	"	"	"	"	"	
1,1-Dichloropropene	ND	0.5	0.03	"	"	"	"	"	
Benzene	ND	0.5	0.03	"	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.04	"	"	"	"	"	
Dibromomethane	ND	0.5	0.07	"	"	"	"	"	
Trichloroethene	ND	0.5	0.06	"	"	"	"	"	
Bromodichloromethane	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.05	"	"	"	"	"	
Toluene	ND	0.5	0.04	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.04	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.1	"	"	"	"	"	
Tetrachloroethene	ND	0.5	0.08	"	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.06	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS									
2-Hexanone	ND	5.0	0.1	ug/l	AZG0047	06/23/16	06/24/16	"	
Dibromochloromethane	ND	0.5	0.07	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.1	"	"	"	"	"	
Chlorobenzene	ND	0.5	0.03	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.08	"	"	"	"	"	
Ethylbenzene	ND	0.5	0.03	"	"	"	"	"	
m,p-Xylene	ND	1.0	0.09	"	"	"	"	"	
o-Xylene	ND	0.5	0.04	"	"	"	"	"	
Xylenes, total	ND	1.0	0.1	"	"	"	"	"	
Bromoform	ND	0.5	0.03	"	"	"	"	"	
Isopropylbenzene	ND	0.5	0.04	"	"	"	"	"	
Bromobenzene	ND	0.5	0.05	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.4	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.06	"	"	"	"	"	
n-Propylbenzene	ND	0.5	0.04	"	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.03	"	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.05	"	"	"	"	"	
tert-Butylbenzene	ND	0.5	0.02	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.5	0.04	"	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.03	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.03	"	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.04	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.06	"	"	"	"	"	
n-Butylbenzene	ND	0.5	0.04	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.07	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.02	"	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.07	"	"	"	"	"	
Naphthalene	ND	0.5	0.04	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.05	"	"	"	"	"	
Surrogate: Dibromofluoromethane	*97.7 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: Toluene-d8	*102 %*	% Recovery Limits		*70-130*				*"*	
Surrogate: 4-Bromofluorobenzene	*92.6 %*	% Recovery Limits		*70-130*				*"*	
Pesticides by GC/ECD									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Pesticides by GC/ECD									
alpha-BHC	ND	0.100	0.011	ug/l	AZF0252	06/23/16	06/24/16	EPA 8081A	
beta-BHC	ND	0.100	0.011	"	"	"	"	"	
gamma-BHC (Lindane)	ND	0.100	0.013	"	"	"	"	"	
delta-BHC	ND	0.100	0.021	"	"	"	"	"	
Heptachlor	ND	0.100	0.016	"	"	"	"	"	
Aldrin	ND	0.100	0.011	"	"	"	"	"	
Heptachlor epoxide	ND	0.100	0.020	"	"	"	"	"	
gamma-Chlordane	ND	0.100	0.005	"	"	"	"	"	
Endosulfan I	ND	0.100	0.007	"	"	"	"	"	
alpha-Chlordane	ND	0.100	0.006	"	"	"	"	"	
4,4'-DDE	ND	0.100	0.005	"	"	"	"	"	
Dieldrin	ND	0.100	0.006	"	"	"	"	"	
Endrin	ND	0.100	0.007	"	"	"	"	"	
Endosulfan II	ND	0.100	0.021	"	"	"	"	"	
4,4'-DDD	ND	0.100	0.006	"	"	"	"	"	
Endrin aldehyde	ND	0.100	0.006	"	"	"	"	"	
Endosulfan sulfate	ND	0.100	0.005	"	"	"	"	"	
4,4'-DDT	ND	0.100	0.004	"	"	"	"	"	
Endrin Ketone	ND	0.100	0.005	"	"	"	"	"	
Methoxychlor	ND	0.100	0.013	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*86.5 %*	% Recovery Limits		*50-150*				"	
Surrogate: Tetrachloro-meta-xylene	*80.7 %*	% Recovery Limits		*50-150*				"	
PCBs by GC/ECD									
Aroclor 1016	ND	1.00	0.0600	ug/l	AZF0252	"	06/24/16	EPA 8082	
Aroclor 1221	ND	1.00	0.130	"	"	"	"	"	
Aroclor 1232	ND	1.00	0.100	"	"	"	"	"	
Aroclor 1242	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1248	ND	1.00	0.0600	"	"	"	"	"	
Aroclor 1254	ND	1.00	0.0900	"	"	"	"	"	
Aroclor 1260	ND	1.00	0.0800	"	"	"	"	"	
Surrogate: Decachlorobiphenyl	*166 %*	% Recovery Limits		*50-150*				"	*QR-07*
Surrogate: Tetrachloro-meta-xylene	*64.7 %*	% Recovery Limits		*50-150*				"	
SemiVolatile Organic Compounds by GC/MS									

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
N-Nitrosodimethylamine	ND	2.0	0.4	ug/l	AZF0303	06/27/16	06/28/16	EPA 8270C	
Aniline	ND	2.0	0.3	"	"	"	"	"	
Bis(2-chloroethyl)ether	ND	2.0	0.6	"	"	"	"	"	
Phenol	ND	2.0	0.3	"	"	"	"	"	
2-Chlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,4-Dichlorobenzene	ND	2.0	0.4	"	"	"	"	"	
Benzyl alcohol	ND	2.0	0.4	"	"	"	"	"	
Bis(2-chloroisopropyl)ether	ND	2.0	0.4	"	"	"	"	"	
2-Methylphenol	ND	2.0	0.4	"	"	"	"	"	
Hexachloroethane	ND	2.0	0.5	"	"	"	"	"	
N-Nitrosodi-n-propylamine	ND	2.0	0.3	"	"	"	"	"	
Nitrobenzene	ND	2.0	0.7	"	"	"	"	"	
Isophorone	ND	2.0	0.3	"	"	"	"	"	
2-Nitrophenol	ND	5.0	1.2	"	"	"	"	"	
2,4-Dimethylphenol	ND	2.0	0.8	"	"	"	"	"	
Bis(2-chloroethoxy)methane	ND	2.0	0.4	"	"	"	"	"	
Benzoic acid	ND	30.0	0.5	"	"	"	"	"	
2,4-Dichlorophenol	ND	2.0	0.8	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Naphthalene	ND	2.0	0.5	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	0.6	"	"	"	"	"	
4-Chloro-3-methylphenol	ND	2.0	0.6	"	"	"	"	"	
2-Methylnaphthalene	ND	2.0	0.6	"	"	"	"	"	
Hexachlorocyclopentadiene	ND	2.0	0.6	"	"	"	"	"	
2,4,6-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2,4,5-Trichlorophenol	ND	5.0	1.6	"	"	"	"	"	
2-Chloronaphthalene	ND	2.0	0.2	"	"	"	"	"	
2-Nitroaniline	ND	2.0	0.4	"	"	"	"	"	
Acenaphthylene	ND	2.0	0.3	"	"	"	"	"	
Dimethyl phthalate	ND	2.0	0.8	"	"	"	"	"	
2,6-Dinitrotoluene	ND	2.0	0.8	"	"	"	"	"	
Acenaphthene	ND	2.0	0.6	"	"	"	"	"	
2,4-Dinitrophenol	ND	10.0	0.3	"	"	"	"	"	
Dibenzofuran	ND	2.0	0.3	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
2,4-Dinitrotoluene	ND	2.0	0.8	ug/l	AZF0303	06/27/16	06/28/16	"	
4-Nitrophenol	ND	5.0	0.1	"	"	"	"	"	
Fluorene	ND	2.0	0.5	"	"	"	"	"	
4-Chlorophenyl phenyl ether	ND	2.0	0.5	"	"	"	"	"	
Diethyl phthalate	ND	2.0	0.6	"	"	"	"	"	
Azobenzene	ND	2.0	0.4	"	"	"	"	"	
4,6-Dinitro-2-methylphenol	ND	10.0	2.2	"	"	"	"	"	
N-Nitrosodiphenylamine	ND	2.0	0.6	"	"	"	"	"	
4-Bromophenyl phenyl ether	ND	2.0	0.8	"	"	"	"	"	
Hexachlorobenzene	ND	2.0	0.6	"	"	"	"	"	
Pentachlorophenol	ND	10.0	2.4	"	"	"	"	"	
Phenanthrene	ND	2.0	0.4	"	"	"	"	"	
Anthracene	ND	2.0	0.3	"	"	"	"	"	
Carbazole	ND	2.0	0.6	"	"	"	"	"	
Di-n-butyl phthalate	ND	2.0	0.4	"	"	"	"	"	
Fluoranthene	ND	2.0	0.6	"	"	"	"	"	
Benzidine	ND	5.0	0.2	"	"	"	"	"	
Pyrene	ND	2.0	1.0	"	"	"	"	"	
Butyl benzyl phthalate	ND	2.0	1.0	"	"	"	"	"	
3,3´-Dichlorobenzidine	ND	5.0	0.8	"	"	"	"	"	
Benzo (a) anthracene	ND	2.0	0.4	"	"	"	"	"	
Chrysene	ND	2.0	0.5	"	"	"	"	"	
Bis(2-ethylhexyl)phthalate	ND	5.0	0.7	"	"	"	"	"	
Di-n-octyl phthalate	ND	5.0	0.7	"	"	"	"	"	
Benzo (b) fluoranthene	ND	2.0	0.8	"	"	"	"	"	
Benzo (k) fluoranthene	ND	2.0	1.0	"	"	"	"	"	
Benzo (a) pyrene	ND	5.0	1.2	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	5.0	1.6	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	2.0	1.6	"	"	"	"	"	
Benzo (g,h,i) perylene	ND	2.0	1.3	"	"	"	"	"	
3-Methylphenol & 4-Methylphenol	ND	50.0	0.4	"	"	"	"	"	
Surrogate: 2-Fluorophenol	*40.7 %*	% Recovery Limits		*10-130*				*"*	
Surrogate: Phenol-d6	*26.1 %*	% Recovery Limits		*10-130*				*"*	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
SemiVolatile Organic Compounds by GC/MS									
Surrogate: Nitrobenzene-d5	*68.4 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2-Fluorobiphenyl	*68.2 %*	% Recovery Limits		*10-130*				"	
Surrogate: 2,4,6-Tribromophenol	*80.1 %*	% Recovery Limits		*10-130*				"	
Surrogate: Terphenyl-dl4	*75.2 %*	% Recovery Limits		*10-130*				"	
Organophosphorus Pesticides									
Dichlorvos	ND	0.200	0.156	ug/l	AZF0309	06/27/16	07/06/16	EPA 8141A	
Mevinphos	ND	0.200	0.115	"	"	"	"	"	
TEPP	ND	0.200	0.151	"	"	"	"	"	
Demeton	ND	0.200	0.105	"	"	"	"	"	
Demeton-O	ND	0.200	0.101	"	"	"	"	"	
Ethoprop	ND	0.200	0.0770	"	"	"	"	"	
Naled	ND	0.200	0.169	"	"	"	"	"	
Sulfotep	ND	0.200	0.0950	"	"	"	"	"	
Monocrotophos	ND	0.400	0.0150	"	"	"	"	"	
Phorate	ND	0.200	0.0830	"	"	"	"	"	
Demeton-S	ND	0.200	0.105	"	"	"	"	"	
Dimethoate	ND	0.200	0.0710	"	"	"	"	"	
Diazinon	ND	0.200	0.0650	"	"	"	"	"	
Disulfoton	ND	0.200	0.0690	"	"	"	"	"	
Parathion-methyl	ND	0.200	0.0770	"	"	"	"	"	
Ronnel	ND	0.200	0.0660	"	"	"	"	"	
Malathion	ND	0.200	0.159	"	"	"	"	"	
Dursban (Chlorpyrifos)	ND	0.200	0.0710	"	"	"	"	"	
Fenthion	ND	0.200	0.0670	"	"	"	"	"	
Parathion	ND	0.200	0.0790	"	"	"	"	"	
Trichloronate	ND	0.200	0.0670	"	"	"	"	"	
Gardona (Stirophos)	ND	0.200	0.110	"	"	"	"	"	
Tokuthion (Prothiofos)	ND	0.200	0.0770	"	"	"	"	"	
Merphos	ND	0.200	0.0970	"	"	"	"	"	
Fensulfothion	ND	0.200	0.139	"	"	"	"	"	
Bolstar	ND	0.200	0.0860	"	"	"	"	"	
EPN	ND	0.200	0.124	"	"	"	"	"	
Azinphos-methyl	ND	0.200	0.0270	"	"	"	"	"	
Coumaphos	ND	0.200	0.168	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Organophosphorus Pesticides									
Molinate	ND	0.200	0.0440	ug/l	AZF0309	06/27/16	07/06/16	"	
Surrogate: Tributylphosphate	*95.2 %*	% Recovery Limits		*50-170*				*"*	
Surrogate: Triphenyl phosphate	*104 %*	% Recovery Limits		*50-170*				*"*	
Herbicides									
Dalapon	ND	0.600	0.115	ug/l	AZG0024	06/24/16	07/08/16	EPA 8151A	
3,5-Dichlorobenzoic acid	ND	0.800	0.170	"	"	"	"	"	
4-Nitrophenol	ND	0.600	0.117	"	"	"	"	"	
Dicamba	ND	0.400	0.0800	"	"	"	"	"	
MCPP	ND	10.0	0.891	"	"	"	"	"	
Dichloroprop	ND	0.800	0.196	"	"	"	"	"	
2,4-D	ND	0.400	0.0860	"	"	"	"	"	
Pentachlorophenol	ND	0.300	0.0530	"	"	"	"	"	
2,4,5-TP (Silvex)	ND	0.500	0.0950	"	"	"	"	"	
2,4,5-T	ND	0.500	0.0970	"	"	"	"	"	
Chloramben	ND	0.800	0.00800	"	"	"	"	"	
Dinoseb	ND	0.400	0.0830	"	"	"	"	"	
2,4-DB	ND	0.800	0.157	"	"	"	"	"	
Bentazon	ND	0.600	0.110	"	"	"	"	"	
DCPA	ND	0.400	0.0150	"	"	"	"	"	
Picloram	ND	0.800	0.0200	"	"	"	"	"	
Acifluorfen	ND	0.800	0.157	"	"	"	"	"	
Surrogate: 2,4-Dichlorophenylacetic acid	*59.9 %*	% Recovery Limits		*43-169*				*"*	
Ion Chromatography									
Chloride	ND	0.5	0.05	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Fluoride	ND	0.1	0.08	"	"	"	"	"	
Nitrate (NO3)	ND	0.50	0.08	"	"	"	"	"	
Nitrate as Nitrogen	ND	0.11	0.02	"	"	"	"	"	
Nitrite (NO2)	ND	0.50	0.15	"	"	"	"	"	
Nitrite as Nitrogen	ND	0.15	0.04	"	"	"	"	"	
Perchlorate	ND	2.00	0.0940	ug/l	AZF0337	06/28/16	06/30/16	EPA 314.0	
Sulfate as SO4	ND	0.5	0.1	mg/L	AZF0256	06/21/16	06/21/16	EPA 300.0	
Wet Chemistry									
Total Alkalinity	ND	5.00	2.37	mg/L	AZF0330	06/30/16	06/30/16	SM2320B	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
Wet Chemistry									
Ammonia as N	**0.181**	0.100	0.0400	mg/L	AZG0068	07/08/16	07/08/16	SM 4500-NH3 B/H	
Specific Conductance (EC)	**872**	5.00	1.09	uS/cm	AZF0266	06/22/16	06/22/16	EPA 120.1	
Cyanide	ND	0.00500	0.000900	mg/L	AZF0324	06/28/16	06/29/16	SM 4500CN E	
Hexavalent Chromium	ND	15.0	12.0	ug/l	AZG0023	07/05/16	07/05/16	EPA 7196	
MBAS	ND	0.100	0.0600	mg/L	AZF0277	06/22/16	06/23/16	SM5540C	
pH	**6.75**	0.100	0.100	pH Units	AZF0264	06/21/16	06/21/16	SM 4500-H+ B	Field
Total Dissolved Solids	ND	15.0	7.68	mg/L	AZF0319	06/24/16	06/29/16	SM 2540C	
Total Hardness	ND	5.00	2.86	"	AZF0314	06/29/16	06/29/16	SM2340B	
Total Recoverable Metals									
Aluminum	ND	50.0	24.5	ug/l	AZG0050	07/07/16	07/07/16	EPA 200.7	
Barium	ND	5.0	1.2	"	"	"	"	"	
Boron	ND	50.0	0.8	"	"	"	"	"	
Calcium	ND	100	79.0	"	"	"	"	"	
Copper	ND	5.0	0.8	"	"	"	"	"	
Iron	ND	20.0	11.5	"	"	"	"	"	
Magnesium	ND	50.0	15.6	"	"	"	"	"	
Manganese	ND	10.0	0.6	"	"	"	"	"	
Sodium	ND	200	120	"	"	"	"	"	
Thallium	ND	20.0	2.2	"	"	"	"	"	
Zinc	ND	10.0	0.3	"	"	"	"	"	
Dissolved Metals									
Dissolved Aluminum	ND	50.0	24.5	ug/l	AZG0077	07/05/16	07/11/16	EPA 200.7	
Dissolved Arsenic	ND	10.0	1.0	"	"	"	"	"	
Dissolved Iron	**28.3**	20.0	11.5	"	"	"	"	"	
Dissolved Lead	ND	5.0	0.9	"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8321A									
Carbaryl	ND	1		ug/L	A608160	07/04/16	07/04/16	EPA 8321A	
Carbofuran	ND	1		"	"	"	"	"	
Diuron	ND	1		"	"	"	"	"	
Methiocarb	ND	1		"	"	"	"	"	
Oxamyl	ND	1		"	"	"	"	"	
Propoxur	ND	1		"	"	"	"	"	
3-Hydroxycarbofuran	ND	1		"	"	"	"	"	
Linuron	ND	1		"	"	"	"	"	
Aldicarb	ND	1		"	"	"	"	"	
Aldicarb sulfone	ND	1		"	"	"	"	"	
Methomyl	ND	1		"	"	"	"	"	
Aldicarb sulfoxide	ND	1		"	"	"	"	"	
Surrogate: BDMC	*95 %*	% Recovery Limits		*50-150*				*"*	
E200.8									
Total Recoverable Beryllium	ND	1		ug/L	'[none]'	06/28/16	06/28/16	E200.8	
Total Recoverable Chromium	ND	3		"	"	"	"	"	
Total Recoverable Cadmium	ND	1		"	"	"	"	"	
Total Recoverable Lead	ND	1		"	"	"	"	"	
Total Recoverable Arsenic	ND	2		"	"	"	"	"	
Total Recoverable Nickel	ND	2		"	"	"	"	"	
Total Recoverable Selenium	ND	2		"	"	"	"	"	
Total Recoverable Silver	ND	1		"	"	"	"	"	
Total Recoverable Zinc	ND	10		"	"	"	"	"	
Total Recoverable Thorium	ND	0.2		"	"	"	07/14/16	"	
Total Recoverable Titanium	ND	2		"	"	"	"	"	
Total Recoverable Copper	ND	2		"	"	"	06/28/16	"	
EPA 8290A									
1,2,3,7,8,9-HxCDF	ND		3.24	pg/L	1464	"	06/30/16	EPA 8290A	DL
1,2,3,7,8,9-HxCDD	ND		5.22	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDD	ND		5.48	"	"	"	"	"	DL
1,2,3,6,7,8-HxCDF	ND		2.15	"	"	"	"	"	DL
1,2,3,4,6,7,8-HpCDF	ND		4.28	"	"	"	"	"	DL
2,3,7,8-TCDF	ND		1.95	"	"	"	"	"	DL

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A									
1,2,3,4,6,7,8-HpCDD	ND		6.68	pg/L	1464	06/28/16	06/30/16	"	DL
1,2,3,4,7,8-HxCDF	ND		2.11	"	"	"	"	"	DL
1,2,3,4,7,8-HxCDD	ND		5.37	"	"	"	"	"	DL
1,2,3,4,7,8,9-HpCDF	ND		5.17	"	"	"	"	"	DL
2,3,4,6,7,8-HxCDF	ND		2.41	"	"	"	"	"	DL
1,2,3,7,8-PeCDF	ND		2.14	"	"	"	"	"	DL
1,2,3,7,8-PeCDD	ND		6.13	"	"	"	"	"	DL
Total HxCDD	ND		5.48	"	"	"	"	"	DL
Total HpCDD	ND		6.68	"	"	"	"	"	DL
Total PeCDD	ND		6.13	"	"	"	"	"	DL
Totals HpCDF	ND		5.17	"	"	"	"	"	DL
Total TCDF	ND		1.95	"	"	"	"	"	DL
Total TCDD	ND		2.25	"	"	"	"	"	DL
Total PeCDF	ND		2.26	"	"	"	"	"	DL
2,3,4,7,8-PeCDF	ND		2.26	"	"	"	"	"	DL
2,3,7,8-TCDD	ND		2.25	"	"	"	"	"	DL
TEQ	**0.00858**			"	"	"	"	"	
OCDF	ND		10.5	"	"	"	"	"	DL
OCDD	**28.6**			"	"	"	"	"	J
Total HxCDF	ND		3.24	"	"	"	"	"	DL
EPA 8290A									
Surrogate: 37Cl4-2,3,7,8-TCDD	*103 %*	% Recovery Limits		*40-135*				*"*	
EPA 8290A Internal Standards									
13C-1,2,3,7,8,9-HxCDF	**49.7**			%	1464	"	06/29/16	EPA 8290A Internal Standards	
13C-2,3,7,8-TCDD	**58.7**			"	"	"	"	"	
13C-2,3,4,6,7,8-HxCDF	**51.7**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDF	**61.9**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDF	**55.9**			"	"	"	"	"	
13C-1,2,3,6,7,8-HxCDD	**56.4**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDD	**56.1**			"	"	"	"	"	
13C-1,2,3,7,8-PeCDD	**51.9**			"	"	"	"	"	
13C-1,2,3,4,7,8,9-HpCDF	**54.4**			"	"	"	"	"	
13C-1,2,3,4,6,7,8-HpCDD	**54.8**			"	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

TK160620-17

1606176-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	Batch	Date Prepared	Date Analyzed	Method	Notes
EPA 8290A Internal Standards									
13C-1,2,3,4,6,7,8-HpCDF	**49.3**			%	1464	06/28/16	06/29/16	"	
13C-OCDD	**44.8**			"	"	"	"	"	
13C-2,3,7,8-TCDF	**72.4**			"	"	"	"	"	
13C-1,2,3,4,7,8-HxCDF	**57.4**			"	"	"	"	"	
13C-2,3,4,7,8-PeCDF	**56.4**			"	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZG0047 - EPA 8260B											
Blank (AZG0047-BLK1)					Prepared & Analyzed: 06/22/16						
Surrogate: Dibromofluoromethane	*12.2*			*ug/l*	*12.5*		*97.3*	*70-130*			
Surrogate: Toluene-d8	*12.3*			*"*	*12.5*		*98.6*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*12.0*			*"*	*12.5*		*96.3*	*70-130*			
Dichlorodifluoromethane	ND	0.5		"							
Chloromethane	ND	0.5		"							
Bromomethane	ND	0.5		"							
Chloroethane	ND	0.5		"							
Trichlorofluoromethane	ND	0.5		"							
Trichlorotrifluoroethane	ND	1.0		"							
Acetone	ND	5.0		"							
1,1-Dichloroethene	ND	0.5		"							
Iodomethane	ND	0.5		"							
Methylene chloride	ND	5.0		"							
Carbon disulfide	ND	0.5		"							
trans-1,2-Dichloroethene	ND	0.5		"							
1,1-Dichloroethane	ND	0.5		"							
2-Butanone	ND	5.0		"							
2,2-Dichloropropane	ND	0.5		"							
cis-1,2-Dichloroethene	ND	0.5		"							
Bromochloromethane	ND	0.5		"							
Chloroform	ND	0.5		"							
1,1,1-Trichloroethane	ND	0.5		"							
Carbon tetrachloride	ND	0.5		"							
1,1-Dichloropropene	ND	0.5		"							
Benzene	ND	0.5		"							
1,2-Dichloroethane	ND	0.5		"							
Dibromomethane	ND	0.5		"							
Trichloroethene	ND	0.5		"							
Bromodichloromethane	ND	0.5		"							
1,2-Dichloropropane	ND	0.5		"							
cis-1,3-Dichloropropene	ND	0.5		"							
4-Methyl-2-pentanone	ND	5.0		"							
Toluene	ND	0.5		"							
trans-1,3-Dichloropropene	ND	0.5		"							
1,1,2-Trichloroethane	ND	0.5		"							
Tetrachloroethene	ND	0.5		"							
1,3-Dichloropropane	ND	0.5		"							
2-Hexanone	ND	5.0		"							
Dibromochloromethane	ND	0.5		"							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZG0047 - EPA 8260B											
Blank (AZG0047-BLK1)					Prepared & Analyzed: 06/22/16						
1,2-Dibromoethane (EDB)	ND	0.5		ug/l							
Chlorobenzene	ND	0.5		"							
1,1,1,2-Tetrachloroethane	ND	0.5		"							
Ethylbenzene	ND	0.5		"							
m,p-Xylene	ND	1.0		"							
o-Xylene	ND	0.5		"							
Xylenes, total	ND	1.0		"							
Bromoform	ND	0.5		"							
Isopropylbenzene	ND	0.5		"							
Bromobenzene	ND	0.5		"							
1,1,2,2-Tetrachloroethane	ND	0.5		"							
1,2,3-Trichloropropane	ND	0.5		"							
n-Propylbenzene	ND	0.5		"							
2-Chlorotoluene	ND	0.5		"							
4-Chlorotoluene	ND	0.5		"							
tert-Butylbenzene	ND	0.5		"							
1,2,4-Trimethylbenzene	ND	0.5		"							
sec-Butylbenzene	ND	0.5		"							
1,3-Dichlorobenzene	ND	0.5		"							
4-Isopropyltoluene	ND	0.5		"							
1,4-Dichlorobenzene	ND	0.5		"							
1,2-Dichlorobenzene	ND	0.5		"							
n-Butylbenzene	ND	0.5		"							
1,2-Dibromo-3-chloropropane	ND	0.5		"							
1,2,4-Trichlorobenzene	ND	0.5		"							
Hexachlorobutadiene	ND	0.5		"							
Naphthalene	ND	0.5		"							
1,2,3-Trichlorobenzene	ND	0.5		"							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZG0047 - EPA 8260B											
LCS (AZG0047-BS1)					Prepared & Analyzed: 06/23/16						
Surrogate: Dibromofluoromethane	*11.9*			*ug/l*	*12.5*		*95.0*	*70-130*			
Surrogate: Toluene-d8	*12.9*			*"*	*12.5*		*103*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*12.2*			*"*	*12.5*		*98.0*	*70-130*			
1,1-Dichloroethene	21.7	0.5		"	20.0		109	80-120			
Benzene	20.2	0.5		"	20.0		101	80-120			
Trichloroethene	18.5	0.5		"	20.0		92.7	80-120			
Toluene	20.8	0.5		"	20.0		104	80-120			
Chlorobenzene	20.7	0.5		"	20.0		103	80-120			
LCS Dup (AZG0047-BSD1)					Prepared & Analyzed: 06/22/16						
Surrogate: Dibromofluoromethane	*12.2*			*ug/l*	*12.5*		*97.2*	*70-130*			
Surrogate: Toluene-d8	*12.3*			*"*	*12.5*		*98.2*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*12.3*			*"*	*12.5*		*98.5*	*70-130*			
1,1-Dichloroethene	17.9	0.5		"	20.0		89.4	80-120	19.5	15	QR-02
Benzene	19.7	0.5		"	20.0		98.7	80-120	2.40	15	
Trichloroethene	17.9	0.5		"	20.0		89.6	80-120	3.40	15	
Toluene	19.7	0.5		"	20.0		98.4	80-120	5.34	15	
Chlorobenzene	19.7	0.5		"	20.0		98.5	80-120	4.95	15	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Pesticides by GC/ECD - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0252 - EPA 8081A											
Blank (AZF0252-BLK1)				Prepared & Analyzed: 06/23/16							
Surrogate: Decachlorobiphenyl	*0.409*			*ug/l*	*0.400*		*102*	*50-150*			
Surrogate: Tetrachloro-meta-xylene	*0.388*			*"*	*0.400*		*97.0*	*50-150*			
alpha-BHC	ND	0.100		"							
beta-BHC	ND	0.100		"							
gamma-BHC (Lindane)	ND	0.100		"							
delta-BHC	ND	0.100		"							
Heptachlor	ND	0.100		"							
Aldrin	ND	0.100		"							
Heptachlor epoxide	ND	0.100		"							
gamma-Chlordane	ND	0.100		"							
Endosulfan I	ND	0.100		"							
alpha-Chlordane	ND	0.100		"							
4,4'-DDE	ND	0.100		"							
Dieldrin	ND	0.100		"							
Endrin	ND	0.100		"							
Endosulfan II	ND	0.100		"							
4,4'-DDD	ND	0.100		"							
Endrin aldehyde	ND	0.100		"							
Endosulfan sulfate	ND	0.100		"							
4,4'-DDT	ND	0.100		"							
Endrin Ketone	ND	0.100		"							
Methoxychlor	ND	0.100		"							
LCS (AZF0252-BS1)				Prepared & Analyzed: 06/23/16							
Surrogate: Decachlorobiphenyl	*0.412*			*ug/l*	*0.600*		*68.7*	*50-150*			
Surrogate: Tetrachloro-meta-xylene	*0.356*			*"*	*0.400*		*89.0*	*50-150*			
gamma-BHC (Lindane)	0.533	0.100		"	0.600		88.8	50-150			
Heptachlor	0.572	0.100		"	0.600		95.3	50-150			
Aldrin	0.552	0.100		"	0.600		92.1	50-150			
Dieldrin	0.585	0.100		"	0.600		97.5	50-150			
Endrin	0.564	0.100		"	0.600		94.0	50-150			
4,4'-DDT	0.561	0.100		"	0.600		93.5	50-150			

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Pesticides by GC/ECD - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0252 - EPA 8081A											
LCS Dup (AZF0252-BSD1)					Prepared & Analyzed: 06/23/16						
Surrogate: Decachlorobiphenyl	*0.406*			*ug/l*	*0.600*		*67.7*	*50-150*			
Surrogate: Tetrachloro-meta-xylene	*0.368*			*"*	*0.400*		*92.1*	*50-150*			
gamma-BHC (Lindane)	0.538	0.100		"	0.600		89.6	50-150	0.932	25	
Heptachlor	0.568	0.100		"	0.600		94.6	50-150	0.739	25	
Aldrin	0.543	0.100		"	0.600		90.5	50-150	1.78	25	
Dieldrin	0.569	0.100		"	0.600		94.9	50-150	2.68	25	
Endrin	0.549	0.100		"	0.600		91.5	50-150	2.67	25	
4,4'-DDT	0.551	0.100		"	0.600		91.9	50-150	1.74	25	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

PCBs by GC/ECD - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0252 - EPA 8082											
Blank (AZF0252-BLK1)					Prepared & Analyzed: 06/23/16						
Surrogate: Decachlorobiphenyl	*0.258*			*ug/l*	*0.400*		*64.4*	*50-150*			
Surrogate: Tetrachloro-meta-xylene	*0.376*			*"*	*0.400*		*93.9*	*50-150*			
Aroclor 1016	ND	1.00		"							
Aroclor 1221	ND	1.00		"							
Aroclor 1232	ND	1.00		"							
Aroclor 1242	ND	1.00		"							
Aroclor 1248	ND	1.00		"							
Aroclor 1254	ND	1.00		"							
Aroclor 1260	ND	1.00		"							
LCS (AZF0252-BS2)					Prepared & Analyzed: 06/23/16						
Surrogate: Decachlorobiphenyl	*0.284*			*ug/l*	*0.400*		*71.0*	*50-150*			
Surrogate: Tetrachloro-meta-xylene	*0.339*			*"*	*0.400*		*84.7*	*50-150*			
Aroclor 1260	16.1	1.00		"	20.0		80.4	50-150			
LCS Dup (AZF0252-BSD2)					Prepared & Analyzed: 06/23/16						
Surrogate: Decachlorobiphenyl	*0.274*			*ug/l*	*0.400*		*68.6*	*50-150*			
Surrogate: Tetrachloro-meta-xylene	*0.335*			*"*	*0.400*		*83.9*	*50-150*			
Aroclor 1260	16.4	1.00		"	20.0		82.0	50-150	1.91	50	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

SemiVolatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0303 - EPA 8270C											
Blank (AZF0303-BLK1)				Prepared: 06/27/16 Analyzed: 06/28/16							
Surrogate: 2-Fluorophenol	*29.3*			*ug/l*	*50.0*		*58.5*	*10-130*			
Surrogate: Phenol-d6	*30.4*			*"*	*50.0*		*60.7*	*10-130*			
Surrogate: Nitrobenzene-d5	*30.6*			*"*	*50.0*		*61.3*	*10-130*			
Surrogate: 2-Fluorobiphenyl	*32.2*			*"*	*50.0*		*64.4*	*10-130*			
Surrogate: 2,4,6-Tribromophenol	*27.1*			*"*	*50.0*		*54.2*	*10-130*			
Surrogate: Terphenyl-dl4	*32.1*			*"*	*50.0*		*64.3*	*10-130*			
N-Nitrosodimethylamine	ND	2.0		"							
Aniline	ND	2.0		"							
Bis(2-chloroethyl)ether	ND	2.0		"							
Phenol	ND	2.0		"							
2-Chlorophenol	ND	2.0		"							
1,4-Dichlorobenzene	ND	2.0		"							
Benzyl alcohol	ND	2.0		"							
Bis(2-chloroisopropyl)ether	ND	2.0		"							
2-Methylphenol	ND	2.0		"							
Hexachloroethane	ND	2.0		"							
N-Nitrosodi-n-propylamine	ND	2.0		"							
Nitrobenzene	ND	2.0		"							
Isophorone	ND	2.0		"							
2-Nitrophenol	ND	5.0		"							
2,4-Dimethylphenol	ND	2.0		"							
Bis(2-chloroethoxy)methane	ND	2.0		"							
Benzoic acid	ND	30.0		"							
2,4-Dichlorophenol	ND	2.0		"							
1,2,4-Trichlorobenzene	ND	2.0		"							
Naphthalene	ND	2.0		"							
Hexachlorobutadiene	ND	2.0		"							
4-Chloro-3-methylphenol	ND	2.0		"							
2-Methylnaphthalene	ND	2.0		"							
Hexachlorocyclopentadiene	ND	2.0		"							
2,4,6-Trichlorophenol	ND	5.0		"							
2,4,5-Trichlorophenol	ND	5.0		"							
2-Chloronaphthalene	ND	2.0		"							
2-Nitroaniline	ND	2.0		"							
Acenaphthylene	ND	2.0		"							
Dimethyl phthalate	ND	2.0		"							
2,6-Dinitrotoluene	ND	2.0		"							
Acenaphthene	ND	2.0		"							
2,4-Dinitrophenol	ND	10.0		"							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

SemiVolatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0303 - EPA 8270C											
Blank (AZF0303-BLK1)					Prepared: 06/27/16 Analyzed: 06/28/16						
Dibenzofuran	ND	2.0		ug/l							
2,4-Dinitrotoluene	ND	2.0		"							
4-Nitrophenol	ND	5.0		"							
Fluorene	ND	2.0		"							
4-Chlorophenyl phenyl ether	ND	2.0		"							
Diethyl phthalate	ND	2.0		"							
Azobenzene	ND	2.0		"							
4,6-Dinitro-2-methylphenol	ND	10.0		"							
N-Nitrosodiphenylamine	ND	2.0		"							
4-Bromophenyl phenyl ether	ND	2.0		"							
Hexachlorobenzene	ND	2.0		"							
Pentachlorophenol	ND	10.0		"							
Phenanthrene	ND	2.0		"							
Anthracene	ND	2.0		"							
Carbazole	ND	2.0		"							
Di-n-butyl phthalate	ND	2.0		"							
Fluoranthene	ND	2.0		"							
Benzidine	ND	5.0		"							
Pyrene	ND	2.0		"							
Butyl benzyl phthalate	ND	2.0		"							
3,3´-Dichlorobenzidine	ND	5.0		"							
Benzo (a) anthracene	ND	2.0		"							
Chrysene	ND	2.0		"							
Bis(2-ethylhexyl)phthalate	ND	5.0		"							
Di-n-octyl phthalate	ND	5.0		"							
Benzo (b) fluoranthene	ND	2.0		"							
Benzo (k) fluoranthene	ND	2.0		"							
Benzo (a) pyrene	ND	5.0		"							
Indeno (1,2,3-cd) pyrene	ND	5.0		"							
Dibenz (a,h) anthracene	ND	2.0		"							
Benzo (g,h,i) perylene	ND	2.0		"							
3-Methylphenol & 4-Methylphenol	ND	50.0		"							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

SemiVolatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0303 - EPA 8270C											
LCS (AZF0303-BS1)					Prepared: 06/27/16 Analyzed: 06/28/16						
Surrogate: 2-Fluorophenol	*36.5*			*ug/l*	*50.0*		*72.9*	*0-150*			
Surrogate: Phenol-d6	*34.8*			*"*	*50.0*		*69.7*	*0-150*			
Surrogate: Nitrobenzene-d5	*36.2*			*"*	*50.0*		*72.4*	*0-150*			
Surrogate: 2-Fluorobiphenyl	*39.3*			*"*	*50.0*		*78.7*	*0-150*			
Surrogate: 2,4,6-Tribromophenol	*43.7*			*"*	*50.0*		*87.4*	*0-150*			
Surrogate: Terphenyl-dl4	*41.2*			*"*	*50.0*		*82.5*	*0-150*			
Phenol	48.9	2.0		"	75.0		65.2	0-150			
2-Chlorophenol	45.9	2.0		"	75.0		61.2	0-150			
1,4-Dichlorobenzene	32.6	2.0		"	50.0		65.3	0-150			
N-Nitrosodi-n-propylamine	39.9	2.0		"	50.0		79.8	0-150			
1,2,4-Trichlorobenzene	35.7	2.0		"	50.0		71.3	0-150			
4-Chloro-3-methylphenol	55.8	2.0		"	75.0		74.4	0-150			
Acenaphthene	35.7	2.0		"	50.0		71.4	0-150			
2,4-Dinitrotoluene	39.5	2.0		"	50.0		79.1	0-150			
4-Nitrophenol	55.1	5.0		"	75.0		73.5	0-150			
Pentachlorophenol	55.5	10.0		"	75.0		74.0	0-150			
Pyrene	39.0	2.0		"	50.0		78.0	0-150			
LCS Dup (AZF0303-BSD1)					Prepared: 06/27/16 Analyzed: 06/28/16						
Surrogate: 2-Fluorophenol	*34.2*			*ug/l*	*50.0*		*68.4*	*0-150*			
Surrogate: Phenol-d6	*34.8*			*"*	*50.0*		*69.6*	*0-150*			
Surrogate: Nitrobenzene-d5	*35.8*			*"*	*50.0*		*71.5*	*0-150*			
Surrogate: 2-Fluorobiphenyl	*35.2*			*"*	*50.0*		*70.5*	*0-150*			
Surrogate: 2,4,6-Tribromophenol	*40.9*			*"*	*50.0*		*81.7*	*0-150*			
Surrogate: Terphenyl-dl4	*41.9*			*"*	*50.0*		*83.8*	*0-150*			
Phenol	50.0	2.0		"	75.0		66.7	0-150	2.31	30	
2-Chlorophenol	44.2	2.0		"	75.0		58.9	0-150	3.89	30	
1,4-Dichlorobenzene	31.5	2.0		"	50.0		63.0	0-150	3.55	30	
N-Nitrosodi-n-propylamine	37.7	2.0		"	50.0		75.3	0-150	5.70	30	
1,2,4-Trichlorobenzene	35.1	2.0		"	50.0		70.1	0-150	1.70	30	
4-Chloro-3-methylphenol	55.4	2.0		"	75.0		73.9	0-150	0.684	30	
Acenaphthene	33.1	2.0		"	50.0		66.1	0-150	7.62	30	
2,4-Dinitrotoluene	38.1	2.0		"	50.0		76.2	0-150	3.68	30	
4-Nitrophenol	53.1	5.0		"	75.0		70.8	0-150	3.70	50	
Pentachlorophenol	55.8	10.0		"	75.0		74.4	0-150	0.485	50	
Pyrene	39.5	2.0		"	50.0		78.9	0-150	1.20	30	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Organophosphorus Pesticides - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0309 - EPA 8141A											
Blank (AZF0309-BLK1)				Prepared: 06/27/16 Analyzed: 06/30/16							
Surrogate: Tributylphosphate	*0.378*			*ug/l*	*0.400*		*94.5*	*50-170*			
Surrogate: Triphenyl phosphate	*0.413*			*"*	*0.400*		*103*	*50-170*			
Dichlorvos	ND	0.200		"							
Mevinphos	ND	0.200		"							
TEPP	ND	0.200		"							
Demeton	ND	0.200		"							
Demeton-O	ND	0.200		"							
Ethoprop	ND	0.200		"							
Naled	ND	0.200		"							
Sulfotep	ND	0.200		"							
Monocrotophos	ND	0.400		"							
Phorate	ND	0.200		"							
Demeton-S	ND	0.200		"							
Dimethoate	ND	0.200		"							
Diazinon	ND	0.200		"							
Disulfoton	ND	0.200		"							
Parathion-methyl	ND	0.200		"							
Ronnel	ND	0.200		"							
Malathion	ND	0.200		"							
Dursban (Chlorpyrifos)	ND	0.200		"							
Fenthion	ND	0.200		"							
Parathion	ND	0.200		"							
Trichloronate	ND	0.200		"							
Gardona (Stirophos)	ND	0.200		"							
Tokuthion (Prothiofos)	ND	0.200		"							
Merphos	ND	0.200		"							
Fensulfothion	ND	0.200		"							
Bolstar	ND	0.200		"							
EPN	ND	0.200		"							
Azinphos-methyl	ND	0.200		"							
Coumaphos	ND	0.200		"							
Molinate	ND	0.200		"							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Organophosphorus Pesticides - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0309 - EPA 8141A											
LCS (AZF0309-BS1)					Prepared: 06/27/16 Analyzed: 06/30/16						
Surrogate: Tributylphosphate	*0.392*			*ug/l*	*0.400*		*98.1*	*50-170*			
Surrogate: Triphenyl phosphate	*0.445*			*"*	*0.400*		*111*	*50-170*			
Phorate	0.304	0.200		"	0.400		75.9	40-130			
Diazinon	0.259	0.200		"	0.400		64.7	40-130			
Dursban (Chlorpyrifos)	0.338	0.200		"	0.400		84.5	40-130			
Trichloronate	0.207	0.200		"	0.400		51.7	40-130			
LCS Dup (AZF0309-BSD1)					Prepared: 06/27/16 Analyzed: 06/30/16						
Surrogate: Tributylphosphate	*0.385*			*ug/l*	*0.400*		*96.1*	*50-170*			
Surrogate: Triphenyl phosphate	*0.440*			*"*	*0.400*		*110*	*50-170*			
Phorate	0.299	0.200		"	0.400		74.7	40-130	1.70	30	
Diazinon	0.233	0.200		"	0.400		58.2	40-130	10.6	30	
Dursban (Chlorpyrifos)	0.332	0.200		"	0.400		83.0	40-130	1.77	30	
Trichloronate	0.230	0.200		"	0.400		57.6	40-130	10.7	30	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Herbicides - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZG0024 - EPA 8151A											
Blank (AZG0024-BLK1)					Prepared: 06/23/16 Analyzed: 07/08/16						
Surrogate: 2,4-Dichlorophenylacetic acid	*2.11*			*ug/l*	*3.20*		*65.9*	*43-169*			
Dalapon	ND	0.600		"							
3,5-Dichlorobenzoic acid	ND	0.800		"							
4-Nitrophenol	ND	0.600		"							
Dicamba	ND	0.400		"							
MCPP	ND	10.0		"							
Dichloroprop	ND	0.800		"							
2,4-D	ND	0.400		"							
Pentachlorophenol	ND	0.300		"							
2,4,5-TP (Silvex)	ND	0.500		"							
2,4,5-T	ND	0.500		"							
Chloramben	ND	0.800		"							
Dinoseb	ND	0.400		"							
2,4-DB	ND	0.800		"							
Bentazon	ND	0.600		"							
DCPA	ND	0.400		"							
Picloram	ND	0.800		"							
Acifluorfen	ND	0.800		"							
LCS (AZG0024-BS1)					Prepared: 06/23/16 Analyzed: 07/08/16						
Surrogate: 2,4-Dichlorophenylacetic acid	*1.93*			*ug/l*	*3.20*		*60.2*	*50-180*			
Dichloroprop	1.10	0.800		"	2.00		55.0	50-150			
2,4-D	1.00	0.400		"	2.00		50.1	50-150			
2,4,5-TP (Silvex)	1.06	0.500		"	2.00		53.2	50-150			
2,4,5-T	1.12	0.500		"	2.00		56.0	50-150			
Dinoseb	1.06	0.400		"	2.00		53.0	50-150			
LCS Dup (AZG0024-BSD1)					Prepared: 06/23/16 Analyzed: 07/20/16						
Surrogate: 2,4-Dichlorophenylacetic acid	*5.15*			*ug/l*	*3.20*		*161*	*50-180*			
Dichloroprop	1.08	0.800		"	2.00		54.0	50-150	1.82	30	
2,4-D	1.25	0.400		"	2.00		62.7	50-150	22.4	30	
2,4,5-TP (Silvex)	1.09	0.500		"	2.00		54.7	50-150	2.88	30	
2,4,5-T	1.00	0.500		"	2.00		50.0	50-150	11.2	30	
Dinoseb	1.04	0.400		"	2.00		52.1	50-150	1.82	30	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Ion Chromatography - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0256 - EPA 300.0											
Blank (AZF0256-BLK1)					Prepared & Analyzed: 06/22/16						
Fluoride	ND	0.1		mg/L							
Chloride	ND	0.5		"							
Nitrate as Nitrogen	ND	0.11		"							
Nitrite as Nitrogen	ND	0.15		"							
Sulfate as SO4	ND	0.5		"							
LCS (AZF0256-BS1)					Prepared & Analyzed: 06/22/16						
Fluoride	10.1	0.1		mg/L	10.0		101	90-110			
Chloride	10.0	0.5		"	10.0		100	90-110			
Nitrate as Nitrogen	2.27	0.11		"	2.26		100	90-110			
Nitrite as Nitrogen	3.05	0.15		"	3.05		99.9	90-110			
Sulfate as SO4	10.0	0.5		"	10.0		100	80-120			
LCS Dup (AZF0256-BSD1)					Prepared & Analyzed: 06/22/16						
Fluoride	10.1	0.1		mg/L	10.0		101	90-110	0.822	20	
Chloride	9.9	0.5		"	10.0		99.4	90-110	1.01	20	
Nitrate as Nitrogen	2.23	0.11		"	2.26		98.8	90-110	1.73	20	
Nitrite as Nitrogen	3.04	0.15		"	3.05		99.6	90-110	0.280	20	
Sulfate as SO4	9.9	0.5		"	10.0		98.8	80-120	1.42	20	
Duplicate (AZF0256-DUP1)			**Source: 1606176-01**		Prepared & Analyzed: 06/22/16						
Fluoride	ND	0.1		mg/L		ND				20	
Chloride	1.7	0.5		"		1.8			3.04	20	
Nitrate as Nitrogen	0.02	0.11		"		0.02			1.08	20	
Nitrite as Nitrogen	ND	0.15		"		ND				20	
Sulfate as SO4	2.7	0.5		"		2.8			3.58	20	
Matrix Spike (AZF0256-MS1)			**Source: 1606176-01**		Prepared & Analyzed: 06/22/16						
Fluoride	9.8	0.1		mg/L	10.0	ND	98.2	75-125			
Chloride	11.7	0.5		"	10.0	1.8	98.9	75-125			
Nitrate as Nitrogen	2.25	0.11		"	2.26	0.02	98.7	75-125			
Nitrite as Nitrogen	3.03	0.15		"	3.05	ND	99.2	75-125			
Sulfate as SO4	12.7	0.5		"	10.0	2.8	98.5	75-125			

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Ion Chromatography - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0256 - EPA 300.0											
Matrix Spike Dup (AZF0256-MSD1)			**Source: 1606176-01**		Prepared & Analyzed: 06/22/16						
Fluoride	9.8	0.1		mg/L	10.0	ND	98.5	75-125	0.254	20	
Chloride	11.7	0.5		"	10.0	1.8	99.1	75-125	0.162	20	
Nitrate as Nitrogen	2.28	0.11		"	2.26	0.02	99.8	75-125	1.09	20	
Nitrite as Nitrogen	3.05	0.15		"	3.05	ND	100	75-125	0.800	20	
Sulfate as SO4	12.7	0.5		"	10.0	2.8	99.0	75-125	0.346	20	
Batch AZF0337 - EPA 314.0											
Blank (AZF0337-BLK1)					Prepared: 06/28/16 Analyzed: 06/30/16						
Perchlorate	ND	2.00		ug/l							
LCS (AZF0337-BS1)					Prepared: 06/28/16 Analyzed: 06/30/16						
Perchlorate	10.7	2.00		ug/l	10.0		107	85-115			
LCS Dup (AZF0337-BSD1)					Prepared: 06/28/16 Analyzed: 06/30/16						
Perchlorate	10.5	2.00		ug/l	10.0		105	85-115	2.58	20	
Duplicate (AZF0337-DUP1)			**Source: 1606077-03**		Prepared: 06/28/16 Analyzed: 06/30/16						
Perchlorate	ND	2.00		ug/l		ND				15	
Matrix Spike (AZF0337-MS1)			**Source: 1606077-03**		Prepared: 06/28/16 Analyzed: 06/30/16						
Perchlorate	9.00	2.00		ug/l	10.0	ND	90.0	80-120			
Matrix Spike Dup (AZF0337-MSD1)			**Source: 1606077-03**		Prepared: 06/28/16 Analyzed: 06/30/16						
Perchlorate	10.3	2.00		ug/l	10.0	ND	103	80-120	13.4	20	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Ion Chromatography - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZG0017 - EPA 7196											
Blank (AZG0017-BLK1)					Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	ND	0.020		mg/kg							
Duplicate (AZG0017-DUP1)			**Source: 1606176-02**		Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	ND	0.020		mg/kg		ND				20	
Matrix Spike (AZG0017-MS1)			**Source: 1606176-02**		Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	0.310	0.020		mg/kg	0.300	ND	103	75-125			
Matrix Spike Dup (AZG0017-MSD1)			**Source: 1606176-02**		Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	0.300	0.020		mg/kg	0.300	ND	100	75-125	3.28	20	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Wet Chemistry - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0264 - SM 4500-H+ B											
Duplicate (AZF0264-DUP1)			**Source: 1606160-02**		Prepared & Analyzed: 06/21/16						
pH	6.47	0.100		pH Units		6.44			0.465	20	Field
Batch AZF0266 - EPA 120.1											
Duplicate (AZF0266-DUP1)			**Source: 1606164-02**		Prepared & Analyzed: 06/22/16						
Specific Conductance (EC)	584	5.00		uS/cm		586			0.171	20	
Duplicate (AZF0266-DUP2)			**Source: 1606147-01**		Prepared & Analyzed: 06/22/16						
Specific Conductance (EC)	372	5.00		uS/cm		370			0.566	20	
Batch AZF0277 - SM5540C											
Blank (AZF0277-BLK1)					Prepared: 06/22/16 Analyzed: 06/23/16						
MBAS	ND	0.100		mg/L							
LCS (AZF0277-BS1)					Prepared: 06/22/16 Analyzed: 06/23/16						
MBAS	0.536	0.100		mg/L	0.500		107	90-110			
LCS Dup (AZF0277-BSD1)					Prepared: 06/22/16 Analyzed: 06/23/16						
MBAS	0.542	0.100		mg/L	0.500		108	90-110	1.11	15	
Batch AZF0314 - SM2340B											
Blank (AZF0314-BLK1)					Prepared & Analyzed: 06/29/16						
Total Hardness	ND	5.00		mg/L							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Wet Chemistry - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0314 - SM2340B											
LCS (AZF0314-BS1)					Prepared & Analyzed: 06/29/16						
Total Hardness	50.0	5.00		mg/L	50.0		100	80-120			
LCS Dup (AZF0314-BSD1)					Prepared & Analyzed: 06/29/16						
Total Hardness	50.0	5.00		mg/L	50.0		100	80-120	0.00	20	
Duplicate (AZF0314-DUP1)			**Source: 1606210-01**		Prepared & Analyzed: 06/29/16						
Total Hardness	116	5.00		mg/L		116			0.00	20	
Matrix Spike (AZF0314-MS1)			**Source: 1606210-01**		Prepared & Analyzed: 06/29/16						
Total Hardness	164	5.00		mg/L	50.0	116	96.0	75-125			
Matrix Spike Dup (AZF0314-MSD1)			**Source: 1606210-01**		Prepared & Analyzed: 06/29/16						
Total Hardness	172	5.00		mg/L	50.0	116	112	75-125	4.76	20	
Batch AZF0319 - SM 2540C											
Blank (AZF0319-BLK1)					Prepared: 06/24/16 Analyzed: 06/29/16						
Total Dissolved Solids	ND	15.0		mg/L							
Duplicate (AZF0319-DUP1)			**Source: 1606179-01**		Prepared: 06/24/16 Analyzed: 06/29/16						
Total Dissolved Solids	272	15.0		mg/L		272			0.00	20	
Batch AZF0324 - SM 4500CN E											
Blank (AZF0324-BLK1)					Prepared: 06/28/16 Analyzed: 06/29/16						
Cyanide	ND	0.00500		mg/L							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Wet Chemistry - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0324 - SM 4500CN E											
LCS (AZF0324-BS1)					Prepared: 06/28/16 Analyzed: 06/29/16						
Cyanide	0.0940	0.00500		mg/L	0.100		94.0	70-130			
LCS Dup (AZF0324-BSD1)					Prepared: 06/28/16 Analyzed: 06/29/16						
Cyanide	0.0950	0.00500		mg/L	0.100		95.0	70-130	1.06	30	
Matrix Spike (AZF0324-MS1)			**Source: 1606176-01**		Prepared: 06/28/16 Analyzed: 06/29/16						
Cyanide	0.0970	0.00500		mg/L	0.100	0.00100	96.0	70-130			
Matrix Spike Dup (AZF0324-MSD1)			**Source: 1606176-01**		Prepared: 06/28/16 Analyzed: 06/29/16						
Cyanide	0.104	0.00500		mg/L	0.100	0.00100	103	70-130	6.97	30	
Batch AZF0330 - SM2320B											
Blank (AZF0330-BLK1)					Prepared & Analyzed: 06/30/16						
Total Alkalinity	ND	5.00		mg/L							
LCS (AZF0330-BS1)					Prepared & Analyzed: 06/30/16						
Total Alkalinity	118	5.00		mg/L	100		118	80-120			
LCS Dup (AZF0330-BSD1)					Prepared & Analyzed: 06/30/16						
Total Alkalinity	120	5.00		mg/L	100		120	80-120	1.68	20	
Duplicate (AZF0330-DUP1)			**Source: 1606176-01**		Prepared & Analyzed: 06/30/16						
Total Alkalinity	ND	5.00		mg/L		40.0				20	
Matrix Spike (AZF0330-MS1)			**Source: 1606176-01**		Prepared & Analyzed: 06/30/16						
Total Alkalinity	158	5.00		mg/L	100	40.0	118	80-120			

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Wet Chemistry - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZF0330 - SM2320B											
Matrix Spike Dup (AZF0330-MSD1)			**Source: 1606176-01**		Prepared & Analyzed: 06/30/16						
Total Alkalinity	154	5.00		mg/L	100	40.0	114	80-120	2.56	20	
Batch AZG0023 - EPA 7196											
Blank (AZG0023-BLK1)					Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	ND	15.0		ug/l							
LCS (AZG0023-BS1)					Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	290	15.0		ug/l	300		96.7	80-120			
LCS Dup (AZG0023-BSD1)					Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	300	15.0		ug/l	300		100	80-120	3.39	20	
Duplicate (AZG0023-DUP1)			**Source: 1606176-01**		Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	ND	15.0		ug/l		ND				200	
Matrix Spike (AZG0023-MS1)			**Source: 1606176-01**		Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	310	15.0		ug/l	300	ND	103	75-125			
Matrix Spike Dup (AZG0023-MSD1)			**Source: 1606176-01**		Prepared & Analyzed: 07/05/16						
Hexavalent Chromium	300	15.0		ug/l	300	ND	100	75-125	3.28	20	
Batch AZG0068 - SM 4500-NH3 B/H											
Blank (AZG0068-BLK1)					Prepared & Analyzed: 07/08/16						
Ammonia as N	ND	0.100		mg/L							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Wet Chemistry - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZG0068 - SM 4500-NH3 B/H											
LCS (AZG0068-BS1)					Prepared & Analyzed: 07/08/16						
Ammonia as N	2.01	0.100		mg/L	2.00		100	85-115			
LCS Dup (AZG0068-BSD1)					Prepared & Analyzed: 07/08/16						
Ammonia as N	1.94	0.100		mg/L	2.00		96.8	85-115	3.50	20	
Matrix Spike (AZG0068-MS1)			**Source: 1606192-03**		Prepared & Analyzed: 07/08/16						
Ammonia as N	2.08	0.100		mg/L	2.00	0.196	94.0	75-125			
Matrix Spike Dup (AZG0068-MSD1)			**Source: 1606192-03**		Prepared & Analyzed: 07/08/16						
Ammonia as N	2.06	0.100		mg/L	2.00	0.196	93.4	75-125	0.579	20	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Total Recoverable Metals - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZG0050 - EPA 200.7											
Blank (AZG0050-BLK1)				Prepared & Analyzed: 07/07/16							
Aluminum	ND	50.0		ug/l							
Boron	ND	50.0		"							
Barium	ND	5.0		"							
Calcium	ND	100		"							
Copper	ND	5.0		"							
Iron	ND	20.0		"							
Magnesium	ND	50.0		"							
Manganese	ND	10.0		"							
Sodium	ND	200		"							
Thallium	ND	20.0		"							
Zinc	ND	10.0		"							
LCS (AZG0050-BS1)				Prepared & Analyzed: 07/07/16							
Aluminum	1060	50.0		ug/l	1000		106	85-115			
Boron	942	50.0		"	1000		94.2	85-115			
Barium	1080	5.0		"	1000		108	85-115			
Calcium	1100	100		"	1000		110	85-115			
Copper	1120	5.0		"	1000		112	85-115			
Iron	1090	20.0		"	1000		109	85-115			
Magnesium	1090	50.0		"	1000		109	85-115			
Manganese	1080	10.0		"	1000		108	85-115			
Sodium	1090	200		"	1000		109	85-115			
Thallium	1060	20.0		"	1000		106	85-115			
Zinc	1060	10.0		"	1000		106	85-115			
LCS Dup (AZG0050-BSD1)				Prepared & Analyzed: 07/07/16							
Aluminum	1070	50.0		ug/l	1000		107	85-115	0.943	20	
Boron	948	50.0		"	1000		94.8	85-115	0.614	20	
Barium	1080	5.0		"	1000		108	85-115	0.185	20	
Calcium	1110	100		"	1000		111	85-115	0.726	20	
Copper	1120	5.0		"	1000		112	85-115	0.268	20	
Iron	1100	20.0		"	1000		110	85-115	1.01	20	
Magnesium	1090	50.0		"	1000		109	85-115	0.0918	20	
Manganese	1080	10.0		"	1000		108	85-115	0.00	20	
Sodium	1060	200		"	1000		106	85-115	3.63	20	
Thallium	1070	20.0		"	1000		107	85-115	0.753	20	
Zinc	1060	10.0		"	1000		106	85-115	0.471	20	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Total Recoverable Metals - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZG0050 - EPA 200.7											
Matrix Spike (AZG0050-MS1)		**Source: 1607005-01**			Prepared & Analyzed: 07/07/16						
Aluminum	1120	50.0		ug/l	1000	42.7	107	75-125			
Boron	983	50.0		"	1000	27.4	95.6	75-125			
Barium	1150	5.0		"	1000	71.2	108	75-125			
Calcium	27400	100		"	1000	26700	64.0	75-125			QL-01
Copper	1040	5.0		"	1000	4.70	104	75-125			
Iron	1090	20.0		"	1000	50.7	104	75-125			
Magnesium	17600	50.0		"	1000	16900	72.0	75-125			QL-01
Manganese	1040	10.0		"	1000	11.8	103	75-125			
Sodium	26900	200		"	1000	26200	76.0	75-125			
Thallium	984	20.0		"	1000	ND	98.4	75-125			
Zinc	1050	10.0		"	1000	22.3	103	75-125			
Matrix Spike Dup (AZG0050-MSD1)		**Source: 1607005-01**			Prepared & Analyzed: 07/07/16						
Boron	980	50.0		ug/l	1000	27.4	95.3	75-125	0.336	25	
Aluminum	1090	50.0		"	1000	42.7	105	75-125	1.90	25	
Barium	1140	5.0		"	1000	71.2	107	75-125	0.524	25	
Calcium	27900	100		"	1000	26700	113	75-125	1.77	25	
Copper	1080	5.0		"	1000	4.70	107	75-125	2.92	25	
Iron	1120	20.0		"	1000	50.7	107	75-125	2.89	25	
Magnesium	18000	50.0		"	1000	16900	106	75-125	1.91	25	
Manganese	1080	10.0		"	1000	11.8	107	75-125	3.69	25	
Sodium	27200	200		"	1000	26200	104	75-125	1.03	25	
Thallium	1000	20.0		"	1000	ND	100	75-125	1.84	25	
Zinc	1080	10.0		"	1000	22.3	106	75-125	3.10	25	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Dissolved Metals - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AZG0077 - EPA 200.7											
Blank (AZG0077-BLK1)					Prepared: 07/05/16 Analyzed: 07/11/16						
Dissolved Aluminum	ND	50.0		ug/l							
Dissolved Lead	ND	5.0		"							
Dissolved Arsenic	ND	10.0		"							
Dissolved Iron	ND	20.0		"							
LCS (AZG0077-BS1)					Prepared: 07/05/16 Analyzed: 07/11/16						
Dissolved Aluminum	1040	50.0		ug/l	1000		104	85-115			
Dissolved Arsenic	991	10.0		"	1000		99.1	85-115			
Dissolved Lead	1000	5.0		"	1000		100	85-115			
Dissolved Iron	1040	20.0		"	1000		104	85-115			
LCS Dup (AZG0077-BSD1)					Prepared: 07/05/16 Analyzed: 07/11/16						
Dissolved Aluminum	1030	50.0		ug/l	1000		103	85-115	1.45	20	
Dissolved Lead	1000	5.0		"	1000		100	85-115	0.00	20	
Dissolved Arsenic	986	10.0		"	1000		98.6	85-115	0.506	20	
Dissolved Iron	1030	20.0		"	1000		103	85-115	0.678	20	
Matrix Spike (AZG0077-MS1)			**Source: 1606176-01**		Prepared: 07/05/16 Analyzed: 07/11/16						
Dissolved Aluminum	1050	50.0		ug/l	1000	ND	105	75-125			
Dissolved Arsenic	989	10.0		"	1000	ND	98.9	75-125			
Dissolved Lead	986	5.0		"	1000	ND	98.6	75-125			
Dissolved Iron	1070	20.0		"	1000	43.4	102	75-125			
Matrix Spike Dup (AZG0077-MSD1)			**Source: 1606176-01**		Prepared: 07/05/16 Analyzed: 07/11/16						
Dissolved Aluminum	1050	50.0		ug/l	1000	ND	105	75-125	0.476	25	
Dissolved Arsenic	988	10.0		"	1000	ND	98.8	75-125	0.0506	25	
Dissolved Lead	988	5.0		"	1000	ND	98.8	75-125	0.132	25	
Dissolved Iron	1070	20.0		"	1000	43.4	103	75-125	0.187	25	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

EPA 8321A - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch A608160 - EPA 8321A											
MB (A608160-BLK1)					Prepared & Analyzed: 07/04/16						
Surrogate: BDMC	*1.9*				*2*		*97*	*50-150*			
Methiocarb	ND	1		ug/L				-			
Methomyl	ND	1		"				-			
Linuron	ND	1		"				-			
Diuron	ND	1		"				-			
Carbofuran	ND	1		"				-			
Carbaryl	ND	1		"				-			
Aldicarb sulfoxide	ND	1		"				-			
Aldicarb sulfone	ND	1		"				-			
Propoxur	ND	1		"				-			
Aldicarb	ND	1		"				-			
3-Hydroxycarbofuran	ND	1		"				-			
Oxamyl	ND	1		"				-			
BS (A608160-BS1)					Prepared & Analyzed: 07/04/16						
Surrogate: BDMC	*2*				*2*		*99*	*50-150*			
Aldicarb sulfoxide	0.39			ug/L	0.4		97	50-150			
Propoxur	0.39			"	0.4		97	50-150			
Methiocarb	0.36			"	0.4		90	50-150			
Diuron	0.38			"	0.4		94	50-150			
Oxamyl	0.38			"	0.4		95	50-150			
Carbofuran	0.39			"	0.4		97	50-150			
Methomyl	0.4			"	0.4		100	50-150			
Linuron	0.39			"	0.4		96	50-150			
Aldicarb	0.39			"	0.4		98	50-150			
Aldicarb sulfone	0.39			"	0.4		98	50-150			
Carbaryl	0.37			"	0.4		92	50-150			
3-Hydroxycarbofuran	0.39			"	0.4		97	50-150			

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

EPA 8321A - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch A608160 - EPA 8321A											
BSD (A608160-BSD1)					Prepared & Analyzed: 07/04/16						
Surrogate: BDMC	*2*				*2*		*98*	*50-150*			
Aldicarb sulfoxide	0.38			ug/L	0.4		96	50-150	2	30	
Carbofuran	0.39			"	0.4		97	50-150	1	30	
Aldicarb	0.4			"	0.4		99	50-150	0	30	
Propoxur	0.39			"	0.4		98	50-150	2	30	
Aldicarb sulfone	0.38			"	0.4		95	50-150	3	30	
Carbaryl	0.4			"	0.4		99	50-150	7	30	
3-Hydroxycarbofuran	0.41			"	0.4		102	50-150	4	30	
Diuron	0.39			"	0.4		98	50-150	4	30	
Methomyl	0.42			"	0.4		104	50-150	5	30	
Oxamyl	0.38			"	0.4		96	50-150	0	30	
Methiocarb	0.37			"	0.4		92	50-150	1	30	
Linuron	0.38			"	0.4		94	50-150	2	30	
MS (A608160-MS1)			**Source: A6F2934-01**		Prepared & Analyzed: 07/04/16						
Surrogate: BDMC	*2*				*2*		*101*	*50-150*			
3-Hydroxycarbofuran	0.42			ug/L	0.4	ND	104	50-150			
Aldicarb	0.43			"	0.4	ND	107	50-150			
Diuron	0.41			"	0.4	ND	103	50-150			
Methiocarb	0.42			"	0.4	ND	105	50-150			
Oxamyl	0.41			"	0.4	ND	104	50-150			
Carbaryl	0.4			"	0.4	ND	101	50-150			
Aldicarb sulfone	0.41			"	0.4	ND	103	50-150			
Linuron	0.4			"	0.4	ND	100	50-150			
Methomyl	0.43			"	0.4	ND	107	50-150			
Aldicarb sulfoxide	0.4			"	0.4	ND	100	50-150			
Carbofuran	0.42			"	0.4	ND	104	50-150			
Propoxur	0.4			"	0.4	ND	101	50-150			

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

EPA 8321A - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch A608160 - EPA 8321A											
MSD (A608160-MSD1)		**Source: A6F2934-01**		Prepared & Analyzed: 07/04/16							
Surrogate: BDMC	*2*				*2*		*100*	*50-150*			
Aldicarb sulfone	0.38			ug/L	0.4	ND	94	50-150	9	30	
Propoxur	0.41			"	0.4	ND	102	50-150	1	30	
Oxamyl	0.41			"	0.4	ND	104	50-150	0	30	
Carbaryl	0.4			"	0.4	ND	99	50-150	2	30	
Methomyl	0.42			"	0.4	ND	104	50-150	3	30	
Aldicarb	0.41			"	0.4	ND	103	50-150	4	30	
Methiocarb	0.39			"	0.4	ND	96	50-150	8	30	
3-Hydroxycarbofuran	0.4			"	0.4	ND	99	50-150	6	30	
Aldicarb sulfoxide	0.4			"	0.4	ND	101	50-150	1	30	
Linuron	0.4			"	0.4	ND	100	50-150	1	30	
Diuron	0.38			"	0.4	ND	95	50-150	8	30	
Carbofuran	0.4			"	0.4	ND	100	50-150	4	30	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

EPA 8290A - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1464 - EPA 8290A											
MB (1464-Blank)				Prepared: 06/28/16 Analyzed: 06/29/16							
1,2,3,6,7,8-HxCDD	ND			pg/L				-			DL
OCDF	ND			"				-			DL
1,2,3,6,7,8-HxCDF	ND			"				-			DL
OCDD	ND			"				-			DL
2,3,7,8-TCDF	ND			"				-			DL
1,2,3,7,8,9-HxCDD	ND			"				-			DL
1,2,3,7,8-PeCDD	ND			"				-			DL
1,2,3,7,8,9-HxCDF	ND			"				-			DL
1,2,3,4,7,8-HxCDF	ND			"				-			DL
1,2,3,7,8-PeCDF	ND			"				-			DL
2,3,4,7,8-PeCDF	ND			"				-			DL
2,3,7,8-TCDD	ND			"				-			DL
Total HxCDF	ND			"				-			DL
Total TCDF	ND			"				-			DL
1,2,3,4,6,7,8-HpCDF	ND			"				-			DL
2,3,4,6,7,8-HxCDF	ND			"				-			DL
Total TCDD	ND			"				-			DL
Total PeCDF	ND			"				-			DL
Total PeCDD	ND			"				-			DL
TEQ	ND			"				-			
Total HxCDD	ND			"				-			DL
1,2,3,4,7,8,9-HpCDF	ND			"				-			DL
1,2,3,4,7,8-HxCDD	ND			"				-			DL
Total HpCDF	ND			"				-			DL
Total HpCDD	ND			"				-			DL
1,2,3,4,6,7,8-HpCDD	ND			"				-			DL
MS (1464-MS)				Prepared: 06/28/16 Analyzed: 06/29/16							
2,3,7,8-TCDF	91.9			%			91.9	-			
OCDD	104			"			104	-			
2,3,7,8-TCDD	106			"			106	-			
2,3,4,7,8-PeCDF	91.4			"			91.4	-			
2,3,4,6,7,8-HxCDF	94			"			94	-			
OCDF	89.7			"			89.7	-			
1,2,3,6,7,8-HxCDF	93.4			"			93.4	-			
1,2,3,4,6,7,8-HpCDD	96			"			96	-			
1,2,3,4,6,7,8-HpCDF	93.4			"			93.4	-			
1,2,3,4,7,8-HxCDD	97			"			97	-			
1,2,3,4,7,8-HxCDF	97.6			"			97.6	-			

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

EPA 8290A - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1464 - EPA 8290A											
MS (1464-MS)					Prepared: 06/28/16 Analyzed: 06/29/16						
1,2,3,4,7,8,9-HpCDF	91.8			%			91.8	-			
1,2,3,6,7,8-HxCDD	99.2			"			99.2	-			
1,2,3,7,8,9-HxCDD	97.2			"			97.2	-			
1,2,3,7,8-PeCDF	91.2			"			91.2	-			
1,2,3,7,8-PeCDD	92.8			"			92.8	-			
1,2,3,7,8,9-HxCDF	100			"			100	-			
MSD (1464-MSD)					Prepared: 06/28/16 Analyzed: 06/29/16						
1,2,3,6,7,8-HxCDD	106			%			106	-	6.63		
1,2,3,4,6,7,8-HpCDD	98.4			"			98.4	-	2.47		
2,3,4,6,7,8-HxCDF	94.4			"			94.4	-	0.42		
1,2,3,4,6,7,8-HpCDF	93.6			"			93.6	-	0.21		
1,2,3,4,7,8,9-HpCDF	94.4			"			94.4	-	2.79		
1,2,3,4,7,8-HxCDD	93.8			"			93.8	-	3.35		
1,2,3,7,8-PeCDD	96.8			"			96.8	-	4.22		
OCDD	105			"			105	-	0.96		
2,3,4,7,8-PeCDF	92.8			"			92.8	-	1.52		
OCDF	91.7			"			91.7	-	2.21		
1,2,3,7,8,9-HxCDF	102			"			102	-	1.98		
1,2,3,7,8-PeCDF	93.4			"			93.4	-	2.38		
1,2,3,6,7,8-HxCDF	97			"			97	-	3.78		
1,2,3,7,8,9-HxCDD	99.4			"			99.4	-	2.24		
2,3,7,8-TCDF	91.3			"			91.3	-	0.66		
2,3,7,8-TCDD	111			"			111	-	4.61		
1,2,3,4,7,8-HxCDF	95.6			"			95.6	-	2.07		

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Notes and Definitions

QR-07	Recoveries are outside acceptable QA/QC parameters due to matrix interferences.
QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
QL-01	Sample results for the QC batch were accepted based on LCS/LCSD percent recoveries and RPD values.
J	Concentration found below the lower quanitiation limit but greater than zero.
Ha	Percent recovery for the internal standard is below the method lower control limit. The results were deemed acceptable due to the signal to noise for the internal standard chromatograph peaks being >10:1 and the detection limits calculated off of the
H	internal standard were below the method lower detection limit.
Field	This analyte was analyzed outside of the EPA recommended hold time of 15 minutes and should be analyzed in the field.
DL	Non-Detect (ND) at sample specific detection limit
ND	Analyte not detected at the reporting limit.
NR	Not reported

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18



Excelchem Environmental Lab.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Representative

Excelchem Environmental Labs

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Analysis	Bottle Type	Perservative	Quantity	Total Ordered (x8)
8260 Volatiles	VOA	N/A	3	24
8270C Semi-Volatiles	1L Amber	N/A	1	8
8081A Organo-Chlorinated Pesticides	1L Amber	N/A	1	8
8082 PCB (Polychlorinated Biphenyls)	1L Amber	N/A	1	8
1613B Dioxins/Furans	1L Amber	N/A	1	8
8151A Chlorinated Pesticides	1L Amber	N/A	1	8
8141 Organo-Phosphorus Pesticides	1L Amber	N/A	1	8
8318 Carbamate Pesticides	VOA	Na2SO3	3	24
Ammonia	125mL Poly	H2SO4	1	8
Metals (Title 22 included)	250mL Poly	HNO3	1	8
Nitrate, Nitrite, Flouride	125mL Poly	N/A	1	8
Perchlorate	125mL Poly	N/A		
Chormium VI	125mL Poly	Cr+6 Buffer	1	8
Cyanide	250mL Poly	NaOH	1	8
Dissolved Metals	1000mL Poly	N/A	1	8
General Minerals	1000mL Poly	N/A		
DI water	Gallon	N/A	4	N/A

Total # Bottles

148

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Laboratory Analysis Request Form

Instructions: Complete this form referencing Contract No. 13-051-150, Exhibit B, Attachment 1, Laboratory Schedule of Cost Tables (Cost Tables). When completed, please submit (via hard copy or electronically) to the Contract Manager for approval. Do not contact the laboratory until you have received approval from the Contract Manager to proceed.

Date of Request: 5/25/2016 Program CV-SALTS/MUN

Staff Person: True Khang

Sample Location (Name of Discharger): Sacramento River Basin

Date and Time of Departure from Office: 20 June 2016/ 0600

Date and Time of Sampling: 20 June 2016/ 0700-1500

Date and Time of Delivery to Laboratory: 20 June 2016/ 1530-1630

Purpose of Sampling: Synoptic Evaluation of Drinking Water Constituents of Concern in the Sacramento River Basin

Contractor: Excelchem (916) 543-4445 or frontdesk@excelchem.net
Contract Manager: Janelle Brown (916) 464-4823 or Janelle.Brown@waterboards.ca.gov

Bid Group	Analysis Type Please do not abbreviate analysis description, information must match cost table analysis description	Routine or Rush	# of Samples	Unit Cost	Estimated Net Cost
1	Polychlorinated Biphenyls (PCB's)	Routine	8	$60.00	$480.00
1	Gas Chromatography/ Mass Spectrometer (GC/MS) Semivolatiles	Routine	8	$75.00	$600.00
1	Volatile Organic Compound & Oxygenated Additive	Routine	8	$125.00	$1,000.00
1	Poly-Chlorinated-Dibenzo-p-Dioxin/Furan High Resolution Mass Spectrometer (HRMS)	Routine	8	$500.00	$4,000.00
1	Drinking Water Volatile Organic Compounds	Routine	8	$80.00	$640.00
2	Organo-Chlorinated Pesticide	Routine	8	$60.00	$480.00
2	Organo-Phosphorus Pesticide	Routine	8	$60.00	$480.00
2	Chlorinated Herbicide	Routine	8	$60.00	$480.00
2	1,2-DB-3-CP, 1,2-DCEthene, 1,2,3-TCPPane	Routine	8	$40.00	$320.00
2	Carbamate Pesticide	Routine	8	$125.00	$1,000.00
4	Perchlorate	Routine	8	$50.00	$400.00
7	Aluminum	Routine	8	$15.00	$120.00
7	Barium	Routine	8	$4.00	$32.00
7	Boron	Routine	8	$15.00	$120.00
7	Iron	Routine	8	$15.00	$120.00
7	Thallium	Routine	8	$4.00	$32.00
9	Sb, Be, Cd, Cr, Cu, Pb, Ni, Se, Ag, Tl, Zn, As, Th, Cr VI, Cyanide	Routine	8	$80.00	$640.00
				Total	$10,944.00

APPROVED: eSignature Janelle Brown 5/25/2016

Upon approval from the Contract Manager, staff must complete the following steps:

1) Contact the Contractor to notify them of the type of samples and analysis that are being requested.
2) Request necessary bottles/supplies that are needed for sample preparation from the laboratory. The laboratory will deliver the supplies to our office.
3) Collect samples.
4) Prepare the samples for delivery.
5) Prepare Chain of Custody form. Include original and one copy with the samples for delivery to the laboratory. Keep one copy for your records. Make one additional copy and provide to the Contract Manager.
6) Contact the laboratory to schedule sample pick up.

Rev. 3/14/14

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Laboratory Analysis Request Form

Instructions: Complete this form referencing Contract No. 13-051-150, Exhibit B, Attachment 1, Laboratory Schedule of Cost Tables (Cost Tables). When completed, please submit (via hard copy or electronically) to the Contract Manager for approval. Do not contact the laboratory until you have received approval from the Contract Manager to proceed.

Date of Request: 5/25/2016 Program CV-SALTS/MUN

Staff Person: True Khang

Sample Location (Name of Discharger): Sacramento River Basin

Date and Time of Departure from Office: 20 June 2016/ 0600

Date and Time of Sampling: 20 June 2016/ 0700-1500

Date and Time of Delivery to Laboratory: 20 June 2016/ 1530-1630

Purpose of Sampling: Synoptic Evaluation of Drinking Water Constituents of Concern in the Sacramento River Basin

Contractor: Excelchem (916) 543-4445 or frontdesk@excelchem.net
Contract Manager: Janelle Brown (916) 464-4823 or Janelle.Brown@waterboards.ca.gov

Bid Group	Analysis Type Please do not abbreviate analysis description. Information must match cost table analysis description	Routine or Rush	# of Samples	Unit Cost	Estimated Net Cost
14	Flouride Salts	Routine	8	$5.00	$40.00
16	Ammonia Nitrogen	Routine	8	$30.00	$240.00
16	Nitrate Nitrogen	Routine	8	$30.00	$240.00
16	Nitrite Nitrogen	Routine	8	$10.00	$80.00
20	General Minerals (Title 22)	Routine	8	$105.00	$840.00
23	Aluminum (dissolved)	Routine	8	$15.00	$120.00
23	Arsenic (dissolved)	Routine	8	$20.00	$160.00
23	Lead (dissolved)	Routine	8	$15.00	$120.00
23	Iron (dissolved)	Routine	8	$15.00	$120.00
23	1. Filtering fee for dissolved metals $20/hr/sample (4 dissolved metals	Routine	8	$80.00	$640.00
				Total	$2,600.00

APPROVED: eSignature Janelle Brown 5/25/2016

Upon approval from the Contract Manager, staff must complete the following steps:

1) Contact the Contractor to notify them of the type of samples and analysis that are being requested.
2) Request necessary bottles/supplies that are needed for sample preparation from the laboratory. The laboratory will deliver the supplies to our office.
3) Collect samples.
4) Prepare the samples for delivery.
5) Prepare Chain of Custody form. Include original and one copy with the samples for delivery to the laboratory. Keep one copy for your records. Make one additional copy and provide to the Contract Manager.
6) Contact the laboratory to schedule sample pick up.

Rev. 3/14/14

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	2016 Sacramento River Synoptic	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	True Khang	07/29/16 10:18

Sample Integrity

WORK ORDER _1606176_

Date Received:__06/20/2016__

Section 1 – Sample Arrival Info.

Sample Transport: ONTRAC UPS USPS *Walk-In* EXCELCHEM Courier Fed-Ex Other:_____

Transported In: *Ice Chest* Box Hand

Describe type of packing materials: Bubble Wrap Foam Packing Peanuts Paper Other:_____

Has chilling process begun? Y N Samples Received: *Chilled to Touch* / Ambient / On Ice

Temperature of Samples (°C): __11__ Ice Chest Temperature(s) (°C): _11__

Section 2 – Bottle/Analysis Info.

	Yes	No	N/A	Comments
Did all bottles arrive unbroken and intact?	X			
Did all bottle labels agree with COC?		X		
Were correct containers used for the tests requested?	X			
Were correct preservations used for the tests requested?	X			
Was a sufficient amount of sample sent for tests indicated?	X			
Were bubbles present in VOA Vials?: **(Volatile Methods Only)**			X	1/48 VOA w/ bubbles

Section 3 – Summa/Flow regulator Info.

Used Summa#:

Unused Summa#:

Cleaning Summa#:

Regulator#:

Was there any visual damage to summa canisters **or** flow regulators? **Explain.**

N/A

Section 4 – COC Info.

	Completed Yes	Completed No	Info From Container		Completed Yes	Completed No	Comments
Was COC Received	X			Analysis Requested	X		
Date Sampled	X			Samples arrived within holding time	X		
Time Sampled	X			Any hold times less than 72 hrs	X		NO3, NO2
Sample ID	X			Client Name	X		
Rush TAT		X		Address/Telephone #	X		

Section 5 – Comments / Discrepancies

Was Client notified of discrepancies: *Yes* No N/A Notified by: Antoinette Ranit

Explanations / Comments: VOAs labeled "TK160620-16" are actually "TK160620-15"

Samples Labeled by: ___*AR*___
Bin #s: _A4B, S-11, 100, 101,102 _
COC Scanned/Attached by: _AR_
Sample labels reviewed by: __AR____

Filled Out by:	Antoinette Ranit	**Date:**	06/21/16
		Time:	10:00

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.